

MISM4.TXT

/==\ \ / /==\ \ /==	/=====\ The Resonant Gravity Field Coil (or: how to manipulate reality in a 530 square inch area) =====\ \
\ / \	
+==+	Systems Present:
/\ \	
===/ \=/ \=\==/=/ \	

| By (>Shadow Hawk<) | Theory, concept, and Idea by: ?????????????????????? |

NOTICE: Within this file will be presented a potential method of altering the spatiotemporal continuum as one desires. I take no responsibility for any use or misuse of this information, whether harmful or otherwise. The effects of this device, if used in a careless manner, can be EXTREMELY DANGEROUS.

| Gravity Resonance? What is this nut talking about????? |

You are probably thinking, "how can gravity possibly be resonant?" This is a good question. As discovered by Thomas Townsend Brown, electricity is directly related to gravity (see his U.S. patents 1,974,483, 3,187,206 in particular.) If this is so, it is most likely a vectorial relationship (law of opposites), and since there is already an electromagnetic vector (2 dimensional), a gravitational vector would be at 90 degrees to both the magnetic and the electric vectors (since we are in a 3 dimensional space.) The gravitational vector is like the "duration in time" of the electric and magnetic vectors. There are also, in addition to scalar electric and magnetic waves (see Bearden, Thomas E. "Toward a new electromagnetics: part IV: vectors and mechanisms clarified. Tesla Book Co., Millbrae, California, 1983. This work, however, fails to mention gravity waves, although it does mention controlling gravity), there are also scalar gravitic waves (see Ford, L.H and A. Vilenkin. "A gravitational analogue of the Aharanov-Bohm effect." Journal of Physics A. Mathematical, Nuclear, and General. (Great Britan). 14(9), Sep. 1981. p. 2353-2357.)

| Okay. So There are gravity waves. How can resonating them control reality? |

All of the above has been proven; this is where basically theory comes in. There has been much supposed experimental proof of these effects, however all current research is, unfortunately, proprietary, and it is extremely hard to come by anything helpful. The only good sources of information are some small mail order book stores, and no one store has everything. One example of publicized experimental proof is the information regarding the largely ignored bierfield brown effect, whereby gravity can be nullified and even reversed due

MISM4.TXT

to electric charge (see Thomas Townsend Brown, Above patents), and the book on the philidelphia experiment (and NOT THE MOVIE! The movie was fiction, the book is an attempt to analyze what little fact is known.) The true philidelphia experiment, if it actually occurred, used a navy ship degausser modified to act as some type of resonant gravity vector coil.

The actual theory is that, since electricity can be "transmitted" through the ether through electric scalar and vector waves, and magnetic energy through magnetic scalar and vector waves, why not gravitational scalar and vector waves, if they do exist (law of opposites)? A gravity wave is the temporal "shape" of the electric and magnetic vector (I hope this is a good explanation!), and by changing this shape you are changing the molecular construction of the matter (or lack thereof) transmitting the waves

Also, since there are an infinite number of parallel, real universes (see Hypernumbers II, by Charles Muses, January 1978 "Applied Mathematics and Computation", and his introduction to Jerome Rothstein's "Communication, Organization, and Science," The Falcon's Wing Press, Indian Hills, CO, 1958), the gravity vector coil MAY allow the psychic (scalar electromagnetic brain wave) postulation of reality through the G-vector. This could also be done with a computer, but both are beyond the scope of this paper. I will now present the plans for the construction of a simple G-vector coil. What you do with it from here is up to you, show it to your physics teachers and have them look up the references and watch their eyes pop as they find out the speed of light is NOT constant.

Parts List

This, actually, is the hardest part. You will either have to spend a lot of \$\$\$ at a plastics company or have some good friends to get but one of the parts needed, the others should be fairly easy.

Listed in order of availability

(2) 50 VDC (DC-10 MHZ preferred, but...) @ 10A, 50KV isolated power supplies

(parts list for those:)

(2) 110 VAC to 48 VDC @ 10A Isolated stepdown transformers (500 watt)

(2) 100V PIV rectifier diode

Optional (2) Heatsinks for above

(2) 0-120 VAC @ 10A variacs (variable autotransformer)

(2) 80-100V @ 1000uF electrolytic capacitors

Optional (1 or 2) Case to hold it all in

(1) 25-100 KVDC (again, DC-10 MHZ preferred...) @ 100-400 uA (not necessarily variable) 50 kV isolated power supply

(parts list)

(1) 10-12 KV @ 20-30 mA neon sign transformer

(4) TV HV diodes - 12-14 KV PIV

(4) HV capacitors, 500-1000 pF @ 10 KV

(1) 0-120 VAC @ 10A variac (variable autotransformer)

(1) Case to put it all in

about 7500 feet of #16 Gauge heavy Formvar magnetwire

alot (probably 5000 feet) of #20 or #22 magnetwire

some fiberglass tape

some plastic tape

TV HV corona dope

And, the clincher:

(1) Hollow plastic dia., about 30"-32" outside diameter, 24-26" inner diameter, and about 4"-6" thick. It must be hollow, thermosetting plastic, with supports for an internal coil of wire, and two holes for the wire to leave, spaced to avoid electrical discharges. It must be boiling wax-tight, preferrably with a gasket. And it should be openable, at least into 4 sections, with screwholes (and gaskets if available.)

You also need enough of equal portions of Carnubura (sp), beeswax, and paraffin wax to fill the inside.

Construction

(1) Wind a 28" (about, must center inside the hollow part of the plastic donut) "hoop" coil of the #16 magnetwire. (see Illustration 1)

MISM4.TXT

(2) Wrap first with fiberglass and then plastic tape, and then dip it in TV HV corona dope. Allow to dry.

(3) Place the coil inside the hollow donut.

(4) Seal the donut, allowing an opening for the wax to be poured into.

(5) Pour the wax into the donut, leaving as little air space as possible.

(6) Seal the donut, adding any extra wax.

(7) Wrap approximately one layer of the #20 or #22 guage magnetwire over the outside of the donut.

(8) Coat with HV corona dope.

(9) You are finished with the coil. It should look similar to illustration 2. See illustration 3 for a cutaway view.

Illustration 1:





Illustration 2:



Cutaway (side) View

```


      / / / / / / / / / / \ \ \ \ \ \ \ \ \ \ \ \
    / / / / / / | | | | _____ \ \ \ \ \ \ \ \ \ \ \ \
    | | | | | | _____ /*****\ _____ | | | | \ \ \ \ \ \ \ \
    Plastic Donut ---| *****=====*****\ _____ | | | |
(hidden by wire)| | *****=====*****| | | | | | | |
    | | | | | | -----\***** <-\ ====***/----- | | | |
    \ \ \ \ \ \ | | | | -----\   ^ == /----- | | | | / / / / / /
    \ \ \ \ \ \ \ \ \ \ \ \ | | | | ^ | | | | / / / / / / / /
    -----^ | | | | -----
Torodial Plastic "Donut"----^ | | | | -The ='s represent the inner "hoop"
Outer later of #20 or #22 magnetwire/ | coil of wire.
The *'s represent the wax mixture-/

```


Building The Power Supplies

If you are unfamiliar with electronics, you may need some help with this section, as I am only presenting the schematics. Here they are:

For both 50VDC power supplies:



(2) of these are required. Note that the stepdown transformer must be 50kv isolated.



To connect the power supplies to the coil, connect the wires leading out of the donut (from the inner coil) to one 50 VDC power supply. The polarity, at this stage, does not matter. Next, connect the leads from the outer coil to the other 50 VDC power supply. Do NOT turn either of them on! Now, connect one of the leads of the inner coil to one terminal of the 25-100 KV power supply, and connect one lead of the outer coil to the other terminal of the 25-100 KV power supply. Thats it!

Page 6

MISM4.TXT

upon the field. Through careful experimentation, you should be able to produce some very interesting effects, such as extreme gravity, bending of metal within the field, spontaneous materialization of ?, etc. Note that the purpose of the wax is to act as a molten dielectric, so don't be surprised when it starts boiling. Thats why the donut form must be made out of thermosetting (or any kind that doesnt melt near the temperature of boiling wax) plastic.

Have phun, and don't do anything you wouldnt want perpetuated throughout your subjective reality!

(_>Shadow Hawk<_)

=====	
Call theese fine boards:	
Ripco	(312)-528-5020
Wildfire	Invitation Only
Pirate 80	(304)-744-2253
=====	