

UTS-15 ROUNDS
ULTIMATE TACTICAL SHOTGUN

UTS 15 TECHNICAL SPECIFICATIONS

- Pump-action 12-gauge shotgun chambered for 2 ½", 2 ¾" & 3" magnum ammunition.
- Dual 7-round magazines with automatic alternating or selectable feed, snap openloading ports and cartridge counter magazine followers.
- Integrated top mounted picatinny rail for iron sights or optics.
- Technical polymer receiver with integrated spring loaded shell feeding device and quick removable fire control housing containing the hammer, sear and disconnecter.
- Spring assisted pin ejector.
- Fiber reinforced flip up stock / shell funnel.
- Fiber reinforced butt plate with 1", 8 durometer (A scale) energy absorbing recoilpad.
- 4140 steel bolt body, precision machined and heat treated 4140 steel rotary bolthead with three locking lugs.
- Precision machined and heat treated 4140 barrel extension with three locking lugmortises.
- Precision machined 4140 steel barrel with muzzle threaded to accept Beretta mobile/ Benelli Standard Style chokes.
- Precision machined 4140 steel flash suppressor with strike bezel and full length knurling.
- Windage adjustable rear sight with flip up large aperture peep or big game V. Elevation adjustable front sight.*
- Internally mounted point-and-shoot high intensity lens focused LED spotlight and full adjustable laser sight, toggle switch activation.*
- Forward, rear and mid-point quick detachable sling swivel mounting points. Mil Spec quick detachable swivels.*
- Matte black non-glare textured finish on all polymer parts.
- Matte black chrome or black oxide on all steel parts.
- Matte black non-glare anodizing on all aluminum parts.
- Overall length 72 cm.
- Weight 3.5 kg.
- Field stripping in 45 seconds, no tools required.

*Sights, breeching choke, laser / spotlight are not included on the Standard UTS-15; available as an accessory for an additional charge.

XTR-12 TACTICAL SEMI AUTO SHOTGUN

XTR-12 TECHNICAL SPECIFICATIONS

- Semi Auto 12 – gauge shotgun chambered for 2 ¾" – 3" magnum ammunition.
- Magazine Capacity: 2, 5 round*
- Operation System: Gas Operated /Rotating bolt
- Integrated Quad picatinny rail for iron sights or optics.
- 4140 steel bolt body, precision machined and heat treated 4140 steel rotary bolt head.
- Precision machined and heat treated 4140 barrel extension.
- Precision machined 4140 steel barrel with muzzle threaded to accept multi chokes.
- 8 position sling attachment housing.
- Material of upper & lower receiver: Aluminum 7075-T6
- Barrel Length: 510 mm (20,08")
- Overall Length: 998 mm / Stock extended 1077 mm
- Weight: 3800 gr
- Stock: Telescopic Stock (Five Position)
- Cerakote Coating Options: OD Green / Flat Dark Earth / Burnt Bronze / Tungsten
- Field stripping in 15 seconds, no tools required.

* XTR-12 is only installed with 5 round magazine.



UTAS® DEFENSE

www.utasarms.com

UTAS SAVUNMA SANAYI ve TICARET A.S.

UTAS DEFENSE

Antalya Sanayi Organize Bölgesi 2. Kısım 26. Cad. No:1
Döşemealtı 07190 Antalya / TURKEY
Phone: +90 242 323 37 37 / Fax: +90 242 323 66 76
E.mail: info@utasarms.com

www.utasarms.com



UTAS® DEFENSE

2 0 1 6



UTS-15 Pump Action Shotgun
Burnt Bronze cerakote finish,
12 ga., 15 round capacity, 19.5" BBL



UTS-15 Pump Action Shotgun
Tungsten cerakote finish,
12 ga., 15 round capacity, 19.5" BBL



UTS-15 ULTIMATE TACTICAL SHOTGUN

UTS-15 Pump Action Shotgun
Black Matte finish, 12 ga., 15 round capacity, 19.5" BBL



UTS-15 Pump Action Shotgun
OD Green cerakote finish,
12 ga., 15 round capacity, 19.5" BBL



UTS-15 Pump Action Shotgun
Flat Dark Earth cerakote finish,
12 ga., 15 round capacity, 19.5" BBL



XTR-12 Semi Auto Shotgun,
Tungsten Cerakote Finish, 12ga.,
2,5 round capacity, 20" BBL



XTR-12 Semi Auto Shotgun,
OD Green Cerakote Finish, 12ga.,
2,5 round capacity, 20" BBL



New
AR10 PLATFORM SHOTGUN
AR10 PLATFORM SHOTGUN

XTR-12 Semi Auto Shotgun,
Black Matte Finish, 12ga.,
2,5 round capacity, 20" BBL

XTR-12 TACTICAL SEMI AUTO SHOTGUN



XTR-12 Semi Auto Shotgun,
Burnt Bronze Cerakote Finish, 12ga.,
2,5 round capacity, 20" BBL



XTR-12 Semi Auto Shotgun,
Flat Dark Earth Cerakote Finish, 12ga.,
2,5 round capacity, 20" BBL

UTAS DEFENSE

www.utasarms.com

accessories



XTR-12
UTS-15

REAR SIGHT



CYLINDER CHOKE TUBE



TACTICAL CHOKE TUBE



7.5" BARREL EXTENSION



FRONT SIGHT



FLASHLIGHT / LASER UNIT
RED / GREEN LASER OPTIONS



CANVAS TACTICAL DEPLOYMENT CASE



UTAS TACTICAL QD SLING SYSTEM, BLACK



UTAS TACTICAL QD SLING SYSTEM, TAN



UTAS TACTICAL QD SLING SYSTEM, GREEN

www.utasarms.com



UTS-15 Pump Action Shotgun
Burnt Bronze cerakote finish,
12 ga., 15 round capacity, 19.5" BBL



UTS-15 Pump Action Shotgun
Tungsten cerakote finish,
12 ga., 15 round capacity, 19.5" BBL



UTS-15 Pump Action Shotgun
Black Matte finish, 12 ga., 15 round capacity, 19.5" BBL

UTS-15 **ULTIMATE TACTICAL SHOTGUN**



UTS-15 Pump Action Shotgun
OD Green cerakote finish,
12 ga., 15 round capacity, 19.5" BBL



UTS-15 Pump Action Shotgun
Flat Dark Earth cerakote finish,
12 ga., 15 round capacity, 19.5" BBL

www.utasarms.com



XTR-12 Semi Auto Shotgun,
Tungsten Cerakote Finish, 12ga.,
2,5 round capacity. 20" BBL



XTR-12 Semi Auto Shotgun,
OD Green Cerakote Finish, 12ga.,
2,5 round capacity. 20" BBL



XTR-12 Semi Auto Shotgun,
Black Matte Finish, 12ga.,
2,5 round capacity. 20" BBL

XTR-12 **TACTICAL SEMI AUTO SHOTGUN**

New
AR15 PLATFORM SHOTGUN
AR15 PLATFORM SHOTGUN



XTR-12 Semi Auto Shotgun,
Burnt Bronze Cerakote Finish, 12ga.,
2,5 round capacity. 20" BBL



XTR-12 Semi Auto Shotgun,
Flat Dark Earth Cerakote Finish, 12ga.,
2,5 round capacity. 20" BBL

UTAS DEFENSE

www.utasarms.com

accessories



REAR SIGHT



FLASHLIGHT / LASER UNIT
RED / GREEN LASER OPTIONS



CYLINDER CHOKE TUBE



7.5" BARREL EXTENSION



TACTICAL CHOKE TUBE



FRONT SIGHT



CANVAS TACTICAL DEPLOYMENT CASE



UTAS TACTICAL QD SLING SYSTEM, BLACK



UTAS TACTICAL QD SLING SYSTEM, TAN



UTAS TACTICAL QD SLING SYSTEM, GREEN

www.utasarms.com