

homepower

The Hands-On Journal of Home-Made Power

Issue 102

August - September 2004

Sustainable Lifestyle

Redefining Success

Straw Bale Strategies

Load-Bearing vs. Post & Beam

Hot New Hybrid

What's Under the Hood?



homepower.com

\$6.95 US \$10.95 CAN



Renewable Energy Island
Solar & Wind Grid-Tie in the Northwest


Display until October 1

SOLAR CONTRACTORS: take a good look at



COMMERCIAL

LOWER PRICES



**WE SUPPLY
GRID-TIED AND
OFF-GRID SYSTEMS**

*ONE OF THE LARGEST
INVENTORIES IN THE U.S.*

*PRODUCT DELIVERY
FROM THREE LOCATIONS
TO YOUR JOB SITE*

*PREPACKAGED
ENGINEERED RESIDENTIAL
SYSTEMS*

*DESIGN ASSISTANCE
FOR COMMERCIAL PROJECTS*


*ASSISTANCE WITH
REBATE FILING*

*EXPERIENCED ENGINEERS
AND MASTER TECHNICIANS*

**25 YEARS OF EXPERIENCE
AND STAYING POWER**



**Homeowners
Call us for the name of
your nearest Sol-Gen Contractor**



RESIDENTIAL

HUGE INVENTORY



BETTER TECH SUPPORT



MORE LOCATIONS



REBATE ASSISTANCE



TIMELY DELIVERY



DESIGN ASSISTANCE

SOLAR DEPOT - PETALUMA
1240 HOLM ROAD
PETALUMA, CA 94954
707.766.7727
FAX 707.766.7722
ORDER LINE 800.822.4041

SOLAR DEPOT - SACRAMENTO
8605 FOLSOM BLVD
SACRAMENTO, CA 95826
916.381.0235
FAX 916.381.2603
ORDER LINE 800.321.0101

SOLAR DEPOT - CORONA
1520-H COMMERCE ST.
CORONA, CA 92880
909.737.7652
FAX 909.737.7630
ORDER LINE 800.680.7922



WWW.SOLARDEPOT.COM

Smart choice for power

xantrex

The SW Plus is a great inverter. I can't understand why anybody would buy something else.

Pat Bailey, Solar Solutions, Silver Cliff, Colorado
Xantrex Certified Dealer

After installing six SW Plus Inverter/Chargers over the past three months, Pat Bailey of Solar Solutions is a bona fide fan of the product. "It's an excellent inverter that improves upon the already good SW," says Pat. "It has much more room for wiring, making installation easier. And the surge capacity of the SW Plus 2524 actually exceeds that of the 4000 watt SW."

Pat is one of hundreds of installers who are discovering the SW Plus. It provides superior efficiency at load levels typically found in an off-grid home. In addition to added features such as Silent Mode for improved battery performance, it also has non-volatile memory so customized settings will never have to be reprogrammed. And, while the SW Plus raised the bar on performance, it still costs up to 20% less than the original.

Legendary reliability and improved performance at a lower price... now that's a Plus!

For more detailed information on the advantages of the Xantrex SW Plus, download our latest newsletter at: www.xantrex.com/swplus



SW Plus Inverter/Charger

xantrex

Certified Dealer

Contact a Xantrex Certified Dealer for more information. You'll find a complete list at www.xantrex.com/dealer

www.xantrex.com

BP Solar—setting the standard
for quality and performance.



the natural source for electricity.®



Recognized as an industry leader for over 30 years, BP Solar produces premium panels guaranteed to provide years of superior performance. But a system is only as good as the dealer who installs it. BP Solar's precision engineering, record field reliability and expansive product line is complemented by the best distribution network in the business.

To start building a brighter tomorrow today, contact the BP Solar dealer nearest you.

For more information, visit our website:
www.bpsolar.com/homesolutions

To learn more about our dealer programs
visit **www.bpsolar.com/joinus**



Say Hello To Your New Business Partner.

We'd like to go into business with you.

We're SMA America, a solar technology company based in Grass Valley, California. Our parent company was founded in Germany in 1981. We manufacture Sunny Boy solar inverters, from 700 to 2500 watts; a 125,000 watt central inverter for large commercial solar plants; and a new battery inverter for the off-grid and backup power markets, along with all the accessories. Our German engineering and American know-how mean we produce the most efficient, longest-lasting, most trouble-free system on the market today.


Your dealer/installer business is a big part of our success. Now it's our turn to help you.

The SMA Solar Pro Club is simple to join, with no dues, no fees, and plenty of support. Just become an SMA trained Solar Pro, and you'll receive:

- Lead referrals
- Co-op advertising support
- Technical support priority
- Ongoing training opportunities
- Early access to new products

Customers considering Sunny Boy solar powered systems and seeking the best in the business should ask for an SMA Solar Pro. And when they do, we want that to be you.

So join the club: Call 530.273.4895x100, and become an SMA Solar Pro... today.



Solar Today... Energy Tomorrow™.

SMA America, Inc.
12438 Loma Rica Drive ▪ Grass Valley, CA 95945
Telephone: 1.530.273.4895 ▪ Fax: 1.530.274.7271
Email: info@sma-america.com ▪ Web: www.sma-america.com



RECYCLED POWER




At U.S. Battery, we're committed to doing our part in keeping the environment clean and green for future generations, as well as providing you with premium deep cycle products guaranteed to deliver your power requirements when you need them.



**DON'T SETTLE
FOR ANYTHING LESS
THAN U.S. BATTERY
PRODUCTS!**

The photovoltaic leader in Europe, now in the USA



Envisioning a better future, Isofotón is working today to bring solar energy to all corners of the planet.

With more than 20 years experience, we possess state-of-the-art technology, based on intensive R&D by a team dedicated to one commitment: Harnessing the sun for the benefit of mankind.



Available from

Energy
Outfitters.

800 GO SOLAR • www.energyoutfitters.com

i s o f o t ó n
North America, Inc.

the sun for the benefit of mankind

www.isofoton.com

The Best Integration Under the Sun

The Ease and Reliability of ReadyWatt™ Integrated Systems...

At Energy Outfitters' ETL® listed integration and assembly facility we build fully-integrated solutions to your specifications that add pleasing aesthetics to your installation, are pre-tested and code-compliant, and saves time and money during installation.

- ReadyWatt™ Integrated Power Centers
 - Grid-tied or Off-grid solutions
 - ETL® listed, pre-tested and ready to install
 - Detailed system-manual included
- ReadyWatt™ Pre-Engineered PV Systems
 - Pre-Installation Engineering/Design
 - 1.0 kW to 300 kW, or larger
 - Complete turn-key PV solutions (including PV)
 - Includes engineering drawings and system-manual
- ReadyWatt™ Custom-Cables and Hardware
 - MC®(Multi-Contact), inverter and battery cables
 - Array-mounted pass-through boxes
 - Combiner-boxes and A/C & D/C disconnect-boxes

**READYWATT™**



ReadyWatt™ Integrated Systems are available with the industries leading inverters. Pictured above: ReadyWatt GTX1800 with PV Powered PVP1800.



isofotón
North America, Inc.



...Powered by Isofotón's World-leading Photovoltaics

The leading PV supplier in Europe is now available in the US through Energy Outfitters!

With more than 20 years of solar experience, Isofoton has developed state-of-the-art mono-crystalline technology based on intensive R&D by a team dedicated to one commitment: *Harnessing the Sun for the benefit of Mankind.*

We are currently stocking:

- I-165 Module (12V) CEC Rated: 148.1 watts
- I-150 Module (24V) CEC Rated: 134.3 watts
- I-100 Module (12V) CEC Rated: 89.5 watts
- I-75 Module (12V) CEC Rated: 67.1 watts

All modules include:

- MC® Cables
- UL® / CUL listing and CEC approval
- The industry's best 25-year warranty

Call for dealer referral. Dealer inquiries welcome.

HOME OFFICE
543 Northeast "E" Street
Grants Pass, OR 97526
800 GO SOLAR
www.energyoutfitters.com

NEW JERSEY
218 Little Falls Road, #7 & 8
Cedar Grove, NJ 07009
973 239 1815
davidw@energyoutfitters.com


BRITISH COLUMBIA, CANADA
877 49 SOLAR
gord@energyoutfitters.com

SOUTHERN CALIFORNIA
949 295 1147
paulm@energyoutfitters.com

ALBERTA, CANADA
877 53 SOLAR
brucew@energyoutfitters.com


TWO NEW LOCATIONS!

Energy
**Outfitters**



HP102

contents



14 **sustainable** lifestyle

John Ivanko & Lisa Kivirist

Sustainability is the measure of success for the Inn Serendipity Bed and Breakfast, which uses sun and wind for electricity and solar thermal energy too.

26 **solar** cheese

Brad Albert

The historic Vella Cheese factory in Sonoma, California, embraces solar electricity, and cashes in on substantial incentives.

34 **straw bale** construction

Jeff Ruppert

The lowdown on load-bearing vs. post-and-beam construction of straw bale structures. Check out the pros and cons of each.

42 **wind** basics

Hugh Piggott

The straight scoop on deriving realistic energy expectations for a wind energy system.

46 **RE** education

Paolo Savelli

Solar and wind workshops benefit aspiring techies and system owners alike at a general store in Washington's San Juan Islands.



On the Cover

The Anderson family in front of the PV array and wind generator that sell clean electricity to the grid at their general store on Guemes Island, Washington.

Photo by joshroot.com



54 **small solar**

Penny Loeb

A small horse barn across the property from the utility grid was the perfect place for solar-electric lights and fans.

58 **community PV**

Laurie Stone

TV with PV? In Cuba, solar electrification of community centers in remote areas supports education with, yes, televisions.

62 **lessons learned**

Elliot Burch & friends

Troubleshooting battery problems in off-grid PV systems in Belize reveals a list of typical system design and maintenance lessons.

70 **load analysis**

Scott Russell

The first step in designing a renewable energy system is to evaluate your needs—how to calculate your energy appetite.

76 **ecological footprint**

Tony Pereira

Measuringing absurdity: our demand vs. our supply.

88 **heating & cooling**

Steve Baer

An experimental system uses solar thermal collectors to provide wintertime warmth, or radiate heat at night for summertime cooling.

94 **MPPT project**

Tim Nolan

The basics of maximum power point tracking.

100 **hybrid vehicle**

Allen Patterson

The nitty gritty details of the most progressive production car ever built.

Regulars

10 From Us to You

Michael Welch

It's easy to get involved with RE education.

82 REview

Ian Woofenden

African Wind Power 3.6 wind generator.

92 What the Heck?

Chuck Marken

Low-iron tempered glass.

106 Book Review

Rachael Ware

& Laurie Stone

The New Strawbale Home.

108 Code Corner

John Wiles

PV grounding.

112 Independent Power Providers

Don Lowebug

Redefining the grid.

114 Power Politics

Michael Welch

PV shortage!

118 Word Power

Ian Woofenden

Conservation defined.

120 Home & Heart

Kathleen

Jarschke-Schultze

What's so different?

134 Ozonal Notes

Richard Perez

Technology as social change.

80 Subscription Form

116 Writing for HP

124 Letters

130 RE Happenings

136 Q&A

138 Readers' Marketplace

140 Installers Directory

144 Advertisers Index



Education... Flowing with the Sun

One bright and sunny day in May, I spent the morning at a local elementary school's annual Exploration Day. Lots of community organizations were there, showing off music, art, animals—a wide variety of interesting things. Even the local dairy princess was there with a newborn calf.

But one of the most popular exhibits was my solar pump-in-a-bucket demonstration. It's a really simple and wonderful conversation starter for children and adults alike. Kids walk in front of the solar-electric panel and are immediately shown the results of blocking the sun as the water flow slows down or stops.

Other kids walk by and say, "What's that?" It only takes a few key words from me—"solar," "electricity," "pump," "shadow"—to pique their curiosity. I can explain that sunlight hits the PV, makes electricity, and powers the pump. But there's nothing like seeing it firsthand, in action. You can watch the kids "get it" immediately. Line a few kids up in front of the panel to stop the water flow. Then have them back up and watch the water splash out again.

You can do this in your own community. All you need is a PV panel, a DC-powered sump or pond pump, a bucket of water, and a public event. The future of our world went home from school that day, with the understanding that solar energy works.

—Michael Welch, for the *Home Power* crew

Think About It

"The sun, with all those planets revolving around it and dependent on it, can still ripen a bunch of grapes as if it had nothing else in the universe to do."

—Galileo Galilei

Legal: Home Power (ISSN 1050-2416) is published bi-monthly for \$22.50 per year at PO Box 520, Ashland, OR 97520. International surface subscription for US\$30. Periodicals postage paid at Ashland, OR, and at additional mailing offices. POSTMASTER send address corrections to Home Power, PO Box 520, Ashland, OR 97520.

Paper and Ink Data: Cover paper is Aero Gloss, a 100#, 10% recycled (postconsumer-waste), elemental chlorine-free paper, manufactured by Sappi Fine Paper. Interior paper is Connection Gloss, a 50#, 80% postconsumer-waste, elemental chlorine-free paper, manufactured by Madison International, an environmentally responsible mill based in Alsip, IL. Printed using low VOC vegetable-based inks. Printed by St. Croix Press, Inc., New Richmond, WI.

HP staff

- Publisher** Richard Perez
- Publisher & Business Manager** Karen Perez
- CEO & Technical Editor** Joe Schwartz
- Advertising Manager** Connie Said
- Marketing Director** Scott Russell
- Customer Service & Circulation** Shannon Ryan
Nat Lieske
- Managing Editor** Linda Pinkham
- Senior Editor** Ian Woofenden
- Submissions Editor** Michael Welch
- Art Director** Benjamin Root
- Graphic Designer** Eric Grisen
- Chief Information Officer** Rick Germany
- Solar Thermal Editor** Chuck Marken
- Solar Thermal Technical Reviewers** Ken Olson
Smitty Schmitt
- Green Building Editors** Rachel Ware
Laurie Stone
Johnny Weiss
- Transportation Editors** Shari Prange
Mike Brown
- Regular Columnists** Kathleen Jarschke-Schultze
Don Lowebug
Richard Perez
Michael Welch
John Wiles
Ian Woofenden

HP access

Home Power, Inc.
PO Box 520, Ashland, OR 97520 USA
800-707-6585 or 541-512-0201
Fax: 541-512-0343
hp@homepower.com
letters@homepower.com

Subscriptions, Back Issues, & Other Products: Shannon and Nat
subscription@homepower.com

Advertising: Connie Said
advertising@homepower.com

Marketing & Resale: Scott Russell
marketing@homepower.com

Editorial Submissions: Michael Welch
submissions@homepower.com

www.homepower.com

Copyright ©2004 Home Power, Inc. All rights reserved. Contents may not be reprinted or otherwise reproduced without written permission. While *Home Power* magazine strives for clarity and accuracy, we assume no responsibility or liability for the use of this information.

To Our Dealers & Installers: After 25 years, we have revised our name, expanded our inventory, added new offices and staff to serve you, and will be announcing more exciting new products and services in the months ahead. Now, more than ever, you can save time, money and headaches by dealing with . . .*

**...the only one-stop, full-service
wholesale distributor you'll ever need:**

AEE RENEWABLE ENERGY SUPERSOURCE

Join our nationwide network of hundreds of AEE dealers and discover why we have enjoyed an industry-wide reputation for delivering the highest standards in dealer satisfaction for 25 years!

We Help You Succeed

Whether you are new to PV sales and installation or a seasoned solar veteran, AEE can help your business provide cost-effective, reliable energy solutions to your residential and commercial customers. We offer:

- ▶ Unsurpassed technical know-how to help you do it right — off-grid or grid-tie, solar, wind or hydro.
- ▶ Competitive prices on the top brands from all major manufacturers of PV modules and other key components.
- ▶ The widest selection of balance-of-system items, including essential but hard-to-find parts that nobody else carries.
- ▶ Complete-system packages and parts & component kits to make your job easier.
- ▶ Our 120-page *Alternative Energy Engineering* design & products catalog, with space for your company logo.
- ▶ Personal, friendly, prompt customer service. (Real people answer the phone every time!)
- ▶ Nationwide and international shipping.



We're here to help you from start to finish.

CALL 800-777-6609

8:30 to 5:00, Pacific Time, Monday-Friday

 **AEE Renewable Energy
SUPERSOURCE**
BRINGING POWER TO THE PEOPLE SINCE 1979

1155 Redway Drive

P.O. Box 339, Redway, CA 95560

tel: 707-923-2277 • fax: 707-923-3009 • info@aesolar.com


**NOW AVAILABLE for AEE Dealers –
online ordering on our new website:
www.aesolar.com**



* formerly
**Alternative
Energy Engineering**

While we have revised our name and updated our look, the same spirit and commitment that inspired our founding in 1979 still motivates us today as we strive to provide you with the very best renewable energy products, service and prices.

NEED SOMETHING NOW BUT CAN'T FIND IT? GIVE US A CALL!



**The shock to owners of
most grid-tied PV systems comes
when the power goes out.**

Many homeowners are shocked to discover that when the grid goes down, their grid-tied PV system goes right down with it. We'd like to offer a smarter alternative.

Now there's a grid-tied, battery backup power conversion system that provides instant power the moment an outage occurs ... and keeps it flowing at high efficiency levels day or night.



The Smart Power™ M5 from Beacon Power delivers what you expect from your PV system:


- 5000 watts of clean solar power
- Runs critical loads for hours or more
- Compact, streamlined design
- High efficiency performance
- Energy security and value

Think of the Smart Power M5 as your "silent emergency generator."

For complete information on the UL-listed, California- and New York-approved Smart Power M5, contact one of the distributors below, or visit our Web site at www.beaconpower.com.



Available from: AEE, Dankoff Solar, Solar Depot, and SunWize Technologies



**Our roots are in solar
but our growth is in the sun.**

We're Evergreen Solar.

Solar is our only business, pure and simple.

Because we're an independent company,
we can focus on just one goal: producing
solar electric panels the best way possible.

We produce our own wafers, cells and modules
using our patented String Ribbon™ technology—
one of the newest, fastest-growing, most
environmentally friendly technologies in its class.

All of us at Evergreen Solar are rooted
in a dedication to the environment, and to you,
our customer. Because we see the future of
energy in renewables, our growth is in the sun.



Think ever green.

1-866-357-2221
www.evergreensolar.com

Inn Serendipity



Photos © John D. Ivanko



A business pursuit need not be motivated by “bigger is better,” or always selling more products or services. Being successful can be based on generating enough revenue to cover your costs and leave you with enough profit to satisfy your needs, pay the property taxes, and for renewable energy enthusiasts like us, take some time off during the summer and attend an energy fair or two.

Sustainability as the Bottom Line

John Ivanko and Lisa Kivirist, with Phil and Judy Welty

©2004 John Ivanko and Lisa Kivirist

We call it equilibrium economics. It's been our ticket to the good life while operating a portfolio of small businesses, including Inn Serendipity Bed and Breakfast and a marketing and creative services consulting company. Both are operated from our five-and-a-half-acre farm located in southwestern Wisconsin.

When it comes to energy, the more we can conserve, use more efficiently, or generate ourselves, the better our bottom line. We strive to avoid waste in our bed and breakfast kitchen and in our home-office, and we explore ways to use readily available renewable energy (RE) resources—sunlight, wind, and locally abundant wood. Our goals are to be fossil-fuel free and produce net zero emissions when combined with other carbon-dioxide sequestering activities, like planting trees.

We're not reading by kerosene lamps or hand-cranking our telephone. Our home office has enough computer power to scan and store John's professional photos, prepare a book manuscript, and complete a marketing plan. The two-room bed and breakfast has most of the amenities you'd expect in an 80-year-old, 1,969 square foot (183 m²) farmhouse turned hospitality business, like a bedside clock and lamp—and hot showers.

In both our home-based business and lifestyle, energy conservation and the addition of energy-efficient appliances were among the many steps we took before moving into generating our own electricity. We purchased a Sun Frost refrigerator, Maytag Neptune front-loading washer (we line dry laundry), and several other Energy Star appliances. Our KitchenAid convection oven saves electricity by reducing cooking times. Phantom loads are eliminated with switched power strips. An old vertical freezer was replaced by a Frigidaire chest unit and placed in the cool northeast corner of the basement, rather than adjacent to the oven in the kitchen where it had been previously.

The solar thermal system for Inn Serendipity's straw bale greenhouse, with dairy barn in background, now home to two llamas.



Photo © John D. Ivanko



Photo © Mick Sagrillo

View of the Inn Serendipity farmstead from atop the 120 foot, guyed, lattice tower for the 10 KW Bergey wind turbine.

Interconnected RE Systems

Nature is our model. It guides us in our organic kitchen gardens, from which we harvest about seventy percent of our food. It illuminates our pathway toward more self-reliant and ecologically mindful living. Our decisions related to employing renewable energy systems were no different. All our RE systems were added incrementally, as budgets permitted. The evolution of the once fossil-fuel-based farm to an organic, sun and wind powered Inn Serendipity homestead is explained in our book, *Rural Renaissance: Renewing the Quest for the Good Life*.

Our first entry into renewable energy systems, paralleling our energy conservation efforts, was to add a solar thermal system for domestic hot water, and two years later, a woodstove for heat in the winter. Next we developed a grid-intertied hybrid renewable energy system using both solar and wind electricity generation, which lets us produce all of our electricity on an annual basis. Excess electricity generated, coming as a credit from our utility, is used to offset summer electricity use and anticipated maintenance costs for the entire hybrid RE system.

To become eco-effective, our frugal lifestyle needs to complement our goals to generate more electricity than we use in our all-electric home and business. Our electricity use was reduced about 40 percent from that of the previous owners, now averaging about 8,500 KWH per year for home, business, and farm. Soon we'll be exploring ways to achieve net zero

emissions with our car and other transportation. Our ten second walking commute to our office on the second floor was our first step.

Capturing Heat from Sunlight

Recognizing that 10 to 15 percent of an average home's energy use goes toward heating water, we added a domestic solar hot water system. Three, 4 by 8 foot (1.2 x 2.4 m) flat-plate American Solar King collectors were installed on our south-facing roof at about a 45 degree angle, optimized for spring and fall solar gain. Our collectors, like so many of our other systems, are experiencing a second life. They had previously been installed on the Packerland meat processing facility in Green Bay, Wisconsin. We're proponents of the reuse and recondition economy.

Nontoxic propylene glycol is used in our closed-loop active solar thermal system. A Heliotrope DTT-84 differential temperature controller senses when the collector fluid is hotter than the water in the basement storage tank. A super-efficient Grundfos 1/12 hp pump circulates the fluid through a Quad Rod heat exchanger where the heat is transferred to our domestic water.

The hot water is stored in a standard 80 gallon (300 l) Rheem water tank that is connected to our existing 65 gallon (250 l) electric water heater tank. Had we to do it over, we would have mounted the collectors on the ground for easier installation and winter access (to brush off snow).


Thermal Systems Costs

SDHW System	Cost (US\$)
Hired labor	\$928
3 Solar King collectors, 4 x 8 ft. (used)	750
Misc. plumbing	396
Copper pipe, 3/4 in., 100 ft.	360
Quad Rod heat exchanger	287
Mount for collectors	225
Grundfos circulation pump, 1/12 hp	187
Freight	187
Water tank, 80 gal.	128
Heliotrope DTT-84 controller	117
Sales tax	113
Extrol #30 expansion tank	91
Total SDHW System	\$3,769

Wood Heating System

Chimney system	\$994
Lopi Endeavor woodstove	900
Terra Green recycled glass tiles	66
Hired labor	1,352
Total Wood Heating System	\$3,312

Greenhouse Solar Heating & Hot Water System



Thermal Costs, cont.

Greenhouse Solar Heating System*	Cost (US\$)
10 Gulf solar collectors, 4 x 10 ft. (used)	\$5,475
Misc. plumbing, insulation, etc.	901
Desert Sun fiberglass tank, 700 gal.	855
10 Gulf mounting frames	650
Heat recovery ventilation system	380
2 Grundfos 26-64F pumps	360
Blower	345
McQuay heat exchanger, 20 x 19 in.	315
10 Posts, 4 x 4 in, 12 feet	180
Glycol antifreeze, 20 gal.	180
Independent Energy C-30 control	143
Heat exchanger (for hot tub)	140
Storage tank, 82 gal.	128
Solar tank, 250 gal. (hot tub)	115
Thermostat (for storage tank)	105
March pump	104
Circulating pump (for hot tub)	100
Controller (for hot tub)	49
Flow indicator	42
Expansion tank	36
Phase change salts storage	33
Total Solar Heating	\$10,634
Total Heating Systems Costs	\$17,716

Owner/Volunteer Labor Estimates

Solar heating system	\$8,400
SDHW system	495
Wood heating system	150
Total Installation Labor Estimates	\$9,045
Total Costs with Labor	\$26,761

Rebates & Grants

Alliant Energy Corp. (utility)	-\$3,000
Grand Total	\$23,761

* Items mostly from old, reused system; costs estimated & adjusted to present-day amounts.

The solar thermal system for the 1,200 square foot (111 m²) greenhouse, designed by our neighbors Phil and Judy Welty, collects heat with ten, 4 foot by 10 foot (1.2 x 3 m) Gulf collectors, also reused from previously dismantled systems. The greenhouse itself is a renovated corncrib and granary, with two-thirds of the structure using straw bales as insulation material surrounded by more than 2 inches (5 cm) of stucco.

The heated glycol solution is pumped through underground insulated piping into a heat exchanging coil of 120 feet (37 m) of 3/4 inch copper piping. This allows the heat to be transferred and stored in 780 gallons (2,950 l) of water in several fiberglass tanks inside the greenhouse. The stored heat is then transferred to the air inside the greenhouse through a McQuay liquid-to-air heat exchanger.

In the middle of the winter, with the collectors angled at about 52 degrees for optimal solar gain, about 240,000 BTUs can be collected each sunny day. So when it's a frigid but sunny 10°F (-12°C) outside, the collectors will heat up the water tanks inside to more than 90°F (32°C). The goal and on-going experiment with the greenhouse is to have a net zero heating cost by using both passive and active solar thermal systems, passive solar design, and the super-insulating qualities of straw bale walls. As much as 45 percent of the annual operation cost in traditional greenhouses is associated with heating. Successfully growing with net zero heating cost means more profit per vegetable or fruit crop sold.

Solar Electricity

Generating electricity using renewable energy for our home and business came in two phases—sun and wind. First, we installed a 480 watt PV system, estimated to generate about 500 KWH per year. Four, 120 watt Kyocera PV panels were mounted on a UniRac fixed rack that we attached to the south-facing wall of an existing equipment shed. The tilt angle of the rack is adjusted four times a year, roughly midway between the equinoxes and solstices.

Installation crew for the 480 watt PV system that was part of the Midwest Renewable Energy Association's educational workshop.



Photo © John D. Ivanko

The PV system was a part of an installation workshop with the Midwest Renewable Energy Association (MREA). Students ran a short DC line through the wall into an Advanced Energy, Inc., 1,000 watt inverter, and tied it into the nearest breaker box in the equipment shed. We sized our inverter to allow us to expand our system to include additional modules.

Wind Electricity

Sitting high on the ridge where we can see for many unobstructed miles in every direction, our farm is well positioned for electricity generation with a wind turbine. A partially state-funded site assessment was completed by Mick Sagrillo of Sagrillo Power and Light. He estimated that a 10 KW Bergey Excel-S system, with our annual wind speed of 13 mph (5.8 m/s) at the tower height of 120 feet (37 m), would generate about 1,130 KWH per month, or 13,560 KWH per year.

Our last, and most significant, investment in renewable energy generation was completed in May 2003 when we added this turbine, also as an MREA educational workshop. Lake Michigan Wind and Sun rebuilt a used Bergey that we had purchased, with any parts most likely to wear out replaced with new ones.

Our public utility, Alliant Energy, required a simple contract, certificate of liability insurance in excess of

PV System Tech Specs

System Overview

System type: Batteryless grid-intertied PV

Location: Browntown, Wisconsin

Solar resource: 4.5 average daily peak sun hours

Production: 44 AC KWH per month average estimated

Utility electricity offset by PV system: 6 percent

Photovoltaics

PV: Four Kyocera KC-120, 120 W STC, 12 VDC

Array: 480 W STC, 48 VDC

Array combiner box: Inverter integrated, 10 A series fuse


Array disconnect: Inverter integrated, 25 A

Array installation: Wall-mounted UniRac SolarMount, oriented true south; adjustable tilt angle

Balance of System

Inverter: Advanced Energy, Inc. GC-1000, 100 VDC maximum input, 120 VAC output, 52–92 VDC MPPT window

Solar & Wind System



Note: All numbers are rated, manufacturers' specifications, or nominal unless otherwise specified.

Wind System Tech Specs

System Overview

- System type:** Grid-tied, batteryless wind
- Wind resource:** 13 mph (5.8 m/s) annual average
- Production:** 7,049 KWH for first year
- Utility electricity offset:** Projected in excess of 100 percent
- Wind turbine:** Bergey (BWC) Excel-S
- Rotor diameter:** 23 feet (7 meters)
- Energy output:** 900 AC KWH at 12 mph (5.4 m/s) average per month (grid-tied)
- Power output:** 10 KW @ 31 mph (14 m/s) peak
- Tower:** 120 foot (37 m) Rohn, guyed, lattice

Balance of System

- Inverter:** Excel-S GridTek 10 Power Processor, wild 3-phase AC input, 240 VAC output
- System performance metering:** AC KWH meter and integrated inverter LCD display

Photo © John D. Ivanko



Inn Serendipity's grid-intertied, hybrid electric system features a 10 KW Bergey wind turbine on a guyed, lattice tower.

US\$300,000, equipment specification sheets, and a lockable external AC disconnect for the project. The only unanticipated aspect of the system came with the computations contained in our first "credit" electric bill in December 2003. While we have a bi-directional meter, we are only able to "bank" (and get a credit for) our excess generation at Alliant Energy's retail rate, not the "green energy" rate, due to the way green energy is purchased by our utility.

The MREA installation class in front of the 10 KW Bergey turbine and tower prior to being raised.



Photo © John D. Ivanko

Heating with a Woodstove

We don't mind getting snowed in with our Lopi Endeavor woodstove ablaze, using dry, seasoned, hardwoods that are readily available locally. We can snuggle self-sufficiently around the stove, strategically placed between our kitchen and front room. By using this efficient, high-tech, noncatalytic woodstove, our winter heating bill plummeted, conversations around the hearth mushroomed, reliance on fuel oil largely disappeared, and environmental impacts lessened.

According to the Midwest Renewable Energy Association, the cycle of burning wood and regrowth of trees produces no net increase in carbon dioxide to the atmosphere. We make sure our tree planting efforts more than replace the trees that we end up burning.

The Lopi stove is among the cleanest burning large stoves ever tested, in part because of the use of fire brick and baffles, which ensure that the gases are burned in the

Electrical System Costs

Wind Turbine System & Workshop	Cost (US\$)
Bergey Excel-S 10 KW wind genny, lattice tower, & GridTek 10 inverter (used or rebuilt)	\$23,000
Excavation	1,668
Sales tax	1,348
Utility service upgrades	1,324
Tower wiring kit	950
MREA workshop costs	716
Shipping	566
Wire run to tower	485
Permits	438
Crane rental	422
Misc. hardware	158
Total Wind System Costs	\$31,075

PV System

4 Kyocera PV modules, 120 W	\$2,680
AE, Inc. GC-1000 Inverter	1,785
Misc. electrical (wire, etc.)	326
UniRac U-LP/106 PV rack	250
Sales tax	244
Freight	142
Misc. hardware	55
PV wiring	45
Total PV System Costs	\$5,527
Total Electrical System Costs	\$36,602

Owner/Volunteer Labor Estimates

Wind system	\$8,390
PV system	2,825
Total Installation Labor Estimates	\$11,215
Total Costs with Labor	\$47,817

Rebates & Grants

WI Focus on Energy (wind system)	-\$15,595
WisconSUN (PV system)	-3,000
WI Focus on Energy (PV system)	-536
Total Rebates & Grants	-\$19,131
Grand Total	\$28,686

combustion chamber. The combustion air is preheated along the sides of the firebox, and the five-sided convection chamber surrounding the firebox draws in cool room air, circulates it around the outside of the firebox, and returns heated air to the room.

The new woodstove models have up to 75 percent fewer emissions according to the EPA, which implemented woodstove standards in 1990. In contrast, an open fireplace sends up to 80 percent of a fire's heat up the chimney and significantly contributes to air pollution because of incomplete combustion of gases. The key to burning wood cleanly is burning all the gases that the wood releases. These are not only dangerous if left unburned, but contain more than 50 percent of the available energy. The gases burn only at temperatures in excess of 1,100°F (593°C), which can rarely be achieved other than through modern, airtight woodstoves.

Passive Solar Redesign & Daylighting

Passive solar features capture the heat of the sun entering our house. Daylighting allows sunlight to naturally light a space or room, and reduces the need for electric lighting. We employed daylighting when remodeling our attic, and used passive solar design as much as possible in the greenhouse. Our attic remodel involved the addition of a south-facing dormer with low-emissivity (low-E), gas-filled, double-pane Andersen windows. Overhangs above the attic windows help shade them from the hot summer sun.

In the greenhouse, extra thermal mass in the concrete slab floors, a 250 gallon (950 l) water tank, a phase-change salt tube, and water-filled Sun-Lite thermal storage tubes,

Energy Independence & Community Interdependence

We're not tinkerers. Nor are we financially independent. Our systems were selected based upon their reliability, affordability, and the recommendations from the "hired hands" who made our renewable energy journey possible. We chose some of the seasoned and experienced designers, consultants, and dealers that served our state.

Our success in employing the RE systems would not have been possible without these experienced guides, plus numerous neighbors pitching in with a tractor or construction expertise, and MREA's installation workshops. Various statewide funding programs helped us to the tune of US\$19,131. In our quest for energy independence, we rediscovered social and community interdependence.

each in their own way, absorb and store extra heat, which slowly radiates at night.

Sun-Lite thermal storage tubes, made from fiberglass-reinforced polyester, resemble cylindrical fish tanks. They, like the phase-change salts, passively collect and store heat, which is then slowly released at night. The 250 gallon (950 l) open water tank takes advantage of the same passive heat-capturing opportunity, doubling as our hot tub. The water for the hot tub is made safe by an ultraviolet light placed next to the transparent filter canister.

Being Part of the Solution

Adding renewable energy systems goes beyond saving energy and reducing our ecological footprint. These are some of the many advantages.

Direct energy savings. Our hybrid wind and solar-electric system should offset about US\$1,000 in electricity bills paid each year.

Tax credits and accelerated depreciation (for businesses only). Cash in on the federal renewable energy tax credit of US\$0.018 per KWH generated for wind, or 10 percent tax credit for solar energy equipment. You can also accelerate the amortization for the system with the federal modified accelerated cost recovery system (MACRS; Section 169 of the Internal Revenue Code). Consult your tax advisor for the latest information.

Magnet for visitors and a competitive advantage. We are one of the few bed and breakfasts in the world powered by renewable energy—guests choose us over other lodging options because of our concern for the environment.

Free advertising. In nearly every significant renewable energy system addition (wind turbine, PV system, straw bale greenhouse, and solar thermal systems), we found an interested and engaged media, eager to report on our sustainable living methods.

Operating cleaner and greener. Our decision to use renewables was more than about the economics of energy, since reducing carbon dioxide, nitrous oxide, and mercury emissions and achieving greater energy self-reliance were just as important. It's a matter of operating our business as responsibly as possible, given financial limitations.

Economics and the environment do go hand-in-hand. It comes down to our understanding that the health of our community and success of our business is connected in much the same way as our physical health is based on what we eat and drink. In striving for a more ecologically responsible model of conducting our business that sustains



An old granary and corncrib was reconstructed as a straw-bale-insulated greenhouse with the help of neighbors, friends, and installation workshops by the Midwest Renewable Energy Association.



Photos © John D. Ivanko




Photo © Jason Perry

Wind and sun farmers Lisa Kivirist and John Ivanko with their son, Liam, next to the perennial flower bed at Inn Serendipity Bed and Breakfast.

us and provides our livelihood, we discovered how to harness renewable energy and greater profits for our business.

Access

John Ivanko and Lisa Kivirist, Inn Serendipity Bed & Breakfast, 7843 County P, Browntown, WI 53522 • 608-329-7056 • info@innserendipity.com • www.innserendipity.com

Rural Renaissance: Renewing the Quest for the Good Life, John Ivanko and Lisa Kivirist, 2004, ISBN 0-86571-504-1, 304 pages, US\$22.95 from New Society Publishers, PO Box 189 Gabriola Island, BC V0R 1X0 Canada • 800-567-6772 or 250-247-9737 • Fax: 250-247-7471 • info@newsociety.com • www.newsociety.com

Rural Renaissance Network (RRN), PO Box 811, Monroe, WI 53566 • www.ruralrenaissance.org • Nonprofit program of Renewing the Countryside, supporting sustainable living and livelihood in rural communities

Mick Sagrillo, Sagrillo Power & Light, E3971 Bluebird Rd., Forestville, WI 54213 • 920-837-7523 • msagrillo@itol.com • MREA wind workshop instructor

John Hippensteel, Lake Michigan Wind & Sun, 1015 County Rd. U, Sturgeon Bay, WI 54235 • 920-743-0456 • Fax: 920-743-0466 • info@windandsun.com • www.windandsun.com • Wind turbine supplier

Bob Ramlow, Artha Renewables, 9784 County Rd. K, Amherst, WI 54406 • artha@wi-net.com • Solar thermal consultant

Chris LaForge, Great Northern Solar, 77480 Evergreen Rd. Suite #1, Port Wing, WI 54865 • Phone/Fax: 715-744-3374 • gosolar@cheqnet.net • MREA PV workshop instructor

Chris and Ken Hulet, Engineering Services Co., 21025 Hwy. 78, Blanchardville, WI 53516 • 877-417-4610 or 608-523-3726 • Fax: 608-523-3727 • esco@revolutionearth.com • www.revolutionearth.com • Consultation and PV equipment

Matt Sterling, Native Earth Construction, c/o MREA, 7558 Deer Rd., Custer, WI 54423 • Straw bale builder and MREA straw bale workshop instructor

Database of State Incentives for Renewable Energy (DSIRE) • www.dsireusa.org

Midwest Renewable Energy Association (MREA), 7558 Deer Rd., Custer, WI 54423 • 715-592-6595 • Fax: 715-592-6596 • info@the-mrea.org • www.the-mrea.org • RE fair and workshops

Andersen Windows, Inc., 100 Fourth Ave. N., Bayport, MN 55003 • 800-426-7691 or 651-264-5150 • Fax: 651-264-5279 • commercialgroup@andersenwindows.com • www.andersenwindows.com • Efficient windows

Travis Industries, 4800 Harbour Pointe Blvd. SW, Mukilteo, WA 98275 • 800-654-1177 or 425-609-2500 • Fax: 425-609-2781 • stoveinfo@travis-inc.com • www.lopistoves.com • Lopi and other woodstoves

Solar Components Corp., 121 Valley St., Manchester NH 03103 • 603-668-8186 • Fax: 603-668-1783 • solarcomponents@yahoo.com • www.solar-components.com • Sun-Lite thermal storage tubes




The BEST Tool for Solar Site Analysis

Easy to Use Ingenious design projects your horizon onto a sun chart for the full year.

Perfect for optimal siting of:

- Photovoltaic Arrays
- Solar Hot Water Systems
- Solar Homes
- Greenhouses
- Gardens

Includes sun paths from 0–66° North & 0–49° South. With metal case & tripod \$255, Handheld \$175, (+S&H).



Fast & Accurate

Rt 1 Box 260-1, Linden, TN 37096
317 501-2529
info@solarpathfinder.com • Fax 931-589-5400

SolarPathfinder
FAST ACCURATE SOLAR SITE ANALYSIS
www.solarpathfinder.com



Grid-tie with Back-up Made Easy

We've eliminated the three reasons for not including battery back-up capability in grid-tie PV systems: poor performance, complexity and battery life.

High Performance

Side-by-side, real world testing completed by OutBack in Grass Valley, CA has shown that the KWH performance of our grid-tie inverter system with battery back-up is within 5% of the KWH performance achieved by a SMA Sunny Boy 2500. The tests were conducted with near identical PV arrays. The OutBack battery back-up inverter performs better than some batteryless inverters!

Simple Installation



Our new PS1 makes grid-tie with battery back-up quick and easy to install - even outdoors with limited wall space. The PS1 system is available factory wired with a complete ETL listing. We've taken all the guesswork and complexity of the assembly process out of the picture!

Maintenance Free

Designed to work with four Group 27 or 31 sealed AGM type batteries (such as those offered by Concorde, MK, Deka etc.) eliminates the need for periodic watering. Our advanced charge control algorithm and smart battery management techniques should allow for battery life to exceed 10 years in typical grid-tie back-up applications.



Micki Delaney
Micki is our Production Manager. She has been involved with inverter manufacturing for more than 12 years.



Don't let your lights go out just because your neighbors do.
PS1-GVFX3648
Available late summer 2004
Estimated price \$4999.00
(Batteries not included)



19009 62nd Ave NE, Arlington, WA 98223
Phone 360-435-6030 - Fax 360-435-6019

SUPPORT YOUR LOCAL INSTALLER
Visit us at - www.outbackpower.com




www.fronius.com

It's a whole new technology, but it's easy to pick up.

Fronius grid-tied photovoltaic inverters use a new high-frequency, phase-shifting architecture to deliver higher reliability and performance, while reducing size and limiting weight. The FRONIUS IG 3000 weighs just 26 pounds! Integrated AC and DC disconnects help cut installation costs, while a large LCD display provides both real time and cumulative performance tracking. And once installed, inherent higher efficiency is maximized with intelligent thermal management to offer the highest performance available.


While the technology is new, the expertise is not. For 50 years Fronius has been leading the way in creating power conversion technologies, with more than 60,000 inverters in operation all over the world. Experience that's built into every new FRONIUS IG 2000 and IG 3000.

So when you're ready to consider a whole new inverter technology to improve reliability and performance, find out more about Fronius. We promise it will be light reading.



POWERING YOUR FUTURE

Sanyo Modules = More Power per Sq. Ft.



More power—less installation space required

Sanyo modules outperform the competition because they maintain higher voltages at higher temperatures – which means more power and better performance!

- Approximately 5% higher power than other crystalline modules – providing a higher rebate in some states (per PTC ratings*)
- High efficiency HIT technology produces more energy per watt

That's why SunWize GTS Grid-Tie Systems rely on Sanyo modules. Prepackaged systems are available from 1400 to 3000 watts. Visit our web site, www.sunwize.com or call 800-817-6527 for more information.

*PTC stands for PVUSA Test Conditions. PTC watt rating is based on 1000W/m² irradiance, 20° ambient temperature and 1 m/s wind speed.




MITSUI COMTEK CORP.

The Advanced Technology Subsidiary of Mitsui & Co.,

SunWize[®]
TECHNOLOGIES

Vella Cheese Factory

*Grid-Intertied Solar &
Old World Values Meet*



Ignazio Vella shows off some of Vella Cheese Factory's solar-produced artisan cheeses.

Brad Albert

Photos by Alberto Bresson
©2004 Brad Albert

The Vella Cheese factory has been soaking up the abundant California sun—and solar energy rebates and tax credits. This family-owned and operated small business saves money on its monthly electricity

bills with a 30 KW grid-intertied, solar-electric system. The factory combines Old World values and modern technology to produce its fine cheeses at one of Sonoma, California's, oldest and most historic businesses.

Ignazio Vella understands that his success in making award-winning cheese lies in his attention to each day's production and the quality of his raw materials. Milk for Vella cheese comes from Sonoma cows that are grass fed and hormone free. With the milk coming from only four miles away, deliveries are scheduled to meet Vella's production, ensuring that the milk is fresh as the cheese making process begins. In short, high quality inputs create great cheese.

Solar Just Made Sense

With Vella's holistic approach to manufacturing, it makes sense that they decided to put clean and locally produced energy into their manufacturing process. However, it is uncanny how traditional European values led a 70-year-old, family-owned, cheese manufacturing business to become an early adopter of grid-tied solar electricity and set an example for both their industry and the city of Sonoma.

Ignazio Vella's generation doesn't take modern conveniences for granted. And like any successful business, they can't ignore the bottom line. Ig is outspoken about things just not making sense these days. For example, he winces and rolls his eyes as he says, "People object to hanging their laundry out to dry because it doesn't look good, and certain neighborhoods don't even allow it." Ig has 75 years' perspective to see the value of investing in a technology that will help offset his energy costs for 25-plus years.

Keith Burkland, head electrician at Sun First!, after finishing up installation on the system's 13 Sunny Boy inverters.



A portion of the 234 BP photovoltaic modules that make up the 30 KW system.

Ig has been running the creamery since 1971. He has seen his energy costs increase year after year. He explains, "Cheese ages before it can be sold. We use a lot of energy for refrigeration, and while we have done everything from fluorescent lighting to new, energy-saving, cold storage motors, our rates continued to creep up."

From November to May, Vella Cheese is saddled with a US\$4,000 electricity bill each month. In the summer (May–October), the cost can spike to US\$6,600. In harmony with the seasons, the solar-electric system will have greater output in the summer when rates are higher and more energy is used for refrigeration.

For Ig, the choice was simple. When asked why he decided to install a solar-electric system, he said, "I looked at my electricity bills and decided that they weren't going to go down. I went to my board of directors, who are my three sisters, my wife, and me, and they said, "Fine Ig, see what you can do."

Ig contacted the wholesale distributor Solar Depot, who in turn called Sun First!, an established solar installer in the San Francisco Bay Area. I was working for the company at the time, and took on the management of the project. We explained the financial incentives available, and Ig didn't need much encouragement to sign on to the project.

California companies can purchase a solar-electric system for less than a quarter of the gross price. There are many ways to account for these

System Cost & Financial Incentives

The table below shows that Vella Cheese only paid approximately 19 percent of the actual system cost after their Pacific Gas & Electric (PG&E) Self-Generation Incentive Program rebate, tax credits, and depreciation were taken into account. Here are some details about how these credits and incentives reduced the system's cost.

PG&E rebate. The PG&E Self-Generation Program rebate pays the lesser of US\$4.50 per watt or 50 percent of the installed system cost. Vella's rebate of US\$140,652 is based on one-half of the contract amount of US\$287,285. To qualify, the system must be a minimum of 30 kilowatts and less than 1 megawatt. A licensed California contractor must install the system, and it must be approved by the appropriate building inspector and PG&E. Systems under 30 KW qualified for a US\$3.20 (now US\$3) per watt subsidy under the California Emerging Renewables Program.

Tax credits. The company received state and federal tax credits worth approximately US\$34,000. As part of the Federal Energy Policy Act of 1992, there is a 10 percent renewable energy investment tax credit. A 15 percent state solar tax credit (under SB1849) was also available. This tax credit has been reduced to 7.5 percent for systems installed after 2004.

Depreciation. The cash value of the system's depreciation (after accounting for combined state and federal tax rates) will be approximately US\$58,000. The federal government offers a six-year accelerated depreciation schedule for all solar energy equipment. The accelerated depreciation schedule is 95 percent of system cost over five years. Without this legal provision, such equipment would be depreciated over a twenty-year period. The schedule allows depreciation of 20 percent the first year, 32 percent the second year, 19.2 percent the third year, 11.52 percent for the fourth and fifth years, and 5.76 percent in the sixth year.

The system is estimated to reduce Vella's energy costs by US\$6,908 in the first year, which would mean a simple eight-year payback if Vella paid cash for the system.

Cash Positive for the Life of the System!

While an eight-year payback is a very good return, further financial analysis shows that the system would be cash positive from the very first year with long-term financing. If Vella Cheese financed the remaining portion of costs of the system (after rebate, tax credits, and depreciation) by taking out a 30-year secured loan, the payments on the loan would be approximately US\$300 per month, while the reduction in their average monthly electricity bill would be approximately US\$500 per month.

The graph below shows the amortized cost of solar electricity per KWH at Vella Cheese over 30 years versus the expected cost of utility electricity per KWH. All numbers are after taxes. The graph shows what happens if utility costs rise by 3 percent or 6 percent over the next 30 years. Over the last 30 years, prices per KWH for California utility customers like Vella Cheese have actually risen by an average of 7 percent per year. An interest rate of 5 percent was used for the amortization. The economic model assumed the PV array production would drop 1 percent each year.

Another way to achieve a cash-positive system is to borrow the entire amount of the system cost, and then put the rebate money in a special account that pays the monthly loan payments. This fund, coupled with tax credits and energy savings, will also produce a positive cash flow for the life of the system.


—Financial analysis prepared by Solar Depot


System Cost Analysis

Item	Amount (US\$)	Cost (%)
System cost	\$287,285	100.0%
Rebate (\$4.50 / watt)	-140,652	49.0%
Federal tax credit (10%)	-14,633	5.1%
State tax credit (15%)	-19,800	6.9%
Accelerated depreciation*	-58,520	20.4%
Net Cost	\$53,680	18.7%

*Assumes 35% federal tax bracket and 8.8% state tax rate. Federal depreciation schedule is 95% of system cost over 5 years.

Projected Electricity Cost Comparison






systems financially. Ig contacted Chris Capetto of Wells Fargo and financed the system with a line of credit. Chris said, "We did nothing outside the normal underwriting process; the project was not treated differently than any other construction loan." See the sidebar for a more detailed financial analysis provided by Solar Depot.

Solar Electricity Done Right

Vella's solar-electric system is composed of 234 BP 3160, 160 watt panels and 13 SMA Sunny Boy 2500 inverters. The panels are installed on the roof of the factory with a UniRac mounting system that secures the PV array to the structural members of the building. The panels are mounted flat for minimal visual impact, as required by the design review board.

The city of Sonoma's planning board is known to take a conservative approach toward altering existing landmark structures in the historic downtown area. Sun First! and Vella approached the planning board with a well-documented system design that was low profile and unobtrusive to view from most perspectives at street level. In addition, Ig's reputation as a Korean



Paperwork & Politics

Sun First! has done more than two hundred systems for homes, businesses, and institutions through the CEC Emerging Renewable Program. But this was their first system over 30 KW that qualified through Pacific Gas & Electric's (PG&E) Self-Generation Incentive Program. Understanding the process was not difficult, but executing the paperwork was not streamlined.

The grant program and the interconnection agreement require a lot of redundant forms to be filled out with multiple copies and original signatures. Sara Birmingham from PG&E's grant department and David Orr from their interconnection department were both very helpful and assisted Sun First! with wading through the required documentation.

Ig is also quick to point out that while Sun First! has been a buffer in the whole application process, he feels that PG&E and the other utilities are talking out of both sides of their mouth. "It ain't no piece of cake. Bottom line is that the utility companies don't want it, so they don't make it easy."

Sun First! takes a more middle-of-the-road view. Aran Collier acknowledges that there are great incentives and opportunities available for solar electricity that have created a market, that didn't exist five years ago. However, as Ig said, within the utilities there are lobbies that are trying to find loopholes to block the grid connect revolution, including exit fees and other limitations that effectively make installing a solar-electric system less attractive.

Ignazio Vella in front of Vella Cheese factory. He hopes that other businesses step up and become solar leaders.



War vet and a former city planning commissioner pulled weight and helped the architectural review commission not only approve, but also commend the idea.

The planning board made it clear that a few residential systems with less integrated mounting and aesthetics had soured them about solar-electric installations. Ig addressed the committee and pointed out, "The other systems were not done by professional solar installers. When solar-electric systems are done right, you benefit on two accounts; one, you typically get more efficient systems, and two, you make sure that they are not visually offensive."

Ultimately, Ig hopes that his system will be the cornerstone for more systems in his community. Vella's is the first commercial grid-tie system in the city of Sonoma.

California—Leading the Industry

These politics aside, California with all its energy ironies and scandals is leading the nation and creating the American market for grid-tied solar electricity. Today, 85 percent of all solar electricity generated in the United States is produced in California, according to Platts Research and Consulting. Platts predicts that photovoltaic generation in California will increase nearly six-fold in the next twelve years, from an estimated 40 megawatts to 224 megawatts. Even though other states are beginning to provide subsidies for solar-electric systems, California will still produce about 60 percent of all U.S.-based solar electricity in 2015, Platts forecasts.

Although the growth of solar energy is heavily weighted toward California, businesses in every state benefit from

the same 10 percent federal investment tax credit and five-year accelerated depreciation schedule, as Vella did. More states are following California's lead, and great rebates and incentives are available in New Jersey, New York, Oregon, Massachusetts, Hawaii, Florida, Arizona, and Nevada.

Besides financial incentives, businesses can benefit from applying solar energy toward their ISO manufacturing statements, as well as in their public relations and marketing. While solar electricity makes sense for the home, it's a slam dunk for businesses.

Access

Bradley Albert, Rising Sun Solar, PO Box 790807, Paia, HI 96779 • 808-579-8287 • brad@risingsunsolar.com • www.risingsunsolar.com

Vella Cheese, 315 Second St. East, Sonoma, CA 95476 • 800-848-0505 or 707-938-3232 • Fax: 707-938-4307 • vella@vellacheese.com • www.vellacheese.com

Sun First!, Aran Collier and Aran Moore, 280 Sunset Way, Muir Beach, CA 94965 • 415-945-0444 • info@sunfirstsolar.com • www.sunfirstsolar.com

Solar Depot, Inc., 1240 Holm Rd., Petaluma, CA 94954 • 800-822-4041 or 707-766-7727 • Fax: 707-766-7722 • info@solardepot.com • www.solardepot.com



ENERGY VIEWER

Providing Affordable Energy Solutions

How many times have you heard "Turn the lights Off?"

Now you can finally see why..

- Affordable whole-house electrical monitor
- Save by viewing energy use & cost in real time
- Easy to read wall mount and/or PC display
- Track electrical use by minute, hr, day & month
- Great educational tool for the family

**CONSERVE Energy,
SAVE Money, CUT Pollution**

Upland Technologies, 502 Prairie Hills Dr, Dodgeville, WI 53533 (608-930-3384)
www.uplandtechnologies.com

Summer is here... temperatures are RISING...

TRISTAR™

THREE-FUNCTION SOLAR CONTROLLER
45A and 60A at 12-48vdc
UL LISTED

- our 60 amp version operates at 48V
- ours includes an RS-232 comm port
- ours accepts larger cable with more bending room
- our meter has much more information including graphics
- ours has a 5 year warranty
- ours fits on power panel
- ours is competitively priced!

yet the TRISTAR is still COOL!

...Much larger heat sink and proprietary thermal design keeps the TriStar operating at lower temperatures, increasing reliability and product life. Ratings are actual to 45°C (113°F). No need to derate.

MORNINGSTAR
corporation

Phone: +1-215-321-4457
Fax: +1-215-321-4458
info@morningstarcorp.com
www.morningstarcorp.com

*Experience Hands-On Training
from World-Class Instructors at*

SOLAR ENERGY INTERNATIONAL



Call or Write for the FREE 2004 Workshop Catalog

Upcoming Workshops:

In Colorado

Solar Hot Water	Jun 1 - 4
Solar Home & Natural House Bldg	Jun 7 - 18
Advanced Straw Bale	Jun 19 - 20
RE for the Developing World	Jun 21 - 25
PV Design & Installation	Jul 5 - 16
Successful Solar Business	Jul 17 - 18
Advanced Photovoltaics	Jul 19 - 23
Biodiesel	Jul 19 - 23
Wind Power	Jul 26 - Aug 6
Micro-Hydro Power	Aug 9 - 13
Solar Water Pumping	Aug 14 - 15
PV Design & Installation	Aug 16 - 27


Outside CO

Women's Photovoltaics, OR	July 6 - 10
RE for the Developing World, OR	July 9 - 10
Intro to RE, Guemes Is., WA	Oct 16
Wind Power, Guemes Is., WA	Oct 18 - 23
PV Design & Installation, WA	Oct. 25 - 30

On-line Courses

PV Design	Aug 30 - Oct 8
PV Design	Nov 1 - Dec 10
Solar Home Design	Oct 11 - Nov 19

SEI



Hands-On Education for a Sustainable Future

voice: 970.963.8855 • fax: 970.963.8866
e-mail: sei@solarenergy.org • www.solarenergy.org
P.O. Box 715, Carbondale, CO, USA 81623



1.800.329.3283

www.earthsolar.com • contact@earthsolar.com

EarthSolar, LLC • 6315 Canyon Dr. • Amarillo, Texas 79110

LOWEST PRICES IN THE NATION!



KC120

120 Watts

KC125G, 125Watts **\$CALL**

KC167G, 167Watts **\$CALL**



KC167g

167 Watts

Southwest Windpower
Renewable Energy Made Simple

Call for Lowest Price in the Nation

H-40 Turbines

900W (180Kw mo. @ 15 mph avg)

\$CALL

H-80 Turbines

1000W (300Kw mo. @ 15 mph avg)

\$CALL

AIR X

• 12, 24, 48 Volt



Call for Lowest Price in the Nation



DCR165 DC Refrigerator

DCF165 DC Freezer

DCR225 DC Refrigerator

DCF225 DC Freezer

Call for Lowest Price in the Nation



STABER

HXW2304

Super Efficient Washer

Call for Lowest Price in the Nation

Kill A Watt



Call for Lowest Price in the Nation

SunDanzer

SUN-MAR

The World's Leader in Composting Toilet Technology

Excel Excel Compact



Call for Lowest Price in the Nation

PRICES SO LOW WE CAN'T PRINT THEM!



BP 3125, 125W **\$CALL**

SHARP

SHELL SIEMENS

SQ75, 12V **\$CALL**

UNI-SOLAR

US3, 2.8W US21, 21W
US5, 5W US32, 32W
US11, 10.3W US42, 42W
US64, 64W

WE HAVE

SOLAR PANELS!

Please call for Panel

Pricing and Availability

WHISPER H-175 Turbines

"The Most Powerful Turbine of the Lineup!"

3000W (820Kw mo. @ 15 mph avg)

Call for Lowest Price in the Nation



OutBack Power Systems



True Sine Wave inverters
FX2024 (2000VA continuous)
CALL FOR LOW QUOTE
FX2548 (2500VA continuous)
CALL FOR LOW QUOTE



MX60 Charge Controller
Fully adjustable setpoints to allow use with any battery.
CALL FOR LOW QUOTE



MATE System Display/Remote
Complete system remote.
PC compatible.
CALL FOR LOW QUOTE



Rolls Battery Engineering

Rolls-Surrette

Solar Deep-Cycle Batteries

FREE Freight on Quantity Orders!

CALL FOR DETAILS.

Model S-530 **\$CALL**

Model S-460 **\$CALL**

530 AH (100 hr rate)

460 AH (100 hr rate)

12.25" x 7.125" x 16.75"

117 lb (wet), 90 lb (dry)

NOTICE!

Services that Earth Solar provides:

If you purchase your system from Earth Solar we provide the following services absolutely free of charge:

- FREE Load Calculation & Design**
- FREE Code compliant engineering**
- FREE System diagrams**
- FREE Phone consultations**
- FREE Troubleshooting**

Earth Solar provides installation nationally and internationally.

Please call us if you have a project that needs a professional touch.



Solar Air Conditioning Available NOW!

\$CALL



Call for Lowest Price in the Nation

GRUNDFOS SQFlex

Call for Lowest Price in the Nation



Prosine 2.5Kw True Sine Wave Inverters
12 Volt **\$CALL**
24 Volt **\$CALL**

Notepower 75 **\$CALL** Prosine 1000 GFCI **\$CALL**
 Prowatt 150 **\$CALL** Prosine 1000 **\$CALL**
 Prowatt 250 **\$CALL** Prosine 1800 GFCI **\$CALL**
 Prowatt 800 **\$CALL** Prosine 1800 **\$CALL**
 Prowatt 1500 **\$CALL** Prosine 3.0Kw 12V **\$CALL**
 Prowatt 2500 **\$CALL** Prosine 3.0Kw 24V **\$CALL**

CONTACT US ABOUT OUR 2003-2004 SOLAR AND WIND SEMINARS! 1-800-329-3283 or contact@earthsolar.com

Load-Bearing Straw Bales

Yea or Nay?

Jeff Ruppert

©2004 Jeff Ruppert

Photos by Catherine Wanek

This PV powered straw bale home in the Colorado Rockies keeps the owner warm during the long, cold winters.

For more than a hundred years, people in the U.S. have been using bales of grass and straw to build their homes and accessory structures. The early pioneers of this building technology did not use frames within their walls, but relied on the strength of the bales and plaster to hold up the roof.

In modern times, straw bale builders often use a frame with the bale and plaster walls. We have found that evaluating each project based on a number of factors helps to determine which system should be used.

Load-Bearing Construction

In load-bearing construction, the straw walls and their plaster skins are both the structural wall element and the insulation. Many believe that load-bearing construction is the purest form of bale construction. Following in the footsteps of our forebears, why complicate matters with a wood framework? Simplicity used to be forced by necessity, but sometimes the results are surprisingly desirable.

Constructability. Stacking a bale wall without having to work around a structural framework takes less time. Without posts in the walls, there are fewer joints between different materials that need to be reinforced with some type of mesh. Both of these characteristics save time and materials.

However, load-bearing construction requires some unusual steps, including the use of something to level the roof-bearing assembly that sits on top of the bale walls. If you are a builder who insists on everything being perfect, you may become very frustrated by this process. Remember that the tolerances of bales are in full inches, whereas the tolerances in frame construction are within a fraction of an inch.

Cost factors. Some people believe that it is not any cheaper to build a load-bearing wall than a post-and-beam wall. The truth of the matter is, it depends on who is building the structure. In the case of an owner-builder, the goal is to locate materials cheaply, while supplying as much labor as possible. This reduces total out-of-pocket expenses.

If you hire a builder to do most or all of the work, a load-bearing structure might end up costing more due to higher labor costs. Load-bearing construction can take a level of care and understanding that many builders don't



This load-bearing straw bale home in Nebraska, built in 1905, is one of the oldest surviving straw bale homes.



In load-bearing walls, the window "rough buck" is inserted into the bale wall as it goes up.

want to mess with. All of these issues affect costs, and you need to determine beforehand what type of system will fit your plan best.

A post-and-beam wall can use as much or more lumber than a typical 2 by 6 framed wall—approximately 13 to 15 board feet of lumber per lineal foot of wall. A typical load-bearing bale wall uses about 6 board feet of lumber per lineal foot of wall. Lumber can be a substantial cost in construction, so using load-bearing walls may reduce the cost of materials.

Timing. Deciding when to place bales in the walls can make it easy to decide whether to go load-bearing or not. When building a load-bearing structure, you will not have the luxury of a roof overhead to protect the bales. You will need to stack the walls, place the roof bearing assembly, strap the walls, and then build the roof. The walls will be more exposed to the elements. If you live in a climate that receives rainfall throughout the year in unexpected quantities and without much warning, load-bearing construction will be difficult. In drier climates, it can make more sense.


Stacking. Until recently it was thought that the strongest, most stable straw bale construction method is using three-string bales, laid flat, with cement plaster on both faces. However, recent testing at the University of Colorado has shown that two-string bale walls may in fact be close to twice as strong as three-string walls. These results also show conclusively that it is the rigid plaster skins that provide the bulk of the strength.

Two-string bale walls with the bales laid on edge are stronger probably

because the plaster skins are closer together, with less straw between them than their three-string counterparts laid flat. When placed under the same compressive loading regime, three-string bales deform sooner than two-string bales, causing local buckling, which leads to global instability of the plaster.

Other advantages to stacking bales on edge make this configuration worth considering in every situation. For example, the same building will use fewer bales when stacked on edge. Also the walls will be narrower, using up fewer of those valuable square feet of floor space. And finally, they do not compress when stacked on edge (or

Post-&-Beam Detail





Bales can be notched around posts, or the posts can be left exposed on the interior or exterior.

compress very minimally). Of course, the R-value of the wall will be somewhat less with bales stacked on edge.

Post-&-Beam Construction

Using a support structure within or next to bale walls instead of using bales for support adds to the predictability of the situation. This can ease the permitting process, and helps ensure that the bales will stay dry during construction.

Straw bales can be used as an insulative infill in conjunction with many kinds of structural frameworks, including timber frames, stud walls, post and beam, concrete, and steel frames. Each of these framing styles has its own advantages and disadvantages, and must be researched fully for its own merits and its ability to blend with straw bale walls.

Constructability. The first advantage that comes to people's minds when using a post-and-beam system is the ability to get the roof up as soon as possible. This provides a dry working space to both store and work on bales.

Another advantage is the predictability of the structure both from a design and construction standpoint. Many engineers are not at all familiar with bale construction. They prefer to use a structural system that they can easily define, leaving the bales to act as insulation and as a backing for the plaster. While this may make your process of approvals and

design easier, the costs of materials may offset these advantages.

Cost factors. Many framing options are available, and they can vary widely in price and ease of construction. Finding builders familiar with the chosen system will have a significant impact on the cost. The frame design must also take into account its interaction with the bale walls. Frames can exist outside the walls, within the bales, or inside the walls, and each interface must be well thought out.

If there are many joints between different materials, such as window bucks and posts with bales, the labor to fit custom bales and cover the joints and partial bales with some type of mesh will make the process slower and more expensive. The biggest cost savings with post-and-beam options comes from being able to raise the bales and plaster them at a comfortable pace under the protection of the roof.

Timing. Bales can be inserted as soon as the roof bearing assembly is placed on the posts. The timing of bale placement within the walls is very flexible. This issue alone can make the decision very easy.


Load-bearing vs. Post & Beam

At this point, you may still be asking yourself, "What system will work best for me?" The answers are not easy, but here are some guidelines we like to use.

The round timber frame creates a dramatic front entry in this British Columbia home.



The load-bearing, juniper tree post harvested from the site adds an artistic touch to this room.





Natural plasters and cement stucco help give load-bearing walls their structural strength. Many co-housing communities are using straw as a building material, such as in this home on Whidbey Island, Washington.

Who will be building the structure? As engineers, we actually discourage load-bearing construction for those unfamiliar with straw bale structures, unless it is a very simple structure. The potential for frustration and a lack of understanding can create a situation no one wants to be involved in.

Load-bearing construction is almost more of an art than a skill. You need to be able to account for the variability and embrace the unknown when something unexpected happens. However, it does save wood, and if labor costs can be kept in check, it can be the right choice for many people.

If the structure has two stories, we almost always opt for post and beam. Another possibility is to construct the

first-story walls with a frame and do the second story load-bearing. If you decide to go for a two-story load-bearing structure, some important engineering issues need to be addressed. How complicated is the structure? If it is very complicated with many point loads and few walls to resist wind loads, we will opt for a post-and-beam design due to its predictability.

Who are the owners? Some people may insist on post and beam because they are not comfortable with the idea of “straw holding up the roof.” Even though this is not the way it really works (it is primarily the plaster that bears the load, and it is more than strong enough), it may be too difficult to change someone’s mind once it is made up.

Wood Content for Straw Bale Wall*

Item	18 In. Wide Post-&Beam Wall		18 In. Wide Load-Bearing Wall	
	Materials	B. F. / L. F.**	Materials	B. F. / L. F.**
Sill plate	Two, 2 x 4s continuous	1.33	Two, 2 x 4s continuous	1.33
Post, every 9 ft.	Three, 2 x 4s; 8 ft. x 18 in. of 1/2 in. plywood	2.52	None	0.00
Top plate	Two, 2 x 10s; two, 18 in. wide strips plywood cont.; 2 x 10 blocking every 4 ft.	5.46	Same	5.46
Totals		9.31	6.79	

* For 8 ft. tall wall without door, window, or other penetrations
 ** Board feet of lumber per lineal foot of wall



This two-story, post-and-beam straw bale home is in an urban environment in the heart of Montreal.



In a post-and-beam house, beams can be exposed on the interior, as shown in this Charlemont, Massachusetts, home.

No Black & White Answers

As with many issues related to the construction of a building, the answers are rarely black and white. You need to apply both common sense and the experience of those who have done these things before.

To choose a bale wall system that will fit your project, decide who will be doing the work, look at the complexity of the structure, and consider who owns and will occupy it. Also, how comfortable are you working with a system with lower tolerances than is typically acceptable on a construction project? Good luck in your straw bale building, whatever wall system you choose.

Access

Jeff Ruppert, P.E., Odisea LLC, 2241 17th St., Boulder, CO 80302 • 303-443-4335 • Fax: 303-443-4355 • jeff@odiseanet.com • www.odiseanet.com • Structural & civil engineering, straw bale consulting & construction

Straw Bale Details: A Manual for Designers and Builders, Chris Magwood, with Chris Walker (Illustrator), 2003, Paperback, ISBN: 0865714762, US\$32.95 from New Society Publishers, PO Box 189, Gabriola Island, BC, Canada, VOR1X0 • 250-247-9737 • Fax: 250-247-7471 • info@newsociety.com • www.newsociety.com


Straw Bale Building, Chris Magwood & Peter Mack, 2000, Paperback, 235 pages, ISBN: 0865714037, US\$24.95 from New Society Publishers (see above)

The New Strawbale Home, Catherine Wanek, 2003, Hardback, 188 pages, ISBN: 1-58685-203-5, Gibbs Smith, Publisher, US\$39.95 from Black Range Films & Natural Building Resources, 119 Main St., Kingston, NM 88042 • 505-895-3389 • Fax: 505-895-3326 • blackrange@zianet.com • www.strawbalecentral.com • Books & videos about natural building

The Last Straw Journal: The International Journal of Straw Bale and Natural Building, published by The Green Prairie Foundation for Sustainability (GPFS), PO Box 22706, Lincoln, NE 68542 • 402-483-5135 • Fax: 402-483-5161 • thelaststraw@thelaststraw.org • www.thelaststraw.org



From a field of dreams
can rise your own healthy home.



For **books and videos** to help you make
your dream a reality
visit **www.StrawbaleCentral.com**
or call **505-895-3389** for a free catalog.

No Power? No Problem!

There is more to a working renewable energy system than a cheap deal on a pile of hardware.

We Provide:

Complete service. We do solar, wind, microhydro and pumping systems. Load analysis, site survey, system design, sales, installation, user training, and tech support long after the warranties expire. We live on renewable energy, have 20 years of experience, and have established over 500 systems. We specialize in NEC® compliant, safe systems that will make your Electrical Inspector smile!

Equipment for DIY. We offer reasonable deals and technical reality checks. Why settle for a packaged system when you can have yours custom designed by an expert?

Your best resource is a local pro. Tap into our network of qualified, competent Electron Connection associates across the country.

Going into the Biz? Why talk to a "sales technician" when you can talk to an electrician? We KNOW what works and how it works. We offer technical support, system design help, prompt shipment, fair pricing and NO BULL. Local referrals always. Electrical competence required.

Electron Connection

Bob-O Schultze
CA Electrical Lic #613554
OR CCB Lic #149724



800-945-7587

 toll free

www.electronconnection.com

 online catalog

PO Box 203, Hornbrook, CA 96044 USA

Voice / Fax: 530-475-3401 • E-mail: bob-o@electronconnection.com

Protection From More Than Just The Elements



Introducing **UNI-SOLAR®** Residential Integrated Solar Energy Systems

Your roof has always protected you from the elements. Now, it can also protect you from rising electricity costs.

UNI-SOLAR® residential solar energy solutions are revolutionary new roof-integrated solar power systems that are so effective, they can produce up to 90% of the electricity you need. And a *UNI-SOLAR* system won't detract from your home's appearance or compromise the look of your community.

UNI-SOLAR System Benefits

- Increased Home Value
- Attractive Style
- Roof-Integrated Solar System
- Lower Electric Bill
- Pollution-Free Power
- Exceptionally Durable
- Virtually Unbreakable
- Great Investment
- Protects The Environment
- Manufacturer Backed 20-Year Power Output And 5-Year System Warranty
- Significant State Rebates And Tax Incentives Available
- Utility Company Credits YOU For Electricity YOU Produce



Call today for a **FREE** in-home energy evaluation!

**In California Call:
1-800-397-2083**

UNI-SOLAR®

www.uni-solar.com

© Copyright 2004 United Solar Ovonic - All Rights Reserved

www.smartroofsolar.com

get charged

NOW IN-STOCK

Introducing the all new Whisper Charge Controller available with a display option for the ultimate control of your **Whisper** wind system.

WHISPER CHARGE CONTROLLER

WHISPER CONTROLLER PROGRAM FEATURES

- Displays total kilowatt hours
- Displays peak amps
- Displays peak and average wind speed.*
- Manually adjusts voltage for any type of battery.
- Auto-Silent Mode - When batteries are full, wind turbine automatically shuts down.
- **NOW - fully adjustable from 12-48v. Thinking of changing system voltage in the future? It's easy to re-configure the voltage in a few short steps.**



Directly connect an anemometer to measure and display peak and average wind speed!

Southwest Windpower


Renewable Energy Made Simple

2131 N. First Street • Flagstaff, Arizona 86004 USA
Tel 928-779-9463 • Fax 928-779-1485
www.windenergy.com • E-mail info@windenergy.com

Dealer inquiries welcome. Visit www.windenergy.com/Dealers

* requires an anemometer (available separately)

Estimating Wind Energy



Hugh Piggott

©2004 Hugh Piggott

This AWP 3.6 turbine has a comparatively large, 3.6 meter rotor diameter, and produces well in low winds as a result.

What can you run from a wind turbine? How much does it produce? What size turbine do you need to power your home? This article will begin to help you answer these questions.

Wind generators are sold with power ratings. For example, a particular model might be advertised as “1 kilowatt” (1,000 watts). But you cannot conclude that it will produce energy at the rate of 1 kilowatt all the time. In fact, it will only produce its rated output a very small percentage of the time.

Few energy sources are as variable as the wind. A wind turbine is designed to deal with a whole range of wind speeds, often from 3 meters per second (7 mph; 11 kph) to 12 m/s (25 mph; 40 kph). You will only see the advertised output in strong winds. The average output is going to be a fraction of the advertised output because the wind is rarely high enough to enable rated output.

The Power & Probability of Wind Speed chart illustrates what happens at different wind speeds on a typical site, where the average (mean) wind speed is 5

meters per second (11 mph). One curve shows the power available at each wind speed. The second curve shows “probability” of the wind speed—in other words, the percentage of the time for which the wind will blow at that speed. The wind turbine might produce 1,000 watts at the highest wind speed shown, but it only occurs for 3 percent of the time.

You will typically need a battery to store the energy produced by your wind turbine, and to make the energy available when you need to use it. The peak power output of the wind generator in windy weather is therefore not very important. What matters is how the actual power output averages out into energy production (kilowatt-hours) over a period of time, and whether that energy total meets your needs for that same period.

Average Energy Use

You can convert between the average power and the kilowatt-hours of energy per day, month, or year by knowing the number of hours involved. For example on a daily basis, 100 watts average output translates into the following amount of electrical energy per day:

$$\begin{aligned} 100 \text{ watts} \times 24 \text{ hours} &= \\ 2,400 \text{ watt-hours} \div 1,000 &= 2.4 \text{ KWH} \end{aligned}$$

On a monthly basis, that means:

$$100 \text{ watts} \times 720 \text{ hours} \div 1,000 = 72 \text{ KWH.}$$

Here in the UK, the average person's domestic electricity needs average out at 210 watts, or:

$$210 \times 24 \div 1,000 = 5 \text{ KWH}$$

With energy efficiency measures, this demand can easily be reduced by half. See Scott Russell's load analysis article in this issue for help with predicting your energy needs.


Wind Speed & Swept Area

Energy production from wind turbines depends on two main variables—wind speed and blade rotor diameter. The fuel is the wind. The wind speed and the amount of that wind you can catch with the blades are the best indicators of the useful output.

The author with a Windseeker turbine. Rated power is 500 watts, but the diameter is only 1.5 meters. This machine is rated at a high wind speed. It will not capture much energy in low winds.



Power & Probability of Wind Speed



If you have a rotor that sweeps a large area, exposed to a good wind, you can get plenty of energy. Finding out the average wind speed for your site and tower height is no simple task, but there are good books to help you. Paul Gipe's *Wind Power for Home and Business* is one (see Access).

This assumes that the machine does a good job of converting the wind's energy into electricity. Conversion efficiency varies somewhat, but there is an upper limit that no manufacturer can break through without breaking the laws of physics. Manufacturers will publish figures for energy production, but it is a good idea to check these and see how realistic they are. Maybe their product is super-efficient, or maybe they are hyping it up a little.

A Rough Guide

As a rough guide, the average power output equals the cube of the wind speed, times the square of the diameter, divided by "X." The constant X depends on the efficiency and the units used. The ultimate theoretical best value of X is just under 1.25 for metric units (meters and meters per second) or 150 for "English" units (feet and mph).

But this theoretical case is like a car without friction—a nice idea, but it's not going to happen. In manufacturers' data, X often comes out close to 3.5 (420 for English units), and this is around the limit of credibility. In the real world, it is maybe safer to assume that X equals 5 for metric units, and X equals 600 for feet and mph.

There is no point in trying to be precise with this calculation. There are too many uncertainties. It is unlikely that you will have a very accurate idea of the average wind speed on your site, and the energy produced is very sensitive to wind speed. So I do not recommend trying to predict energy figures to several decimal places.

Example

Average output from a wind generator equals:

$$(\text{wind speed in mph})^3 \times (\text{rotor diameter in feet})^2 \div 600$$

Estimated Average Power

Average Wind Speed		Avg. Power (W) for Rotor Diameters			
m/s	mph	1.0 m 3.3 ft.	2.0 m 6.6 ft.	3.0 m 9.8 ft.	4.0 m 13.1 ft.
3.0	6.7	5	20	50	90
5.0	11.2	25	100	225	400
7.0	15.7	70	270	600	1,100

Site with average wind speed of 5 m/s (11 mph). Data generated by WindCad from Bergey Wind Power Co.

For example, take an average wind speed of 4.5 m/s or 10 mph (16 kph), and a rotor diameter of 3 meters or 10 feet. The cube of 10 is 1,000, and the square of 10 is 100. Multiply them together and divide by 600 to get 167 watts average power output. Energy per day would be:

$$24 \text{ hours} \times 167 \text{ watts} \div 1,000 = 4 \text{ KWH}$$

You can be reasonably confident that you will get about 4 KWH on an average day. If there is no wind on one day, you will get nothing. Another day you might get much more.

Losses

Do not forget that you will lose energy in the process of storing it in the batteries and taking it back out. Twenty

This LMW has a diameter of 5 meters. With its large rotor and tall tower, it is ready to catch the slightest wind.



percent or more of the energy can be lost in this way. Another loss in a stand-alone system is the dump load that regulates your battery charge rate. If the battery reaches full charge, surplus energy will be dumped into heat. This is inevitable unless you have such a huge battery that it never reaches full charge, which would be both expensive and foolish. The battery needs to be fully charged regularly or it will deteriorate.

Batteryless grid-intertie systems do not suffer these issues with battery storage, but you still have to take account of the efficiency of the inverter that converts your wind-generated electricity into utility-grade AC electricity.

Use the Wind

Wind energy is free, so let's use it. If we are careful, it can meet our needs and free us from the unwelcome side effects of other energy sources. I hope this short article has helped you understand what you can realistically do with the wind blowing past your door.

Access

Hugh Piggott, Scoraig Wind Electric, Dundonnell, Ross shire, Scotland, IV23 2RE • +44 01854 633 286 •
 Fax: +44 01854 633 233 • hugh@scoraigwind.co.uk •
 www.scoraigwind.co.uk

Bergey Wind Power Co., 2001 Priestley Ave., Norman, OK 73069 • 405-364-4212 • Fax: 405-364-2078 •
 sales@bergey.com • www.bergey.com •
 WindCad Turbine Performance Model spreadsheet

"Apples & Oranges 2002: Choosing a Home-Sized Wind Generator," Mick Sagrillo • HP90 and available on the HP Web site.

Wind Power: Renewable Energy for Home, Farm, and Business, Paul Gipe, 2004, Paperback, 498 pages, ISBN 1-931498-14-8, US\$50 from Chelsea Green Publishing Company, PO Box 428, White River Junction, VT 05001 • 800-639-4099 or 802-295-6300 • Fax: 802-295-6444 •
 info@chelseagreen.com • www.chelseagreen.com





www.wondermagnet.com

NdFeB Magnets
 Magnet Wire
 Books
 Weird Science

Needful Things
 for the homebrew
 renewable energy
 enthusiast!

www.otherpower.com

877-944-6247 (toll free)
 970-484-7257
 2606 W. Vine Dr.
 Fort Collins, CO 80521
 ff@wondermagnet.com

**MAKE YOUR
 ELECTRICITY
 FROM SCRATCH!**



4 Things You Should Expect When Choosing Renewable Energy Equipment

The decision to live with renewable energy is a long term commitment. To make the right decision consider the following:

- **Inventory** : Make sure your supplier can provide what you want, not what they have.
- **Experience** : Does your supplier use what they sell?
- **Service** : 78% of Renewable Energy suppliers are part time. Make sure yours is full time.
- **Knowledge** : Make sure your supplier can answer all of your technical questions without giving you the run around and leaving you even more confused.



FREE
Solar Design Guide
 Packed full of industry secrets, useful charts and product selection guides.
www.nationalsolarsupply.com/free



SOLAR CONVERTERS INC.

We design and manufacture Power Control Solutions for your Renewable Energy Systems!



Linear Current Boosters

Increases Solar Pump Performance

- 12 / 24 V @ 7 amps
- MPPT
- Voltage Limited
- Fused Output



DC Autotransformers

Bi-Directional DC-DC Converter

- Battery Balancer / Equalizer
- Converts Battery Power to Different Voltages
- Up / Down Converter



Battery Desulphators

Extends Battery Life

- Recovers Sulphated Batteries
- Single unit 12 to 48 V
- Adjustable Pulse Strength



Linear Voltage Boosters

Keeps a Constant Battery Voltage to your Equipment

- Charge a Battery from a Lower Voltage Battery or PV
- Water Pump Booster and Controller



Generator Starters

Starts / Stops Gensets based on Battery Charge

- Single unit 12 to 48 V
- Controls any Generator
- Temp. Compensated


ALSO...

- MPPT Power Tracker™ Charge Controllers
- Cathodic Protection Controllers
- Voltage Controlled Switches
- Solar Lighting Controllers

Please visit www.solarconverters.com for MORE products and details

C1-199 Victoria Road S., Guelph, ON, N1E 6T9, Canada Phone: 519-824-5272 Fax: 519-823-0325 E-mail: info@solarconverters.com

Renewable Energy Education



Paolo Savelli

©2004 Paolo Savelli

Photo by www.joshroot.com

Anderson's General Store with its wind generator and PV array—as seen from the Guemes Island ferry.

It was a long two weeks, and I learned more than I ever thought possible about wind and solar-electric systems, and renewable energy in general. Solar Energy International (SEI) put together two workshops back to back in the middle of October on Guemes Island, home of Ian Woofenden, senior editor of *Home Power* and our host for the two weeks. The first workshop was “Solar-Electric Design and Installation” and the second was “Wind Power.” Since I had a strong interest in wind energy and knew next to nothing about photovoltaics (PV), I went to Washington State to learn about these two exciting technologies.

I grew up mostly in Europe, where I was exposed to frequent shortages of electricity and subsequent shortages of water (no electricity means no electric pumps). Some of my memories of growing up were of our family maintaining our bathtubs and assorted containers full of water (whenever the water pressure was up) so that we would have drinking, cooking, and cleaning water available whenever there was no running water.

Because I frequently travel back to Europe, I am regularly exposed to their more energy aware and energy efficient culture. I bring this back to my home in Rochester, New York, and try to live as energy cheap a life as I can. But I felt that I could do more, so one of my goals in attending these workshops was to see if I could step it up, and both increase my energy conservation and find ways to actually generate some of my own energy.



Photo by www.joshroot.com

Charlotte Anderson Clifton proudly shows off their store's magazine rack, while her husband Dave minds the till.

Instruction

Both weeks were chock full of instruction. The workshops were really made up of four distinct parts:

Classroom sessions. In the classroom we learned theory, were introduced to concepts and technologies, and looked at slides of existing PV and wind systems.

Field trips. There were two flavors of field trips. The first involved visiting on and off-grid renewable energy homes. The second involved visiting manufacturers of renewable energy components.

Informal evening sessions. Guest speakers were invited to the Guemes Island Resort every evening, and after brief presentations, would engage in question and answer sessions with the students. For those staying in Guemes House, the main "lodge" at the resort, these discussions would usually start up again around coffee in the morning and usually around the dinner table as well.

Hands-on. The heart of the training was installation of solar-electric and wind-electric systems (complete with tower) for a grid-tied RE system. This made up the bulk of the hands-on training, but there was also quite a bit of exposure to various tools and components used in setting up renewable energy systems.

First Week—Solar-Electric Workshop

The Solar-Electric Design and Installation workshop took place during the first week. Our main instructor was E. H. Roy of Stewartstown, New Hampshire, who was

a wealth of knowledge, both on the technology of solar electricity, and on the business end.

The general goal for the workshop was to be able to evaluate a potential site and decide how to add PV to it. To do this, we learned many things:

- How to determine the site's electrical loads and how those could (and should) be reduced
- How to match the PV array to those loads
- Where to locate the PV array based on shading and what season the energy from the PV array was most likely to be used
- How to wire systems, taking into account voltage drop based on wiring resistance
- How to compensate for basic inefficiencies in the various components

To make sense of all this, we also learned some basic electricity theory, and the immutable relationship between volts, amps, and ohms. We learned about maintenance and care of a PV system (especially batteries), and we learned about safety. Finally, as a way to stress what we had learned, we designed a PV system and installed and wired all the component parts of that system on a real site.

To point out design constraints and technologies, we visited a number of homes on the island that use PVs as a source (sometimes the only source) of electricity. One home, the Buchmans', built entirely with renewable energy and conservation in mind, was particularly inspiring. It was fueled by an array of twelve Shell SP150s, wired in parallel and series to generate 1,800 W at 48 V. The energy

Anderson's General Store System Tech Specs

System Overview

System type: Battery-based, grid-intertied, PV and wind hybrid

Location: Guemes Island, Washington

Solar resource: 4 average daily peak sun hours

Solar production: 90 DC KWH per month average

Wind resource: 7 mph (3 m/s) per month average

Wind production: 59 DC KWH per month average

Wind Turbine

Wind turbine: Homebuilt by SEI students, Hugh Piggott axial design

Rotor diameter: 8 feet (2.4 m)

Energy output: 75 DC KWH at 12 mph (5.35 m/s)

Power output: 500 W at 22 mph (10 m/s) peak

Wind turbine controller: Xantrex C40

Tower: 80 foot Southwest Windpower tilt-up kit (2.5 inch, schedule 40, galvanized steel pipe)

Photovoltaics

Modules: 8 Shell SP140s, 140 W STC, 24 VDC nominal

Array: 1,120 W STC, 48 VDC

Array disconnect: 60 A

Array combiner box: OutBack PSPV combiner with 15 A breakers

Array installation: UniRac U-PT/128L mounted on 20 feet (6 m) of galvanized 6 inch schedule 40 pipe, south facing, 45 degree tilt angle

Balance of System

Inverter: Xantrex SW5548, 48 VDC input, 120 VAC sine wave output

PV charge controller: Blue Sky Solar Boost 3048DL, MPPT, PWM

Wind charge controller for diversion load regulation: Xantrex C40, PWM

System performance metering: RightHand Engineering Winverter software; two Xantrex Link 10 AH meters; NRG Windwatcher and Clean Energy Products recording anemometers

Energy Storage

Batteries: 4 Interstate VRLA AGM, 12 VDC, 100 AH at the 20-hour rate

Battery pack: 48 VDC, 100 AH total

Battery/inverter disconnect: 250 A

is inverted using an AEI Multi-Mode grid-tie inverter that provides electricity to the house and feeds any excess to the grid. With Washington's net metering law, the Buchmans can bank surplus energy credit in the summer, and generate almost all of their energy with their solar-electric array. Their total electricity bill for the last year was US\$60.

In addition, the inverter keeps a bank of batteries charged for limited backup in the event of a utility outage. This home was inspiring not only because of its source of energy (PV), but because of its very efficient use of energy. All of the appliances were chosen for their limited energy requirements, and all appliances that are phantom loads are on switches, so they can be totally disconnected when not in use, and thus reduce the load.

We also visited the Xantrex and OutBack Power manufacturing facilities. Inverters are the bread and butter products of both of these companies, although they also make other components for RE systems. Visiting these facilities exposed us to some of the engineering, marketing, and regulation constraints that these outfits have to deal with when building new products. Indeed, at both locations, we learned of upcoming new grid-tie inverters that we were told should be market-ready shortly.

Second Week—Wind Power Workshop

My second week in Washington was a very intense workshop on wind turbines and wind turbine installation. Mick Sagrillo of Sagrillo Power and Light, with more than 700 installations behind him, was our instructor for the




Photo by www.jeshroot.com

The store's power room.

week. The purpose of this workshop was to learn about wind turbines—wind turbine design, siting, maintenance, and installation.

Relying heavily on past experience and lessons learned, Mick spent a good amount of time discussing the economics of wind siting based on wind speeds at various tower heights, and how to determine wind speed at those tower heights. A large component part of wind-electric systems is the tower, so we learned about different tower types, how to install them, how to maintain them, and what their pros and cons are.



We visited a grid-tied home that is powered by wind and PV. An African Wind Power 3.6 provides the wind power. This is a three-bladed, 3.6 meter (12 ft.) diameter wind turbine that is rated at 1,000 W at 48 V. Due to its large swept area, this machine generates even in moderate winds. Indeed, on at least two occasions, we noticed that it was generating electricity (albeit not very much) in as little as 8 mph (3.6 m/s).

The tower was a guyed lattice tower, with three guys every 35 feet (11 m). Part of our training was doing maintenance on this tower and turbine. The tower maintenance consisted of checking for any loose bolts or guy cables, and checking for rust both at the ground anchors and at the tower anchors.

The turbine maintenance involved inspecting the turbine for wear, cleaning the blades (to maintain efficiency), and greasing all pivot points.

All these things seem easy enough, but they are quite daunting and challenging when you are hanging from a harness 140 plus feet (43 m+) in the air. Besides the obvious tip of not looking down, another good tip is to not look up, since the moving clouds lend the impression that the tower is falling.

Hands-On PV & Wind Installations

Both weeks were set up around the installation of a grid-tied, battery-backup wind and PV system. The project was at Anderson's General Store at the ferry dock



SEI students Larry Owens (left) and Tom Brenton fastening PV modules to the top-of-pole rack.

on Guemes Island. The site is a south-facing slope with great solar and wind exposure. In addition to generating electricity, the site was chosen as a demonstration site. The store is right at the island's ferry terminal, and the project will attract curious passersby and introduce them to renewable energy.

The generating sources consist of an array of eight Shell Solar SP140 PVs, and a homebuilt, 8 foot (2.4 m) diameter wind turbine perched on an 80 foot (24 m) Southwest Windpower tilt-up tower. The PV panels are wired in series and parallel to generate 1,120 W at 48 VDC. The wind turbine, built in the April 2003 SEI Homebuilt Wind Generators workshop, generates about 500 watts in a 22 mph (10 m/s) wind.

Since about 25 students were in each workshop, we broke up into teams to install all the components. In the PV workshop, one team wired the PV modules, another mounted them, and a third team ran the conduit to the building. There was also a team that first laid out and then installed the inverter, controllers, and batteries.

Everyone was urged to rotate among teams to get exposure to the various parts, and although the instructors were always present, their main goal was to advise, steer, and mostly get out of the way. It was a good learning experience, and it became obvious that although the wiring diagram may have appeared straightforward on the white board, the actual wiring was no easy task. We ended up working late most nights getting the system up, and were rewarded by AC output late on the last day of the workshop.

A handful of us from the first week stayed on for the wind workshop. Joined by new students, our job was to install and wire the wind turbine into the same system. Given the forces that are levied against a tower-mounted generator, it is important to ensure a very strong tower installation. Much of our hands-on experience revolved around that.



Fully installed turbine. The two anemometers supply wind data, which is accessible at the tower base and inside the power room.

After a first half-day of introduction and basic theory, the group marched outdoors in the Washington wind and rain. We spent the rest of the daylight hours and the first twilight hours measuring out and locating tower anchor points and mixing and pouring concrete to set the anchors. It was necessary to do this early in the week to ensure that the concrete would be cured by the end of the week, when the tower would be erected.

As with the solar crew, we broke up into teams focusing on specific tasks. Although the tower erection was daunting and quite intimidating, it proved to be less of a bottleneck than the wiring of all the components in the control room. No doubt the wiring should become easier with experience, but it is a testament to how hands-on these workshops were that as students we wired, and then rewired, and rewired away our mistakes instead of just having an instructor do it right the first time.

For this installation, Kelly Keilwitz of Whidbey Sun & Wind was the site supervisor. Kelly was always present to steer us in the right direction. In addition, he put countless miles on his biodiesel Ford to pick up whatever connector, wire, or conduit was missing for the task at hand.



Proud PV installation workshop group after connecting the Anderson's Store PV array to the power system and the grid.

Place & People

Guemes Island is a truly beautiful place, and I would recommend visiting it just for the bald eagles, sea otters, and herons. It is a bit remote—only accessible by ferry—but that just adds to its charm. Be forewarned, if you come out to one of these sessions, read the information packet and arrive prepared. The island is not the big city with all the conveniences you might have at home. You'll certainly want to pack enough clothes for the week, and definitely bring your rain gear.

The students and guest speakers stayed at the Guemes Island Resort, an older, low-key facility that sits right on the edge of the beach. You couldn't have asked for a more picturesque place, with views of Mount Baker and access to boats, kayaks, and crab pots.

The students were as big a part of the education process as the instructors and guest speakers. The slice of cultures that made up the student base was amazing—from a Pennsylvania-based river guide, to a retired airline pilot living on a 2,500 acre ranch in Utah, to an off-grid fishing guide living with his wife and two children on a remote island in Alaska. Everyone was eager to learn and eager to help, and it seemed that someone always had a legitimate and useful contribution right when you needed it.

More to Learn

It was a great two weeks. I would recommend it to anyone who is interested in learning more about these two renewable technologies in specific, and renewable energy in general. I was glad that I took the two workshops instead of just the wind workshop. I don't know that the PV workshop should be a prerequisite for the wind workshop, but

certainly so much of what we covered about system components in the PV workshop made the wind workshop more understandable and enjoyable to me. If I had any complaints, I suspect this would be it—the wind workshop contained an enormous amount of advanced information, and I believe I would have been overwhelmed without the preceding PV workshop.

I came to these workshops with three very specific goals: to learn more about the technologies of renewables; to learn more about the economics of renewables; and to meet other members of the renewable community. I can honestly say that those goals were met and I am seriously considering returning to Guemes Island for the wind turbine building workshop.

Access

Paolo Savelli, 7 Roosevelt St.,
Rochester, NY 14620 •
585-442-6490 • savelli@aol.com

Solar Energy International (SEI), PO Box 715, Carbondale,
CO 81623 • 970-963 8866 • Fax: 970-963-8866 •
sei@solarenergy.org • www.solarenergy.org • Workshops

E. H. Roy, 11 Roy Rd., Stewartstown, NH 03576 •
603-237-8194 • ehroy@usadatanet.net • PV instructor

Mick Sagrillo, Sagrillo Power & Light, E3971 Bluebird Rd.,
Forestville, WI 54213 • 920-837-7523 • msagrillo@itol.com •
Wind instructor

Kelly Keilwitz, Whidbey Sun & Wind, 986 Wanamaker
Rd., Coupeville, WA 98239 • Phone/Fax:
360-678-7131 • sunwind@whidbeysunwind.com •
www.whidbeysunwind.com • Installation coordination

Project Sponsors

Anderson's General Store, 7885 Guemes Island Rd.,
Anacortes, WA 98221 • 360-293-4548 • Fax: 360-299-9798 •
www.guemesislandstore.com

Abundant Renewable Energy, Newberg, Oregon •
www.abundantre.com • Dump load

All Battery Sales and Service, Everett, Washington •
800-562-3212 • Batteries

Alternative Energy Engineering, Redway, California •
www.alt-energy.com • PVs

Blue Sky Energy, Vista, California •
www.blueskyenergyinc.com • PV charge controller

Chili Pepper Signs, Anacortes, Washington • Signs

Clean Energy Products, Redondo, Washington •
253-946-1761 • Recording anemometer

Down Under Guemes, Guemes Island, Washington • Sand and gravel

Island Electric, Anacortes, Washington • Conduit and consultation

Mimnaugh Excavation, Anacortes, Washington • Excavation

NRG Systems, Hinesburg, Vermont • www.nrgsystems.com • Recording anemometer

OutBack Power Systems, Arlington, Washington • www.outbackpower.com • AC, DC, and combiner boxes

SEI Homebuilt Wind Generators workshop • www.scoraigwind.co.uk/sei2003 • Wind generator

Skagit River Steel & Recycling, Burlington, Washington • www.skagitrivesteel.com • Tower pipe

Solarhacker Software, North Bend, Washington • www.solarhacker.com • Inverter Master

Southwest Windpower, Flagstaff, Arizona • www.windenergy.com • Tower kit

RightHand Engineering, Woodinville, Washington • www.righthandeng.com • Data logging equipment and software

UniRac, Albuquerque, New Mexico • www.unirac.com • PV rack

Xantrex Technology Inc., Arlington, Washington • www.xantrex.com • Inverter, wind charge controller, metering



The Trimetric

Model 2020

BATTERY SYSTEM MONITOR



Displays vital battery system data to help users provide better battery care, increase conservation awareness and aid system maintenance.

- Volts • Amps • Amp-hours • Min/Max volts
- Days since charged • Battery % full
- Remote locatable • More !

Bogart Engineering • (831) 338-0616
www.bogartengineering.com
 19020 Two Bar Rd. Boulder Creek, CA 95006 USA



SOLAR PUMPING PRODUCTS



SCS SERIES BRUSHLESS DC

Brushless DC Submersible Pumps up to 2 HP, heads up to 700 feet and flow rates up to 50 GPM.


SUBMERSIBLE PUMPS



SDS SERIES

Diaphragm Submersibles with heads up to 230 feet and flow rates up to 5 GPM.

SUBMERSIBLE PUMPS



SCB SERIES

Centrifugal Booster Pumps from 12 volt Home Pressure Systems to 180 volt High Pressure Booster Pump Systems.

Booster Pumps

Quality First!



Pool Pump Kits from 1/2 to 1 1/2 HP.



SunPumps also stocks parts and will rebuild any original SolarJack pump or controller.

www.sunpumps.com

1-800-370-8115

Phone: (928) 348-9652

Fax: (928) 348-9653

Think **INSIDE** the box



Our Innovative Patented Power Package features:

- Save installation time & money with plug-n-play design
- Simple, pre-tested prior to shipment, modular
- Meets NEC-690 standards
- Grid-tie or stand alone power capability
- 16 models available – sized to meet your needs
- High quality system components

Products & services we also offer:

- Radiant heating systems
- Energy efficient appliances
- Solar and wind packages
- Kohler back-up generators

xantrex Certified Dealer



**Planetary
Systems**
power your environment

Planetary Systems, Inc.
P.O. Box 340 / 262 Badger Rd., Ennis, MT 59729
Phone (406) 682-5646 / FAX (406) 682-5644
www.planetarysystems.com

Not all batteries are created equal!

Rolls ... better by design!

- Modular dual container construction
- Unsurpassed cycling - North America's best
- Widest range of specifications available
- Industry's largest liquid reserve
- 10 year warranty - 15 year average life

Serving renewable energy
customers since 1984.

Rolls
BATTERY ENGINEERING

1-800-681-9914

sales@rollsbattery.com



Surrette Battery Company Ltd.



All Creatures Under the Sun

My Solar Powered Barn

Penny Loeb
©2004 Penny Loeb

Angel the donkey enjoys her solar powered barn.

In the winter of 2002, I decided to build a small horse barn on the two acres I own behind my house in Great Falls, Virginia, a semi-rural area near the Potomac River. One day, as I was making one of numerous daily walks between my house and the construction site, it dawned on me—why not use photovoltaics to power my little barn?


I have been committed to renewable energy since 1977 when the fuel oil bill hit US\$1,500 a season at my mother's 200-year-old colonial in Dutchess County, New York. I took a course on energy sources at the state university at New Paltz (where the state's first Green Party mayor recently took office). Eight years later, just before the federal renewable energy tax credits expired, I built a passive solar house, with a roof full of solar hot water panels for space heat and domestic hot water. I also installed a wind generator on a very windy hillside. It all worked quite well, but I had to sell the house when my career took me to northern Virginia in 1993.

When we were searching for a new home, the one we liked best already had solar hot water panels. I would come to discover that this northwest corner of Fairfax County has dozens, maybe hundreds, of homes with solar hot water, courtesy of those tax credits. In fact, when the panels had to be moved this year for a new roof, the very same contractor who did the original installation showed up to move and then reinstall the panels. The system, which hadn't been checked in 10 years, still works perfectly.

I didn't do a lot of research on the photovoltaics for my barn. I just searched the Web for companies in the Washington metro area. At first, I thought it would be too expensive. The first company I called quoted approximately US\$10,000 for an AC system. That was too much for a 24 by 36 foot (7.3 x 11 m) structure with two horse stalls, a tack room, and feed area.

DC System

But a few days later, I realized that maybe I could do with just a DC battery setup. This time, I tried Atlantic Solar Products in Baltimore, Maryland. In about a week, Mike Howell came to look at the barn, and within days I had a price. Most important, Atlantic would be able to install the system.



Tut, a retired racehorse and great grandson of Secretariat, stands under a solar powered fluorescent light and ceiling fan.

The proposal included two, 60 watt BP Solarex panels. I would have an 18 watt fluorescent light in each of the two stalls, the tack room, the feed room, and the aisle. There would be an 18 watt light outside on one side and a 36 watt light on the other. The lights would be on four circuits, each with a one hour timer switch. The sealed, maintenance-free battery would be installed in a metal box above the door in the feed area. The battery would support the lights for ten days without sun. Components cost US\$1,910, and installation was US\$880.

Mike and his associate, George Stulock, came early on a morning in the middle of May. Installation took about six hours. Since the barn has no ceiling, they put 2 by 4s across the rafters as bases for the lights. Heavy-duty wire was run from the panels to the battery and from there to the lights. They were finished by 3 PM, so they could get on the Beltway around Washington and back to Baltimore ahead of the god-awful, rush-hour traffic.

Adding Fans

I was very content until July approached. Then came the second hottest summer in the last century. I e-mailed Mike: Could we install DC-powered fans? He and I both found the same vendor on the Web—fanworks.com. RCH Fanworks builds the most commonly used DC-powered

Tech Specs

System Overview

System type: Off-grid PV

Location: Great Falls, Virginia

Solar resource: 4.5 average daily peak sun hours

Production: 12 DC KWH per month average

Photovoltaics

Modules: 2 Solarex SX-60U, 60 W STC, 12 VDC

Array: 120 W STC, 12 VDC

Array disconnect/overcurrent protection: terminal block with 15 A fuses

Array installation: Zomeworks GMSOL2 ground mount, south-facing, 60 degree tilt

Balance of System

Charge controller: SunSaver, SS10L, 10 A controller with LVD

Battery: Concorde PVX-12105, 12 VDC, 105 AH at the 24-hour rate

System performance metering: Bogart Engineering TriMetric 2020


ceiling fans. Three fans cost US\$462 (one in each stall and one in the aisle), and installation by Atlantic Solar would be US\$65 an hour.

This time, George came by himself on July 3, just as the ghastly heat and humidity rolled in. In three hours, he was finished. Luckily, he went off to buy me a new fluorescent light, and I tested the fans. Oh lord, they didn't seem to send out any cool breezes. I looked at the ceiling fans in the house and determined that the ones in the barn were spinning backwards. George agreed—something was amiss. Must need to reverse the polarity, he thought. But we wanted to be sure. I tried calling the company. The owner's son answered and said that his dad was at the laundromat. Fortunately, Foster Hankins called back just as George was leaving. Yes, it was the polarity. The change took about a minute.

The fans work great, and I even left them on 24 hours many days last summer. Only once or twice did the load of the fans and lights drain the battery low on a string of cloudy days. The battery level indicator light warned me to shut something off.

The solar-electric system has been running for a year. I have only one small complaint. I found that the fluorescent lights dimmed somewhat on really cold days. Switching from GE to Phillips brand solved that problem. The blacksmith, who shoes my horse, would like AC power for his equipment, but he is grumblingly making do.

Loeb PV System



Note: All numbers are rated, manufacturers' specifications, or nominal unless otherwise specified.

Solar Option

Running electricity from the house would have cost at least as much as installing the solar-electric system. A second breaker panel would have been needed for the barn.

The barn uses approximately 59 KWH a year for lights and about 14 KWH for the fans. This adds up to a tiny savings of about US\$7 on my utility bill. The real savings came in avoided installation costs of conventional electricity. The rewards come in burning a little less fossil fuel—electricity in Northern Virginia comes mainly from coal.

I would highly recommend this system to anyone building a small barn or shed for animals, especially if it is a distance from any house or utility source. Conestoga Buildings, the company that built my barn, constructs about 700 barns and sheds a year in the mid-Atlantic region. I am hoping it, and other barn companies, will inform their customers about the solar option.

Access

Penny Loeb, 11234 Richland Grove Dr., Great Falls VA 22066 • 703-430-3451 • cfdodge@msn.com

Atlantic Solar Products, 9351-J Philadelphia Rd., Baltimore, MD 21237 • 800-807-2857 or 410-686-2500 • Fax: 410-686-6221 • mail@atlanticsolar.com • www.atlanticsolar.com

System Costs

Item	Cost (US\$)
Installation	\$880.00
2 Solarex SX-60U, 60 W modules	620.00
Outdoor floodlight, 36 W	201.00
Battery enclosure	167.00
Outdoor floodlight, 18 W	162.00
TriMetric AH meter with shunt	160.00
5 Indoor lights, 18 W	158.25
Concorde PVX-12105, 105 AH battery	150.00
Zomeworks GMSOL-2 mount	108.00
4 Twist timers	100.00
SunSaver SS10L, 10 A controller w/ LVD	56.92
Output wiring kit	20.91
Module wiring kit	5.45
Total	\$2,789.53

RCH Fan Works, 2173 Rocky Creek Rd., Colville, WA 99114 • 800-529-6306 or 509-685-0535 • Fax: 509-684-5199 • info@fanworks.com • www.fanworks.com

Conestoga Buildings, 202 Orlan Rd., New Holland, PA 17557 • 800-544-9464 or 717-355-9170 • www.conestogabuildings.com

Good cost comparison of DC solar-electric systems to the costs of extending utility lines • www.mme.state.va.us/de/chap7c.html

Good basic primer on solar energy • www.randtel.com/general/basic-solar-help.html



RENEWABLE ENERGY SOLUTIONS!

WIND POWER
MICROHYDRO
GENERATORS &
ALTERNATORS





HUMAN POWER
GENERATOR

WINDSTREAM POWER SYSTEMS INC.

PO Box 1604 HP, Burlington, VT 05402 Tel 802 658 0075 Fax 802 658 1098
info@windstreampower.com • www.windstreampower.com
Independent Power Systems Throughout the World – Our 29th Year

Be A Winner

Join the SunWize team and be a winner. Three fully stocked warehouses. Unequaled customer service. Prepackaged systems. Technical support.

Jean Shappell of Northwest Energy Storage says, "I was really excited to find a company with integrity to go the extra mile to ensure competitive prices and on-time delivery."

Call us at 800.817.6527 and find out how SunWize can help your business. Visit us at www.sunwize.com.

We're the people that make it happen for your business. Be successful, choose SunWize!

Reliable People . . . Reliable Products . . . Reliable Power!



SunWize[®]

How reliable do you want your solar water pump?

Designed for trouble-free pumping, the ETAPUMP[®]Mini frees you from diaphragm, brush, and plug replacement... because there are none. A great replacement for solar diaphragm pumps, the ETAPUMP[®]Mini has no plastic parts, no electronics in the well and no pistons, cams and flapper valves to fail. The ETAPUMP[®]Mini, the world's most economical solar water pump is your perfect solution for lifts as deep as 165 feet and flows of up to 2700 gallons per day. Install the ETAPUMP[®]Mini today and put an end to unreliable, problem-ridden pumping. 2 year warranty. For more water, consider our regular ETAPUMP.

Efficient, reliable and easy.

The ETAPUMP[®]Mini is your perfect solution.

Allow us to introduce you to one of our experienced installing dealers.



Call for a dealer referral
Toll-Free (888) 396-6611
(505) 473-3800
www.dankoffsolar.com



SUBMERSIBLE PUMPS

The ETAPUMP[®] Mini

Community TV with PV



Neighbors line up to see the shows at the TV sala in Los Tumbos, Pinar del Rio, Cuba.



Throughout the developing world, people in rural areas want electricity. After water pumping and lighting, the next priority for most people is television.

I grew up as a TV junkie, and for years could have aced any *Brady Bunch* trivia game. However, once I hit my early twenties, I gave it up for good. I threw out my TV and decided to immerse myself in books and saving the world. While I haven't quite reached my second goal yet, I thoroughly enjoy not owning a TV. Ironically, now that I work in the rural electrification field, I find myself once again wrapped up in the television culture.

Revolutionary Television

Cuba's revolutionary *Programa de Salas de Televisión*, or TV Room Program, has brought solar powered television to half a million people living in rural areas without grid electrification. Before you start thinking *Who Wants to Be a Millionaire?* and *The Osbornes*, be aware that the Cuban program is using television to educate rural people in many important cultural and social matters.

The program began in May 2001. Cuba had already been electrifying rural communities with photovoltaic modules (PV) for more than a decade. After the revolution of 1959, Cuba was trading oil for sugar with the Soviet Union at very profitable rates. With the collapse of the U.S.S.R., Cuba had to buy oil on the world market at prices they couldn't afford. Thus began a big push for renewable energy. In 1989, the nongovernmental organization Cubasolar electrified the first rural health clinic in the country with PV. Since then, Cubasolar, along with the renewable energy company Ecosol, has electrified all of the rural health clinics in the country (see HP66).

Each health clinic (called a family doctor clinic since the doctor lives above the clinic) was equipped with a TV and a VCR to show educational health videos. Unfortunately, since it was the only television in town, the doctor did not

Video Sala Costs

Item	Load (W)	Cost (US\$)
2 PV modules, 165 W ea.		\$1,470
Television	120	324
4 Batteries, 6 V, 220 AH		320
VCR	22	95
Prowatt inverter, 300 W		80
Isoler controller, 20 A		55
2 Lights	30	30
TV antenna		7
Total		\$2,381



Some of the standard TV sala equipment—TV, inverter, controller, batteries, and VCR.

get any rest because of people coming by to watch the tube. So the Cuban government decided to put a TV/video center for the general public in each community. Thus began the Programa de Salas de Televisión.

Solar Electrification

After studying each of the rural communities not hooked up to the grid, and evaluating the best way to build the salas (TV rooms), construction began. In the first stage, 790 salas were built in off-grid communities having the largest populations. In the second stage, communities having microhydro plants that don't run throughout the dry season and communities with poor electrical service from the grid were included. Cuban-manufactured photovoltaic panels power all of these video rooms.

The electrification process was similar to that which Cuba used to electrify all 1,997 rural schools with PV (see HP86). The same brigades of workers who installed the systems at the schools installed the systems at the salas. The employees of the salas were trained in the maintenance of the systems. Every three months, a technician from Ecosol visits each community to check on the systems at the health clinic, school, and video room.

Now, all 1,885 video salas in the rural communities are powered with photovoltaics. Of those, 1,157 have a 30-person capacity, and 728 have a 50-person capacity. Each sala employs four people selected by the community members. In this way, the program has created 7,540 new state jobs, mostly among women and youth.

The system is sized to operate without the VCR for ten hours per day, with the VCR for eight hours per day, and for three days of autonomy. The salas operate throughout the day and night according to the interests of the community.

Community Content

People watch recreational, cultural, informational, political, and children's programs. The salas also receive educational materials that go to the doctors, teachers, and educators in the community. Every sala has received eight blocks of educational materials, each one with six hours of video. Altogether, each sala has 165 educational programs. The themes covered include:

- Health and social impacts of tobacco and alcohol addiction
- Sexually transmitted diseases
- Consequences of domestic violence
- The necessity of mammograms
- AIDS
- Risks of adolescent pregnancy
- Promotion of a healthy lifestyle
- Benefits of breast feeding
- Benefits of eating vegetables
- Cuban *campesino* identity & traditions
- Cuban history

Some of the communities are also starting libraries in their salas, with the help of the Cuban government. So far, three of the salas have libraries with 25 books each. And they are beginning to equip the salas with chess games. Their goal is to have four chess boards in each sala as "another form of bringing in new knowledge and a healthy distraction to these remote places," according to one of the directors of the program, Amado Calzadilla, of Cubasolar Granma.

Tool for Change

Besides being sources of employment, the salas have become central meeting places, which also helps to raise the knowledge of the population. According to Calzadilla, the family doctor, teachers, and members of the organizations that work with women, children, youth, and campesinos all use the instructional and educational videos "to increase the population's knowledge in the important issues of health, culture, the creation of healthy living habits, etc...."

Having lived without a TV for over a decade, and watching my son grow up not only unacquainted with Bugs Bunny, but also loving books with a passion, it's hard to work in rural electrification and see people hooking up to the TV the first chance they get. However, I realize that television, like any tool, has impacts, depending on how it's used. Cuba has shown that powering TVs in rural areas with photovoltaics can make a huge difference in people's lives for the better.


Access

Laurie Stone, Solar Energy International, PO Box 715, Carbondale, CO 81623 • 970-963-8855 • Fax: 970-963-8866 • sei@solarenergy.org • www.solarenergy.org

Cubasolar, Calle 29 #2610 Esquina a 30, Playa, Havana, Cuba 11300 • 537-24-6000 • Fax: 537-24-3117 • sol@cubasolar.cu • www.cubasolar.cu

Ecosol Solar, Calle 29 #2610 Miramar, Playa, Havana, Cuba 11300 • 537-24-0239 or 537-24-3731 • Fax: 537-24-1732 • ecosol@solar.copextel.com.cu • www.cubasolar.cu

Global Exchange, 2017 Mission St. #303, San Francisco, CA 94110 • 415-255-7296 • Fax: 415-255-7498 • rachel@globalexchange.org • www.globalexchange.org • Renewable energy trips to Cuba



Camp-Us
A Renewable Energy Camp for Teens

8-Day sessions learning about:

- Solar, Wind, and Water Power
- Green Building and Community
- Solar Cooked Organic Meals
- Hiking, Rafting, and Tours

For fees, schedules, and info:
www.youthcamp-us.org
hareef99@yahoo.com
Ed Eaton, PO Box 1876, Paonia, CO 81428
Tel. 970-948-5304



Factory Authorized
Warranty And Out Of Warranty Repairs

Introducing The Inverter Doctor !

The Nation's Number One Choice For Inverter Repairs

We offer in-house inverter repair and maintenance services for the RV, Marine, Telecommunication, Remote Home and Grid Intertie industry. Our expertly trained technicians use only the latest state of the art test equipment for fast accurate diagnosis, so that your system is up and running in a hurry. In fact most of our repairs are ready to be shipped back or picked up by our customers within 48 hours !

Attention alternative energy dealers, we are currently seeking companies that are interested in joining our nationwide network of Satellite Service Centers. Learn how you can enhance your bottom line and the level of service to your customers.

Visit us on the Web at [Http://www.Inverterdoctor.com](http://www.Inverterdoctor.com)
Or Call Us At 1-866-523-4948



INCREASE YOUR SOLAR OUTPUT



Featured in Home Power Magazine "ThingsThat Work" issue #73 and #77.



With our Solar Boost™ Maximum Power Point Tracking (MPPT) solar charge regulators.

Patented MPPT technology extracts more power from the PV array – up to 30% more power. Cooler climates may extract even more!

Solar Boost charge controllers are available in a variety of sizes. Most are ETL listed for UL1741, CSA/CE requirements.

Stop throwing away that extra power and use a Solar Boost Maximum Power Point Tracking (MPPT) solar charge controller.

Blue Sky Energy, Inc. (formerly RV Power Products) manufactures and distributes worldwide. We have been producing quality product since 1993.

Blue Sky ENERGY

Contact us today for more information.
 Visit our web site www.blueskyenergyinc.com
 or email to: sales@blueskyenergyinc.com
 800-493-7877 or 760-597-1642
 Fax 760-597-1731

2598 Fortune Way, Suite K
 Vista, CA 92081 USA



Working For Your Environment.

DEKA SOLAR
 RENEWABLE ENERGY GEL BATTERIES



TECHNOLOGICALLY-ADVANCED AND ENVIRONMENTALLY-CONSCIOUS.

East Penn recycles 100% of scrap lead-acid batteries at our state-of-the-art, E.P.A. permitted recycling facility. In fact, we safely recycle 20,000 batteries a day on site.

We are the world's largest and most modern single-site battery manufacturer offering premium quality valve regulated lead acid batteries in both Gel and AGM types to exceed the solar industry's high standards.

QUALITY SYSTEM
 ISO 9001

PROVEN PRODUCT IN DEMANDING PHOTOVOLTAIC APPLICATIONS • LESS THAN 2% PER MONTH STAND LOSS MEANS LITTLE DETERIORATION DURING TRANSPORT AND STORAGE
 U.L. RECOGNIZED COMPONENT • MINIMUM MAINTENANCE • COMPETITIVE WARRANTY • MADE IN THE U.S.A.



DOMESTIC INQUIRIES:
 800-372-9253 • www.mkbattery.com

EAST PENN
 manufacturing co., inc.

INTERNATIONAL INQUIRIES:
 610-682-3263 • www.dekabatteries.com

Lessons:

From Solar-Electric Systems in Belize


Elliot Burch, Jeff Burch, Jim Moore, & David W. Winkler

©2004 Elliot Burch, Jeff Burch, Jim Moore, & David W. Winkler

On a recent trip to Belize to examine PV facilities at remote biological research stations, our team documented a range of issues plaguing their systems. In this article, we will examine these issues and focus on electric load patterns and how inadequate attention to batteries and loads can undermine the success of a solar-electric system.

Programme for Belize's (PFB) Hill Bank field station consists of three separate solar-electric systems. The larger systems are configured with 24 volt battery banks. The largest system, which is rated at 3,880 watts, supplies electricity to the dormitory, followed in size by a 2,756 watt system that provides electricity to the kitchen, main office, and staff housing, and the smallest system, at 500 watts, which powers the manager's house. PFB also operates another field station, the La Milpa site, which is a two-hour drive west, and is powered by a 3,296 watt PV array. The East Gate entry point to the reserve is also powered by a small system that is rated at 900 watts. Battery bank capacities for the 24 volt systems ranged from 2,400 to 1,000 amp-hours (AH) at a C/10 discharge rate.

L to R: The local electrical contractor Orlando Quan and the Hill Bank site manager Victor Alegra with Jim Moore and Jeff Burch in the kitchen battery room.



Signs of Trouble


Battery mortality at PFB's biological field stations approached 20 percent (17 out of 84 batteries) after six years of service. Warning signs of system failure were only too obvious (see sidebar).

But why were batteries failing? A typical battery, such as the Trojan T-105, is expected by its manufacturers to undergo about 3,000 shallow cycles to about 80 percent (down 20 percent) capacity if properly charged and equalized. The industrial batteries used in PFB's four solar-electric systems (120 to 200 AH) should have had an even longer life, yet many had begun to fail after only 2,800 significant charge/discharge cycles.

At first we wondered whether the tall, thin shape of the batteries could have caused excessive electrolytic stratification, which diminishes battery function. Varta, however, claims to the contrary that the tall design requires a minimum of gassing (bubbling) during charging phases to ensure a good mixing of the electrolyte. Our data likewise suggests that battery design was not to blame. What did go wrong is the subject of this article.

Symptoms of Battery Failure

- Heavy sulfate deposits in bottom of case (Varta batteries have clear cases)
- Low cell voltage as compared to others; < 1.9 V when bank is charged
- Higher cell voltage, well above nominal; excess of 5.0 V per cell
- Minimal cell gassing during equalize mode
- Excessive temperature gain during equalize mode; very warm to the touch
- Specific gravity is low; difference > 0.08 kg/l difference from other cells
- Specific gravity unreadable even after charge; < 1.100 kg/l
- Very quick charge and discharge cycles



Close-up of sulfated battery showing accumulated sulfate in the bottom of the case.

Deterioration of batteries can be attributed to “hard” sulfation and structural decay. It has been reported that without proper charging of the battery bank (at least once every three days), lead sulfate deposits build up on the plates. If left for more than 72 hours, lead sulfate converts into a “hard crystalline” form that is very difficult to reverse during charging.

Sulfation promotes electrical shorting due to sulfate bridging between the plates, and causes high electrical impedance due to the active plate area being masked by deposits that create barriers to current. Gas bubble entrapment and electrolyte stratification during discharge cycles cause degradation of the plates.

Making the Best Investment

The dormitory system at the Hill Bank Research Station provides a good forum to examine the total price of energy once the batteries have been installed in a functioning PV system. We measured a load of between 6 and 15 KWH per day and a 2,400 AH bank capacity. Costs in Scenario 1 in the table below are based on our measurements at Hill Bank. Although the batteries are at the end of their useful life, the other components, including panels, charge controllers, inverters, etc., will probably last another eighteen years. Over the assumed life span of the system (24 years), the electrical energy exported to run appliances will lie between 132,000 and 508,000 KWH (5.8 to 15.1 KWH per day x 365 days x 24 years). The cost comparison in the table shows the frighteningly high cost of energy in this system lying somewhere between US\$0.99 and US\$2.59 per KWH.



Proper charging, discharging, and maintenance kept these six-year-old batteries in like-new condition.

Scenario 2 is hypothetical. It examines the same PV system at the dormitory with one notable change: the batteries are better managed and last twice as long (12 years). As expected, these tough, industrial batteries should be able to undergo up to 4,500 shallow discharge cycles if well maintained. Note that in the more optimistic cost range, batteries that last twice as long lower the cost of electricity by US\$0.27 per KWH.

As a model of good battery performance, we can refer to a system at the East gate, a remote outpost on the Programme’s property line. This system had a small load of less than 470 WH per day with 840 AH of battery storage capacity. The solar-electric array generated 900 watts peak. Because loads were so low, this system was rarely discharged to any significant degree. Although the batteries were not regularly equalized, they were in excellent health. The rangers had so much extra energy that they intentionally left lights on during the day for fear that the batteries would overcharge! These batteries looked virtually brand new through the clear cases, with little or no sign of sulfation after more than six years of service.

In hypothetical Scenario 3, the Varta batteries have been replaced with Trojans, which are less expensive and can be purchased locally in Belize. Many installers feel that in smaller systems, the Trojan T-105 is the best battery in terms of cost per stored watt-hour, and if properly managed will provide six to eight years of reliable service. The manufacturer states that the Trojans will undergo 750 deep

Three Battery Scenarios in Belize

Scenario	Individual Battery Cost (US\$)	# of Batteries	Life (Yrs.)	Battery Cost (24 Yrs.)	Other PV Costs	Total System Cost	\$ Per KWH @ 5.8 KWH / Day	\$ Per KWH @ 15.1 KWH / Day
1	\$765	24	6	\$73,440	\$58,000	\$131,440	\$2.59	\$0.99
2	765	24	12	36,720	58,000	94,720	1.86	0.72
3	80	42	6	13,440	58,000	71,440	1.41	0.54

Battery Maintenance Strategies

- During the week, keep most daily discharges within shallow designation—20 percent.
- Discharge to deep level (max 50 percent DOD) not more than once a week.
- Every day, bring the bank back up to nearly full charge (90–95 percent).
- Float charge the bank to 100 percent full charge once a week.
- Equalize the battery bank once a month.

discharge cycles or 3,000 shallow discharge cycles. The table shows that using the T-105s for six years might prove to be the most economical strategy. Even if the Trojan batteries lasted for only three years, the cost for generating electricity would still be cheaper than in scenarios 1 and 2.

The costs for the three battery scenarios in Belize are higher than reported costs for solar-generated electricity from elsewhere (US\$0.30 to US\$0.40 per KWH). Factors that could account for this discrepancy include cloudy weather and increased shipping costs to Central America for batteries and PV components.

PVs Worked Flawlessly

On the bright side, all of PFB's solar-electric arrays were functioning as planned. At solar noon, the biggest array delivered more than 3,880 watts. Despite the tropical heat and rain, the Kyocera panels (51 watt) showed little signs of deterioration after seven years in the tropical sun.

The Ananda Power PV charge controllers also functioned well, but didn't have a float mode. The array at the dorm system was divided into three groups, each equipped with its own controller capable of regulating up to 48 A at 28 V peak. The three different controllers had slightly different cutoff settings (27.9, 28.0, and 28.1 V respectively), which enabled them to work together, but also allowed the controller with the higher cutoff setting to act as an intermittent float charger. True float charging was available only when the generator was on and electricity was fed back through the inverter on equalize mode.

At the La Milpa field station, a generator was often used to float charge the battery bank. As a result, the batteries at this facility fared pretty well. Unfortunately, at the Hill Bank field station, there were three separate PV systems, but only one of them was conveniently hooked to the generator. The chore of loading the generator into the back of a pickup truck and driving it to the other two systems was only occasionally carried out, even though this step could have postponed system failure and saved many expensive batteries. Maintaining management standards was not easy,

since it involved educating a diverse staff whose obligations ranged from being naturalist guides, maintenance workers, gate keepers, and back country rangers.


Problems with Inverters & Chargers

The Xantrex inverters (model SW4024) also performed as designed. However, the design of this inverter promoted excessive bank discharge. The Xantrex inverter disconnects the AC loads when battery voltage drops below a "low battery cutout" threshold for more than a specified time. The default values of 22 volts and 15 minutes were being used at Hill Bank.

Lead-acid batteries can be destroyed if they are excessively discharged. They should never be discharged below 60 to 80 percent of full capacity, and should always be recharged promptly after deep discharges. Unfortunately, the control strategy of all inverters is based only on the voltage level of the entire bank, not on that of individual cells.

Under light discharge rates over long time periods, the bank voltage decreases more slowly than expected and the inverter is able to severely deplete the battery bank. With moderate to high discharge rates, the voltage of the bank is artificially depressed relative to full capacity and the inverter shuts off before depleting the battery bank. The lesson learned was that an inverter's low voltage disconnect

Elliot and Jeff Burch (bottom) check the specific gravity of each cell.



feature should not be seen by the user as a method of normal system regulation, but rather as a last resort method of battery protection.

Loads

Electrical load issues must be understood to prevent system failure. Loads exceeding a system's capacity are not initially planned, but seem to creep in over the years as a facility's program grows. A good example was the 700 watt insect sampler recently installed by Cornell University. The staff assured researchers that there was sufficient capacity in the system to run this sampler under bright skies.

It is now clear that the PV system was already overloaded, and that adding this load further stressed a system already struggling to keep up. Additional PV panels are needed. Our calculations indicate that the electricity for the insect sampler could cost up to US\$1.54 per KWH (average rate for scenarios 1 and 2). If the researchers were charged for this, the field station could use this revenue to upgrade and maintain their solar-electric system.

An additional research device, which had been installed a few years earlier by another institution, uses 75 watt incandescent lightbulbs to dry plants. Although this dryer was used only a few months each year and it is unknown how many of its fourteen lights were used at a time, its peak energy consumption was excessive for this PV system. This dryer could easily use all of the energy from the array, leaving none for charging the batteries! A meter could be installed so that the institution using this piece of equipment could be billed for each kilowatt-hour consumed.

Energy Efficiency

Appliance inefficiencies can make or destroy a solar-electric system. Although the kitchen PV systems at Hill Bank and La Milpa both used energy efficient Sun Frost refrigerator/freezers, several old chest freezers consumed energy at unsustainable rates. One outdated freezer's automatic defrost began working overtime, heating up the outside of the cabinet until it was nearly too hot to touch.

Typically, state-of-the-art, energy efficient freezers save more than 50 percent when compared with older models. Replacing this single appliance would save at least 10 percent of the total system load! This appliance was found to be an energy hog after we had tested all loads at the entire field station, a daunting exercise. Without proper surveillance of all the electrical appliances in a system, changes in appliance performance would be easy to miss.

Technological Advances

Balancing equipment upgrades with capital budgets can be a challenge. Almost all fluorescent lighting at Hill Bank used inefficient magnetic ballasts. Because lighting represents from 45 to 68 percent of the AC loads, upgrading to efficient electronic ballasts is justified. The existing lights are probably only 60 to 65 percent efficient (watts per lumen) and new electronic fluorescents are around 90 percent. Such an upgrade would decrease lighting loads by around 30 percent. This equates to a decreased system load of 14 to 20 percent!



Jeff Burch, Lori Prichard, and Jim Moore gather data from the Xantrex inverter.

Because there are conversion losses along the electron chain from PV panels to AC output of at least 30 to 40 percent, load savings dramatically diminish the energy needed from the panels. Decreasing the loads by 25 percent (lighting plus freezer upgrades) is equivalent to increasing the solar-electric array output by 36 to 42 percent! The bottom line—spend your money first on decreasing loads. Every dollar spent on efficient appliances will save between three and five dollars of PV generating equipment.

Decreasing the workload of the batteries is equally important to minimize total costs. The AC water pumping stations at PFB illustrate this point. Pumping up to 1,600 liters per day required considerable electricity. Although the pumping system performed its function, upgrading to a more efficient, low-volume DC pump would save a significant amount of energy.

A 78 watt DC pump could deliver 6.9 liters per minute and accomplish the job at a cost of 0.19 WH per liter. The current AC pump delivers more than twice the amount of water in one-fifth the time, but requires 0.25 WH per liter to do it, which works out to be 30 percent more costly in terms of energy. However, using a DC pump has an additional advantage in that it can use electricity directly from the solar-electric panels while the sun is shining, thereby bypassing the inverter and batteries entirely, saving wear and tear on them, and increasing overall system efficiency.

Typically, about 10 to 20 percent of the DC energy from the panels is lost through chemical inefficiencies when charging batteries. This percentage varies widely depending on the age and temperature of the battery bank. An additional 15 percent is lost on average when the inverter converts the DC energy stored in the batteries to AC. So, very roughly speaking, for every 100 watts of energy coming out of the panels, only about 65 watts are actually converted into useable AC electricity.




Staff and team gather in front of one of the solar arrays.

There are also ways to minimize battery wear and tear in cloudy weather. Rather than using the batteries to store energy to pump water during cloudy periods, the water system could be redesigned to store more water in larger tanks. Doubling or even tripling the storage could almost eliminate the need for using the batteries for pumping water. By pumping water with a DC pump only when the sun is shining, significant energy savings can be redirected to other tasks such as float charging and equalizing the battery bank. Remember, however, that line losses are higher for low voltage. This means that to reap the full savings of using low voltage DC appliances, the appliance must be located near the battery bank or PV array.

Replacing the AC pump with a DC pump makes energy sense, but requires capital outlay that appears expensive. Doing nothing, however, is not cheap either. Energy efficient system design and conservation are the most effective ways to save money.

Specific Gravities of Kitchen Bank Batteries



Lessons Learned

Our study of the four systems in Belize left us with these guidelines for successful stand-alone PV systems:

- Examine the individual components and how they work together.
- Size loads on array output, not on battery bank capacity.
- Always follow proper weekly charging protocols and perform monthly equalization.
- When upgrading capacity, always add to array output first, battery capacity second, and extra load third.
- Maintain appliances to reduce electrical losses.
- Purchase more efficient appliances; it is the cheapest way to increase system capacity and save money.
- Do everything possible to use electricity straight from the PVs rather than via the batteries. This strategy increases effective array size more than anything else.
- Dedicate enough human resources to manage the system.

In summary, the most important lesson is that the load on a system has to be balanced with solar-electric array output. You can add batteries to a system and get an inflated sense of capacity, but this does not change how much energy is available. Equalization is critical to the long life and daily usability of a battery bank. We used a three-day equalization protocol on the heavily sulfated kitchen bank of batteries. The graph shows that the disparate specific gravities of the batteries converged with treatment.

Every watt saved on the appliance end (by using energy efficient appliances and using electricity only when needed), saves about 1.5 watts at the PV panel. It is far cheaper to save electricity than to generate it. Amory Lovins of the Rocky Mountain Institute said it so well when he coined the term “negawatt” (saved watts), which ultimately convinced major energy companies such as Pacific Gas and Electric to give energy-efficient water heaters to their customers instead of building new power plants. Our experience with renewable energy systems in remote Belize confirms this. Energy efficiency and awareness makes these systems successful.

Access

Elliot Burch, 314 Rutgers Ave., Swarthmore, PA 19081 • 610-328-7993 • elliottburch@mac.com

Jeff Burch, Agilent Laboratories, 3500 Deer Creek Rd. MS 24M-A, Palo Alto, CA 94304 • 650-485-6364 • Fax: 650-485-8092 • jeff_burch@agilent.com

Jim Moore, PO Box 274, Worcester, PA, 19490 • 610-584-6588 • Fax: 610-584-9635 • jom@marshlands.org • www.marshlands.org

David Winkler, Department of Ecology and Evolutionary Biology, Corson Hall, Cornell University, Ithaca, NY 14853 • dww4@cornell.edu • www.es.cornell.edu/winkler/winkler.html

Battery Book for Your PV Home, New England Solar Electric, 1991, paperback, 22 pages, ISBN 1-879523-02-7 • US\$8 from New England Solar Electric Inc., 401 Huntington Rd., Worthington, MA 01098 • 800-914-4131 or 413-238-5974 • Fax: 413-238-0203 • nesolar@newenglandsolar.com • www.newenglandsolar.com

“Capacity Loss in PV Batteries and Recovery Procedures,” by T.D. Hund, October 1999, Power Source Engineering Dept., Sandia National Laboratories • 505 844-8627 • tdhund@sandia.gov • www.sandia.gov/pv/docs/PDF/caploss.pdf

www.sandia.gov/pv/docs/BattIntro.htm • Detailed technical studies of real-world battery failures

www.homesteadtechnology.com/power/power_battery.html • Tutorial on battery cost

www.homepower.com/files/battvoltandsoc.pdf • Tutorial on state-of-charge vs. voltage

www.egib.net/products/bat/NovaSolar.htm • A better lead-acid battery?

www.energystar.gov • Promoting energy efficiency

www.nwes.com/solar-water-pumping.htm • Solar water pumping

www.solarbuzz.com/SolarPrices.htm • Solar energy cost per KWH

Thanks to Edilberto Romero, Herbert Haylock, and Victor Alegria of the Programme for Belize for their help and support with this project, and the rest of the PFB staff at Hill Bank and La Milpa for accommodating all the unusual and exhaustive tests that only a group of engineers can dream up! Thanks to Lori Prichard, Jim’s daughter, for acting as gofer and photographer for the solar team, and special thanks to Sara Hiebert Burch for editing innumerable drafts of this article.



Ecovillage Training Center, Camp-Ups and Plenty present

Basic PV in Belize

A hands-on workshop
in the Toledo District of southern Belize

Lodging and meal package. Lectures, labs and installs.
For info: www.thefarm.org/etc • hareef99@yahoo.com

Work the System



The Wind



The Sun




Trojan Batteries

- Performance engineered for durability, reliability and maximum capacity
- Flooded or valve-regulated (VRLA) products
- Live technical support or visit www.trojanbattery.com
- Trojan is the world’s #1 manufacturer of deep cycle batteries for renewable energy systems



Clean Energy For Life™

Available from
Trojan Master Distributors Worldwide
800-423-6569
www.trojanbattery.com



green living workshops



renewable energy:

on-grid and off-grid solar, women in solar, hands-on installations, wind power, biodiesel

green building:

straw bale construction, cob, stone, bamboo, hybrid adobe, carpentry for women

permaculture:

permaculture, wastewater, graywater, aquaculture and more

NEW FOR 2004:

SOLAR FOR ELECTRICIANS TOUR
TELEPHONE CLASSES
CLASSES IN LOS ANGELES
CALL FOR DETAILS!

REAL GOODS

solar
living
INSTITUTE



promoting sustainable living through inspirational environmental education

707-744-2017

www.solarliving.org

Battery Filling Systems

Put the fun back in watering your batteries!



- One Connection
- One Minute
- Accurately Fills Each Cell, Every Time!

See Product Review,
Home Power Magazine
Issue 100, Page 82

Master Distributor for BFS, deep cycle & industrial batteries

**All Battery
Sales & Service**



1-800-562-3212

Fax: 425 742-1739

vern@allbatterysalesandservice.com

SunDanzzer™

Energy-Efficient

- Automatic operation
- Thick polyurethane insulation
- Lockable lid
- Interior light
- Corrosion resistant coated steel exterior
- Patented low-frost system
- Easy to clean interior
- Low maintenance

Cool with Solar



12/24 VDC Energy
Efficient Refrigeration

(866) Sun-Danz
(866) 786-3269

www.sundanzzer.com

2-KS-33P

- Voltage: 2V
- Container: Dual-Container, modular construction
- Capacity: 2,470AH (100hr), 1,750AH (20hr)
- Weight: 208 lb Wet, 145 lb Dry
- Dimensions: 24 ¹³/₁₆ H x 13 ³/₄ L x 8 ⁵/₁₆ W
- Warranty: 10 years
- Operational Life: 15-20 years

1-800-681-9914
sales@rollsbattery.com



Surrette Battery
Company, Ltd.



Rolls
Battery Engineering

BATTERY CABINETS

ROOF & GROUND MOUNTS

TOP-OF-POLE MOUNTS

BATTERY BOXES

POWER-FAB

CALL ABOUT OUR FLUSH-TO-ROOF COMPONENTS

- Power Posts™
- Easy Feet™
- Power Clamps™
- Power Rails™

4000-B Vassar Dr NE • Albuquerque, NM 87107 • **800-260-3792** • Fax 505-889-3548 • Email jrandall@directpower.com

Starting Smart Calculating Your Energy Appetite

Scott Russell
©2004 Scott Russell



From solar to microhydro, in Barbados or Barrow, for a hen house or a townhouse, every renewable energy system should begin with a load analysis. This analysis is an assessment of your site's electrical use—your electrical “load profile.” You'll need to ponder and juggle a lot of numbers in the process of selecting, sizing, and installing a solar-electric system. A reliable load analysis is essential to get your calculations off on the right foot.

While a load analysis is a necessity for an off-grid system, it's also an excellent idea for a grid-intertied system. For most grid-tied systems, your old electricity bills are an excellent record of how much energy your new RE system will need to produce. But only a thorough load analysis can enable you to target efficiency opportunities and ultimately minimize your system costs. Even if you plan to have a professional installer handle the entire project, your help with this critical task will ensure the highest possible value for your money.

As any RE veteran will tell you, for every dollar you spend on efficiency measures, such as replacing old, energy-hogging appliances or lighting, you'll save US\$3 to \$5 on the final cost of your system. Note that we're talking about increased efficiency, not necessarily conservation. While conservation is a wonderful thing, you don't need to be a puritan to use less electricity and “buy down” the cost of your system. Most important—you don't need to

sacrifice the conveniences that you enjoy to afford an RE-based electrical system!

Where Does My Electricity Go?

The load analysis process can take a little time, but it's easy. A form like the sample featured in this article is available in the Promised Files section on our Web site (see Access) in Microsoft Excel format. This spreadsheet can make the necessary calculations for you. Or you can just grab a calculator and a blank sheet of paper.

The idea is to itemize everything in your house that uses electricity, and then estimate how much each item uses in “watt-hours per day.” All the information you need is already either in your house or in your head. Just write it down. Many system articles in *Home Power* include an abbreviated load table, so good examples are readily available.

A complete load analysis collects and calculates several bits of data. What follows is a column-by-column breakdown of the form, describing what each piece of information means and how to get it.

Load

The term “load” refers to an electricity-consuming item—a toaster, DVD player, water pump, alarm clock, lightbulb, or power drill. List everything in your house that uses electricity, no matter how insignificant you think it is. The more complete this list, the more accurate your load profile will be. For multiple, identical loads that are on for the same length of time—for example, ten, 60 watt lightbulbs—list the item once and indicate the quantity in the next column. Multiplication will take it from there.

Load Voltage & Run Watts

Time for a little legwork. For each item, you'll need to specify both its voltage and wattage ratings. No cause for panic—every electrical load is required to have this

information printed directly on it. All you need to do is march around with your clipboard and jot down the numbers.

Voltage, amperage, and run wattage data is usually located on a sticker or plate found on the bottom or back of the appliance. There is no universal standard for how the information appears. Voltage can be listed in a number of forms: 120 volts, 120 V, 120 volts AC, or 120 VAC. Sometimes an appliance nameplate will just list voltage and current, and leave off the watts (W). Current is expressed as amperage, and appears in a number of forms: 0.5 amps, 0.5 A, or 500 mA. To figure out the run wattage, just multiply the volts and amps ($V \times A = W$).

Nearly all of the standard electrical loads found in North America run at 120 volts AC (alternating current). Larger appliances, such as electric stoves, clothes dryers, and electric water heaters usually run at 240 volts AC.

Although increasingly rare, if you happen to have any DC (direct current) loads in your off-grid home, they'll probably operate at 12, 24 or 48 volts DC. Battery operated appliances, such as cordless drills, cordless phones, or (unplugged) laptop computers, operate on DC. But for your load analysis, use the information on their battery recharging units, rather than on the appliances themselves, unless you're running them directly off of DC.

For each load, indicate whether its voltage is AC or DC in the next column of the spreadsheet. Although voltage

Helpful Tools & Aids

- Load profile chart
- List of approximate wattage for common loads
- Clipboard and pencil
- Watt-hour meter
- Calculator
- Willing assistant (must have opposable thumbs)
- Flashlight
- Stepladder

type isn't terribly important to your load analysis, it's critical for off-grid system design purposes. As long as you're collecting data, better to do it now.

Run wattage is usually the *maximum* an appliance will draw during operation. The watt rating on the appliance typically represents a "worst case" estimate, but since you rarely watch your television at full volume or use your jigsaw to cut granite, feel free to reduce this number by about 25 percent for "variable wattage" items such as these. For the most accurate readings on these and all of your loads, consider getting a handy watt-hour meter to breeze through the task with digital precision.


Hours & Days

Now comes the sitting-and-thinking part of the exercise. It may involve some collaboration with others in your household to get the most accurate estimates possible. The task simply requires that you approximate how many hours

Two typical name plates are shown here.

The sticker on the left lists the running watts as 18 W.

The sticker on the right reports the voltage as 120 V and current draw as 9 A. From this information, we can estimate that this vacuum draws about 1,080 watts.



What's a Watt-Hour Meter?

Watt-hour meters are great tools for anyone interested in collecting and analyzing electrical energy consumption data. Although effective on any 120 VAC electrical load, they're particularly useful for variably cycling appliances, such as washing machines, that are difficult to measure based solely on their run time. Most watt-hour meters can tell you the instantaneous power (watts) and the total energy used (watt-hours or kilowatt-hours) by an appliance. They take the guesswork out of your load analysis by providing actual numbers instead of estimates.

Common models include the Kill A Watt by P3 International, several models by Brand Electronics, and the Watt's Up? meters by Electronic Educational Devices. Meters from all three of these companies have been reviewed in past issues of *Home Power* (see Access). All of these meters are easy-to-use, plug-and-play models. Retail prices range from US\$40 to \$350, and features vary accordingly.



Three common watt-hour meters (from left to right): the Kill A Watt, Brand Electronics, and Watt's Up?

(or fractions of hours) per day and days per week each of the items you've listed is used or may be used down the road.

In most cases, this is perfectly straightforward, but a couple of notable exceptions will apply. Appliances that turn themselves on and off automatically based on need have what are called "duty cycles." Refrigerators, water pumps, and any thermostatically controlled electrical devices fit this description. You can try estimating the percentage of time that they run by observing how often they turn on and for how long they stay on. But a watt-hour meter is the only way to obtain accurate consumption information for such loads (see sidebar).

The second exception is with "phantom loads" and always-on loads. Phantom loads are electrical loads that use energy even when turned "off." Instant-on TVs, microwave ovens, computer printers and modems, and many other devices consume electricity 24 hours a day unless unplugged

or "interrupted" using a plug strip. Always-on loads include answering machines, fax machines, VCRs that you don't want to reprogram, smoke detectors, and others. Some of these loads can be eliminated, for example by using a voicemail service instead of an answering machine.

Unless you plan to get rid of your phantom and always-on loads, they should all be listed in your load profile as 24 hour, 7 day loads. Most phantom loads draw less than 15 watts, but that adds up to a whole lot of energy over a span of weeks or months. Use a watt-hour meter for a precise measurement of phantom loads. Sometimes you will need to list a load twice—once for its phantom load and once for its full, "on" load. The two together should add up to 24 hours.

Before you accept your hours-per-day and days-per-week numbers as final, it might be a good idea to compare them to a few weeks of real life. Pay attention to your electricity habits for two or three weeks and then revise your estimates as needed. You can also check your estimate against your monthly utility bill. It's also important to consider seasonal variations in your electricity use. For instance, you may use your lights much more in winter and fans more in summer. Ultimately, for most grid-connected installations, you want a load profile that represents a year-round daily average.

Average Watt-hours per Day

Light math, anyone? With the essential data now in hand, use the formula below to calculate "Average watt-hours per day" for each item. This is the average amount of electrical energy that each load consumes in a day.

$$\text{Quantity} \times \text{run watts} \times \text{hours per day} \times \text{days per week} \div 7 \text{ days} = \text{average watt-hours per day}$$

Once completed, the sum of this column in your load profile will represent an estimate of the total amount of electricity you use on an average day. This is the consumption rate that your renewable energy system must support if you plan to produce 100 percent of your energy. When you get around to system sizing and component selection, you'll adjust this number to account for a number of seasonal and technological variables.

Lightening Your Load

At this point, it's helpful to add a column for calculating the percentage of your total load that each individually itemized load represents.

$$\text{Individual load average watt-hours per day} \div \text{the sum of all items' average watt-hours per day} = \text{percentage of average daily load}$$

This information will help you target specific, high consumption loads when taking efficiency measures—your next step following a load analysis. One of the best examples of the potential impact of such measures is described in John Robbins' article, "Recipe for a Solar Office: 1 Part Solar, 5 Parts Load Reduction" (see *HP97*). John reduced his home-office loads by more than 85 percent at a cost of US\$1,500, saving him US\$5,000 on the cost of his solar-electric system. That's real money.

Home Load Profile

Loads (Before Efficiency Measures)	Qty.	Volts	AC / DC	Run Watts	Hours / Day	Days / Week	Avg. WH / Day	% of Total WH / Day
Refrigerator, 18 ft. ³ (old)	1	120	AC	400	7.00	7	2,800.0	35.20%
Well pump 1/3 hp	1	120	AC	850	1.25	7	1,062.5	13.36%
Television, 24 in. color	1	120	AC	170	5.00	6	728.6	9.16%
Incandescent bulbs	12	120	AC	60	1.00	7	720.0	9.05%
Computer monitor	1	120	AC	90	8.00	5	514.3	6.47%
Combined phantom loads	1	120	AC	21	24.00	7	504.0	6.34%
Light fixture (4 incandecent bulbs)	1	120	AC	240	2.00	7	480.0	6.03%
Washing machine (old)	1	120	AC	500	0.75	7	375.0	4.71%
Mac G3 computer	1	120	AC	60	8.00	5	342.9	4.31%
Microwave	1	120	AC	800	0.16	7	128.0	1.61%
Vacuum cleaner	1	120	AC	840	0.50	2	120.0	1.51%
Alarm clock	1	120	AC	3	24.00	7	72.0	0.91%
Toaster	1	120	AC	1,050	0.06	5	45.0	0.57%
VCR	1	120	AC	40	3.00	2	34.3	0.43%
Food processor	1	120	AC	600	0.05	3	12.9	0.16%
Coffee grinder	1	120	AC	150	0.05	7	7.5	0.09%
Power drill, 1/2 inch	1	120	AC	600	0.05	1	4.3	0.05%
Printer	1	120	AC	15	0.30	5	3.2	0.04%

Totals Before Efficiency Measures

6,489

7,954.4

Loads (After Efficiency Measures)

Refrigerator, 20 ft. ³ (Energy Star)	1	120	AC	175	7.00	7	1,225.0	29.62%
Well pump 1/3 hp	1	120	AC	850	1.25	7	1,062.5	25.69%
Television, 24 in. color	1	120	AC	170	5.00	6	728.6	17.61%
iMac G4 computer w/ LCD display	1	120	AC	45	8.00	5	257.1	6.22%
Light fixture (4 fluorescent bulbs)	1	120	AC	80	2.00	7	160.0	3.87%
Compact fluorescent lights	12	120	AC	13	1.00	7	156.0	3.77%
Microwave	1	120	AC	800	0.16	7	128.0	3.09%
Vacuum cleaner	1	120	AC	840	0.50	2	120.0	2.90%
Washing machine (Energy Star)	1	120	AC	120	1.00	7	120.0	2.90%
Alarm clock	1	120	AC	3	24.00	7	72.0	1.74%
Toaster	1	120	AC	1,050	0.06	5	45.0	1.09%
VCR	1	120	AC	40	3.00	2	34.3	0.83%
Food processor	1	120	AC	600	0.05	3	12.9	0.31%
Coffee grinder	1	120	AC	150	0.05	7	7.5	0.18%
Power drill, 1/2 inch	1	120	AC	600	0.05	1	4.3	0.10%
Printer	1	120	AC	15	0.30	5	3.2	0.08%

Totals After Efficiency Measures

5,551

4,136.4

If John could save that much money on RE equipment by making his office efficient, think of the potential for a whole house. Compare the tables above for the electrical loads of a modest home before and after efficiency measures. By replacing incandescent bulbs with compact fluorescents, replacing the old refrigerator and washing machine with modern Energy Star appliances, replacing the desktop computer and separate CRT monitor with a model that has an LCD screen, and switching off phantom loads, the home's energy use was reduced by nearly 50 percent.

A few of the ideas in Zeke Yewdall's article in *HP101* focus on home electricity efficiency, and many more solutions can be found. The U.S. government's Energy Star and energy efficiency and renewable energy Web sites are great places to start (see Access).

An Essential Cornerstone

Without a load analysis, designing a renewable energy system is a shot in the dark. It's like trying to plan your weekly food shopping trip without knowing how many



This plug strip is used to control multiple phantom loads with the flip of one switch.

guests you'll have and how much they'll eat. It's also where you'll save the most energy and money. Many people get excited about making their own electricity, and lose sight of the fact that analyzing energy usage and increasing efficiency is where you get the most bang for your buck. Don't skip this step!

It's easy to make the case for a comprehensive load analysis. So take the time to do a good job and then reap the rewards. Not only will it tune you in to how and where you use the electricity you pay for, but it enables you to construct a lean, green foundation on which to build your renewable energy system.

Access

Scott Russell, *Home Power*, PO Box 520, Ashland, OR 97520 • scott.russell@homepower.com

Brand Electronics, 421 Hilton Rd., Whitefield, ME 04353 • 888-433-6600 or 207-549-3401 • Fax: 207-549-4568 • info@brandelectronics.com • www.brandelectronics.com • Brand watt-hour meters

Electronic Educational Devices, 2345 South Lincoln St., Denver, CO 80210 • 877-928-8701 or 303-282-6410 • Fax: 303-282-6411 • info@doubleed.com • www.doubleed.com • Watts Up? meters

P3 International Corp., 132 Nassau St., New York, NY 10038 • 888-895-6282 or 212-741-7289 • Fax: 212-741-2288 • sales@p3international.com • www.p3international.com • Kill A Watt meter

U.S. DOE energy efficiency and renewable energy info • www.eere.energy.gov/consumerinfo

Energy Star • www.energystar.gov • Info on energy efficient products & tips for home energy efficiency

Load Calculation Excel spreadsheet • www.homepower.com/magazine/downloads.cfm

"Watts Up? Pro KWH Meter" by AJ Rossman & Joe Schwartz, *HP95*

"Things that Work: P3 International's Kill A Watt Watt-Hour Meter" by Joe Schwartz, *HP90*

"Things that Work: Brand Electronics' Digital Power Meter," by Richard Perez, *HP67*

"Doing a Load Analysis: The First Step in System Design," by Ben Root, *HP58*



sunelec.com

Liquidation Sale

Inverters, Solar Panels, Wind Generators 305 536-9917



Things that Work!
Model 4-1850
Home Power #67

Digital Power Meters

20-CTR: Measures AC Power up to 10 kW, 100-250 vac single or two phase. Remote display. Easy to install.

ONE Meter: Semi-custom power meter. Multiple independent AC or DC power channels. Several display options. Can be configured for Whole House power monitoring. PC interface, 8000+ data memory.

4-1850WX: Special meter for Refrigerator Replacement Programs. Detects Defrost Cycle, displays cost/kWh-hrs per year. **California CEC eligible meters.**

Other Models available. Check our website or call for details.

CUSTOM APPLICATIONS and DISPLAY OPTIONS:
We can build a digital power meter to meet your needs, including large displays. Perfect for trade shows, public buildings and educational purposes. Several signs to choose from including the popular Beta Brite scrolling LED sign. Please call with your needs/ideas.

Brand Electronics
421 Hilton Rd.
Whitefield, ME 04353
For information only, call 207-549-3401
info@brandelectronics.com

To order, call toll free
1-888-433-6600
www.brandelectronics.com



BACKWOODS Solar Electric Systems

For an earth restored and a world at peace.

Solar • Wind • Hydro

Independent Electric Power for the Remote Home where utility power is not available. When you speak with Backwoods Solar, your questions are personally answered by people using the products everyday. Our catalog / planning guide teaches the basics of installing solar electric residential power. We can refer you to skilled installers in most states. Our mountaintop business, shop, and home have been powered by equipment from our catalog for 26 years. Utility lines are still 2 miles away. We are a family business living with our products.

**185 PAGE
CATALOG / PLANNING GUIDE
Free to Home Power readers**

Visit us or write:
Backwoods Solar Electric Systems,
1395-HP Rolling Thunder Ridge,
Sandpoint, Idaho 83864 USA

Phone: (208) 263-4290 • Fax only (888) 263-4290

Website: www.backwoodssolar.com • Email: info@backwoodssolar.com

HuP[®] Solar-One[™] Batteries

**The Best Battery Warranty in RE Just Got Better!
Now 7 Years Free Replacement, 3 Years Prorated!
Thousands Upon Thousands of 2 Volt Cells Sold!
Less Than Two Tenths of One Percent Warranty Claims!**

For complete details on the new HuP Solar-One warranty and our complete line of RE products contact:

Northwest Energy Storage

6778 El Paso St., Bonners Ferry, ID. 83805
800.718.8816 or 208.267.6409 Fax 208.267.3973 www.nwes.com
www.hupsolarone.com batteries@nwes.com

HuP Solar-One, The Better Built Battery!

What Are You Waiting for?



Measuring Absurdity



Tony Pereira

©2004 Tony Pereira


Many of us reading these pages are quite apt at measuring volts, amps, watts, wind speeds, or dollars. A few others may know how to calculate more sophisticated physical properties from the world around us like entropy or enthalpy. But can absurdity also be measured? The answer is a resounding yes. Being able to measure absurdity is at least as important as being able to measure volts, amps, and all the other things.

The first law of thermodynamics states that energy cannot be created nor destroyed, only converted from one form to another. The second law of thermodynamics can be stated in many ways. For our purposes, we will state that to convert energy into work, heat must be dumped. There are no processes known anywhere that disobey these two laws.

Apply the closed system model used in thermodynamics to our beloved planet. In this model, mass cannot cross the boundaries of the system being analyzed—only energy can. All the energy this system gets, it gets it from the sun. We lose some energy, but again those losses are negligible. We can calculate all of these quantities, so grab a calculator and let's start analyzing.

With a population of just under 300 million, the U.S. has less than 5 percent of the world's population—now more than 6.4 billion and growing. The U.S. consumes roughly a third of all the world's resources—air, water, soil, rubber, aluminum, electricity, steel, coal, gas, oil, fish, beef, timber, anything. If you don't believe it, please check the references at the end of this article.

Population vs. Consumption




That means that just two more countries consuming and wasting at the same rate as we do would consume all of the Earth's resources. That also means that, if all the Earth's population consumed at the same level as we do here at home, we would need not one, two, three, or four planets, but about seven planets. We do not have seven planets. We have one. This is my first measurement of absurdity.

Consumption

The first measurement has at least one significant flaw though. It does not take into account other properties of the system we are analyzing, namely the ability of the system to regenerate itself. In our case, the Earth's resources are regenerated by using the energy it gets directly from the sun. A recent report by the National Academy of Sciences, later also published by the United Nations, gives credit to an earlier way of looking at it called the human footprint, developed at the University of British Columbia.

First, the world's productive and accessible acreage was assessed. It was then divided by the present world

Planet Supply & Demand



It's the Law

Humans neither create nor produce. We can only convert one form of energy into another. Anything else would violate the first law of thermodynamics. It has never been done.

Human beings, like all other things around us, can manipulate, alter, and transform one form of energy into another with various levels of entropy in the process. In the very short run, we need to reduce our global bank account spending by 20 percent everywhere. In the not too long run, we need to reduce spending even further to allow the natural biological systems of the Earth to catch up and regenerate themselves—and halt the present biggest extinction of species in the known fossil record.

One thing is true and tried—there are and always will be problems. The trick is to solve the ones that are solvable. That implies being able to calculate the answers, but also being able to imagine the questions that are useful in the first place.

Access

Tony Pereira, ME, EIT, 1501 E. Carson St. #15, Carson, CA 90745 • 310-549-3077 • apereira@ucla.edu • www.lafn.org/~bk931

Thermodynamics: An Engineering Approach, Yunus A. Cengel and Michael Boles, 2002, Hardcover with CD-ROM, ISBN 0072549041 • US\$120.93 from McGraw Hill, 860 Taylor Station Rd., Blacklick, OH 43004 • 800-262-4729 or 609-426-5793 • Fax: 614-759-3641 • customer.service@mcgraw-hill.com • www.books.mcgraw-hill.com

Our Ecological Footprint, William Rees and Mathis Wackernagel, 1995, paperback, ISBN 0-86571-312-X • US\$14.95 from New Society Publishers, PO Box 189, Gabriola Island, BC V0R 1X0, Canada • 800-567-6772 or 250-247-9737 • Fax: 250-247-7471 • info@newsociety.com • www.newsociety.com

population. That gives the amount of productive land available to each human being on average—approximately 4.6 acres. Next, the total acreage needed to support human activity, country by country at their current levels of consumption, was also calculated. The number for the U.S. rate of consumption is around 25 acres per person. Divide that number by the available 4.6 acres, and we would need roughly five planets to sustain the whole of humanity in the grand American way of life. That's my second measurement of absurdity.

The problem with this calculation is that the 4.6 acres average productive and available land for human use (amazing!) does not include other species. So much for that then. An article was published in *BioScience* in 1986, based on a study by Stanford University. In it, the question was asked: from the energy that we receive from the sun (remember, in either our closed or actual system, that is all the energy we get) that is transformed by photosynthesis, how much do human beings appropriate for their own use?

In other words, the sun shines, plants and animals thrive on the energy from the sun, humans make T-shirts from cotton, wool sweaters from sheep, and eat burgers, all using the first and second laws of thermodynamics. How much do we humans appropriate? In 1986 numbers and with a global population of 5 billion then, humans were appropriating around 40 percent of the total photosynthesis of the planet. Double the size of the world's population (which will happen) without changing the consumption and waste patterns (which won't—they will certainly increase), and the number goes up to 80 percent, which leaves 20 percent for the rest of creation. That's my third measure of absurdity.

Wasting Breath

Do we really use any air at all? It's nothing, really, most people think. Well, let our cars do it for us then! On average, a U.S. car uses as much oxygen in one year as a human being consumes in a lifetime, never mind the carcinogens. If you start driving at age 16 and quit at age 76 (the average U.S. life span), it results in a factor of 60. Multiply this factor by the population of the earth and assume everyone has a car (which we will—we are presently at about one car per three inhabitants, or well over two billion cars). That's equivalent to 372 billion human beings breathing. Hey, but wait a minute—that's only cars! That's my fourth and final measurement of absurdity. Rest assured, there are quite a few other ways to measure it.

Many may ask at this point how we can use above 100 percent, say, 120 percent of what we do not have? Well, imagine going to the bank and withdrawing 20 percent more than what you've deposited. Bankruptcy is the inevitable result, except that the Earth does not keep a Chapter 11 office open at any time.

...if all the Earth's population consumed at the same level as we do here at home, we would need not one, two, three, or four planets, but about seven planets.

Beyond Growth: The Economics of Sustainable Development,
Herman E. Daly, Beacon Press, 1997, paperback, 224 pages,
ISBN 0-8070-4709-0 • US\$20 from your local bookstore.

"Human Appropriation of the Products of Photosynthesis"
Peter M. Vitousek, Paul R. Ehrlich, Anne H. Ehrlich, and
Pamela A. Matson. 1986, *BioScience* 34 (6 May) •
www.dieoff.org/page83.htm

World's foremost resource
tracking •
www.worldwatch.org

Ecological footprint of nations •
[www.RedefiningProgress.org/
publications/ef1999.pdf](http://www.RedefiningProgress.org/publications/ef1999.pdf)

Earth capacity resource and
demand •
[www.rprogress.org/media/
releases/020625_pnas.html](http://www.rprogress.org/media/releases/020625_pnas.html)

Energy articles database • [www.
dieoff.org](http://www.dieoff.org)

Health and Environment Weekly •
www.rachel.org

The current mass extinction • [www.pbs.org/wgbh/
evolution/library/03/2/1_032_04.html](http://www.pbs.org/wgbh/evolution/library/03/2/1_032_04.html)

Calculate your ecological footprint •
www.earthday.net/footprint/index.asp



ZOMEWORKS
Passive Energy Products

Zomeworks has been a leading developer and manufacturer of passive energy products since 1969.

Our innovative product lines include photovoltaic mounting structures, temperature regulating enclosures and architectural sun control devices.

New F-168 Track Rack and SUPER Shock Absorber!

- **Solar Products**
PV Mounting Racks
Battery Enclosures
- **Cool Cell™**
Temperature Regulating Enclosures
PV Cool Cell
Hydrogen Vent
- **Sun Control Products**
Sunbender® Reflector/Shade
Skylight Tracker NEW!

NEW! INTRODUCING...
F-168 Track Rack for more than 2 KW and our new SUPER Shock Absorber!

Learn about architectural heating & cooling with Zomeworks Double Play Systems

ZOMEWORKS Corporation, PO Box 25805 (1011 Sawmill Rd. NW), Albuquerque, NM 87125
www.zomeworks.com • zomework@zomeworks.com • 800-279-6342 • 505-242-5354 • fax 505-243-5187

Log-on to your future @ www.solarenergy.org

Renewable Energy Online Education

Photovoltaic Design Online Course

August 30 – October 8 • November 1 – December 10

Solar Home Design Online Course

October 11 – November 19

"The course was exactly what I had hoped for. It covered all of the key areas and built on them in each successive chapter. Well planned and increasing challenging. Well worth the cost and I am looking forward to applying the knowledge to my own design. The contacts and links were exceptional and will be used over and over again."


-- Spring 2003 Course Participant

Online alums get tuition discounts to future hands-on workshops!

Start your renewable energy education from home...TODAY!

Solar Energy International

www.solarenergy.org • sei@solarenergy.org • 970-963-8855



North American Board of
NABCEP
 Certified Energy Practitioners



NABCEP™ Solar PV Installer Certification

**Exam Date: September 18, 2004
 (Applications due by July 30, 2004)**



WHY GET CERTIFIED?

- **Certification based on industry standards of safety**
- **Distinguishes you among your peers**
- **More consumers look for certification as sign of competence and quality**

For the Exam Application and additional information please see our web site at: www.nabcep.org



The
Southwest Sustainability Expo

Product & Technology Expo 45,000 sq ft
65+ Workshops
Solar Tours ☀ Youth Fair
Keynote Randy Udall

- ◆ The Hydrogen Colloquium
- ◆ Building Green Homes Workshop Track
- ◆ Free Admission & Free Parking

NEW!

Don't miss the summer's best consumer and trade event for sustainable energy outreach and networking.

- ◆ Solar, Wind, Biomass & Hydrogen Renewable Energy
- ◆ Green Building Materials & Design
- ◆ Alternative Fuel Transportation

August 5-6-7 ☀ Flagstaff, AZ
www.SustainabilityExpo.com

Wondering where to start?



Our **Quick Start** special! Get our last six issues and a one-year subscription for just **\$45** plus S&H. Save \$36!



Add Solar1, our Renewable Energy Basics CD-ROM to the deal for another **\$19**, regularly \$29!

Back-issue substitutions welcome. Order online at www.homepower.com or call 800-707-6585 or 541-512-0201.

Digital Back Issues Instant (paperless) satisfaction!

Every back issue of *Home Power* is available in PDF at www.homepower.com!



Search, browse, purchase, & download complete issues directly to your computer!

Haven't been to homepower.com in a while? Check it out!

- Our online store is always open for business! Subscribe or renew, shop specials, CD-ROMs, back issues, and gifts, or review your order history!
- In need of technical advice & RE information? Search our directory of RE businesses, browse upcoming events, articles, stocks, job openings, or e-mail us your tech questions!


Renewable Energy Basics on CD-ROM

A collection of the best basics
articles from 15 years of
Home Power magazine.



- Visit our online store to view a complete table of contents for *Solar1*.
- All contents are in PDF, featuring original magazine layouts as published.
- Get this or any *Home Power* CD-ROM for \$19 with your one-year subscription.

Order by phone at 800-707-6585 or 541-512-0201
or online at www.homepower.com



What are you waiting for?

Solar9, the latest addition to *Home Power's* CD-ROM archive, features six full, as-published, back issues in simple, searchable Portable Document Format (PDF). Contents include: Issues 95 to 100 (6/03 – 5/04); our new renewable energy glossary; wind & solar resource data; and more. Green means go.

\$29 (plus shipping)

www.homepower.com
phone 800.707.6585 or 541.512.0201

African Windpower 3.6 Wind Generator

Ian Woofenden

©2004 Ian Woofenden

Application: I installed the first African Windpower (AWP) 3.6 wind turbine in the U.S., and ran it for two years. I coordinated a Solar Energy International (SEI) workshop that installed another AWP 3.6, which has now been running for 18 months in my neighborhood.

System: My AWP was connected to my home system, which consists of two PV arrays totaling 1,220 watts, an older Whisper 1000 wind generator, eight Dyno L-16 batteries, and an SW4024 inverter. The SEI workshop's AWP is connected to a system with 960 watts of PV, eight Interstate L-16 batteries, and an SW5548 inverter.

Heavy Metal

When it comes to wind generators, I have been under the influence of the persistent preaching of Mick Sagrillo's gospel of heavy metal. Mick and many other old-timers in the wind industry favor sturdy machines designed to last a long time. So when I caught wind of the African Windpower machine, designed by my friend and colleague Hugh Piggott, I jumped at the opportunity to try one at our home.

I've been using wind electricity for more than 20 years, starting with a 450 watt Windcharger, and most recently running a Bornay Inclin. Until the installation of the AWP generator, all of my machines were high speed, lightweight machines. They have been an essential part of our off-grid electricity system, and they have functioned fairly well over the years in our moderate wind site (about 7 mph; 3 m/s average). We may not be prime candidates for a heavy duty machine, since we don't have consistently heavy duty winds. On the other hand, though our average is low, we see peaks of 60 to 70 mph (26–31 m/s) many winters, and a storm ten years ago hit over 100 mph (45 m/s) near us.

So the idea of a low speed, heavy wind generator appealed to me. I took the plunge and installed an AWP on our 125 foot (38 m) tower. Wow! My RE-installer son and I were both flabbergasted at the smooth operation, and especially at the low wind speed performance. We'd lived for 20 years with high rpm machines, and we were amazed that we could still see the individual blades move when the machine was kicking out several hundred watts. The machine was virtually silent, and a beautiful thing to watch.

The AWP 3.6 is a three-bladed, permanent magnet machine with a rotor diameter of 3.6 meters (11.8 feet). It runs at a relatively slow 350 rpm peak, and the 24 V model I tested is rated to produce 900 watts at about 23 mph (10 m/s).

Installation

The AWP is a heavy machine. Weighing in at 250 pounds (113 kg) tower-top weight, it's not something you're going to muscle up the tower by yourself. We used a gin pole and davit, pulleys at the top and bottom of the tower, and a

The AWP 3.6 is a simple, robust wind generator, optimized for low-wind performance.

truck to install our machine. Slings the machine with rope was tricky, and we didn't get it to hang exactly level for the lift. I have since added an eyebolt to the machine for easy lifting, which makes a world of difference.

I prefer to hoist machines that are completely assembled, taking great care not to damage the blades while lifting. But this machine has a large tail boom and vane, and our tower is in close quarters, so we opted to hoist it in pieces. Next time, I'll do it all in one lift. We found that adding the tail at the tower top was a tough job, though AWP has now added a lifting eye to the tail boom to make it easier.

Many AWP machines are installed on tilt-up towers, so there is much less of a problem with mounting and hoisting. In either application, the machine's main mounting flange bolts onto a flange on the tower, so attachment is straightforward. Blade attachment is simple, and a large junction box built into the main housing makes wiring very easy.

This machine does not have slip rings, the assembly that allows the energy from the yawing (pivoting) wind turbine to be transmitted to the wires on the stationary tower. So the transmission wires hang freely from the tower top, and twist and untwist with the yaw of the machine. The tower-top attachment and strain relief seemed inadequate to me, so I added a Kellums grip (like a finger trap toy) to support the wires.

North Americans have become used to having yaw slip rings in their wind generators, so there has been some resistance to machines without them. The AWP designer

Features

High Points:

- Simple, rugged design
- Large swept area
- Low speed
- Quiet
- Passive governing
- High output while governing
- Aesthetically pleasing

Low Points:

- Construction and finish a bit rough
- Transmission cable suspension undersized
- Requires heavy duty tower and lifting rig

Tale of Two Wind Generators

It's a common mistake to compare wind generators by their peak output. Most machines are rated at their peak, which tends to be in the 28 to 32 mph (12.5–14 m/s) range. But we should really be looking more at low wind speed performance, since our turbines spend most of their generating lives in the 10 to 18 mph (4.5–8 m/s) range. The peak output really tells you very little about how much energy a turbine will put into your battery bank.

The AWP has a relatively low peak output compared to its energy potential. It is optimized for low wind speeds, and the designer recognizes that this is much, much more important than bragging rights for the highest peak output.

For the two years that I ran the AWP, I also ran an older Whisper 1000 at our place. The Whisper peaked at 1,000 watts, true to its name. The AWP peaked at 900 watts. So you might think that the Whisper generated more energy, since it peaks higher. But the AWP, at about 110 square feet (10 m²) of swept area (the circular area swept by the blades) generated more than twice the energy of the Whisper, which sweeps about 65 square feet (6 m²). Swept area tells you more about the production capability of a wind generator than anything else.

Comparison parameters: The Whisper was 13 feet (4 m) lower than the AWP, and is of the old tail-tilt design that loses the wind when it governs. But the AWP was screened a bit more from our second most prevalent wind, by trees to the SW. Energy outputs were measured on two channels of a single Omnimeter AH meter.

maintains that on most sites, a machine will yaw about the same one way as the other, and that untwisting the wires is not a problem anyway. On my site, which is somewhat turbulent, I found that the wires twisted about 45 turns per year. On the SEI installation site, it's been a more modest 10 or 15 turns per year. To me, untwisting the wires every few years is a small price to pay for the added simplicity and reliability of no slip rings. But customer demand has led AWP to add slip rings to their new units, due later this year.



SEI students Nicole Lavick and Eric Youngren finishing the installation of an AWP 3.6 wind generator during a workshop.

Electronics

AWP manufactures a rectifier box and controller for their turbine. This has gone through several upgrades. Our original AWP has a very large rectifier box with a volt/amp meter in the face. We opted not to use the AWP controller, since our system already had a diversion charge controller in operation. The SEI installation uses a newer version of the AWP controller, with rectifier and controller built into a compact box with an ammeter and brake switch.

The AWP 3.6 is available in 24 and 48 VDC models, and a high voltage grid-tie model. Abundant Renewable Energy (ARE), the U.S. importer of the AWP, has recently developed a new controller for direct grid-tie of the AWP with an SMA Windy Boy inverter. This is a huge step forward for the small wind industry, allowing very efficient, small, wind-electric, grid-tie systems. The controller/inverter combo tracks the maximum power point of the wind turbine's output, boosting output over battery charging systems by 50 to 75 percent. See Bernd Geisler's article in *HP100* for more information on this system.

My system now has wind speed monitoring via an NRG Wind Explorer, but unfortunately, this was not installed when we were running the AWP. The SEI installation uses a Clean Energy Products anemometer, which has a bike computer coupled to a high-quality anemometer head. Energy data is taken monthly with a TriMetric AH meter and a clipboard.

For this review, I've also drawn on data from Mike Klemen in North Dakota, who has been running an AWP 3.6 for the last two years. Mike's data and data acquisition methods are detailed on his Web site at www.ndsu.nodak.edu/ndsu/klemen. He has tested a number of small turbines, and his site has data on them as well.

Energy Production

There's a reason why I am not including a power curve with this review. A power curve shows the average instantaneous output of a turbine over a range of wind speeds. Unfortunately, most people see a power curve and immediately look at the top end. But wind generators don't spend much time at the top end, so this is not a good point to fixate on. Instead, ask the manufacturer how many kilowatt-hours the machine will generate in your average wind speed. Then you'll have something to go on.

Data from the two test sites tells us that the AWP will generate about 2.5 KWH per day in an 8 mph (3.6 m/s) average wind speed, roughly 4.5 KWH per day in a 10 mph (4.5 m/s) average wind speed, and roughly 6 KWH per day in a 12 mph (5 m/s) average wind speed. See the graph for details. Note that some manufacturers can get "enthusiastic" with their energy predictions. I've found AWP and ARE to be refreshingly conservative with their claims.

Of course, wind is complex. To get an exact prediction of the energy you might get on your particular site, you'll need not only your average wind speed, but the wind speed distribution. Every wind site is different in terms of how often it sees each wind speed. These variations can make a significant difference in turbine output, and therefore in energy prediction. In real life, most people get a rough idea and go for it. Then they find out what they actually get once the system is up and running.

Tech Specs

Turbine Configuration: 3-bladed upwind, side furling

Average Output: 189 KWH per month at 12 mph (5.4 m/s) average wind speed

Rated Power: 900 W

Rotor Diameter: 11.8 ft. (3.6 m)

Cut-In Wind Speed: 6 mph (2.5 m/s)

Rated Wind Speed: 25 mph (12 m/s)

Blade Construction: Fiberglass

Alternator: PM, 3-phase, 0-70 Hz

Voltages: 24, 48, 110 VDC

Tower-Top Weight: 250 pounds (113 kg)


List Price: Wind Turbine: US\$2,250

Controller: US\$195-210

Diversion Load: US\$95-105

Warranty: 2 years

Average Production Per Day



Caveats

As I mentioned above, the AWP 3.6 is a heavy turbine. It needs a sturdy tower. The manufacturer recommended a 3 inch schedule 40 pipe, which is what I ran it on. My next tower for the AWP will use 4 inch schedule 40 pipe, since my gut feeling was that 3 inch was a bit on the light side for this heavy turbine.

This machine has been manufactured in Zimbabwe, a developing nation that is having serious political and social problems. The manufacturer has recently transferred operations to South Africa, which should make the business more stable. Supply of the turbines is not always timely. Abundant Renewable Energy is stocking turbines and parts in their Portland, Oregon, location, which eases this concern somewhat.

Designing reliable wind generators is a tough job. The AWP is not perfect. There have been blade failures due to manufacturing glitches. The alternator has been criticized as not being super-efficient. And as with any product, early models have bugs, and the manufacturer and importer have made changes in the design. But overall, this simple design has been very effective and reliable. It proves that wind power can be the strong silent type. Or as the U.S. importer says, "as strong as an elephant, but not quite as heavy."

Smooth Turbine

I found the AWP to be a very smooth running and quiet turbine. I was particularly pleased with its output while governing. All of the other turbines I've lived with have seen huge output drops when governing, and tend to thrash around and make me nervous in high winds. The

AWP is very steady on the top end of its power curve. I routinely saw it putting out a steady 30 A at 29 V in storm winds. It's important to be able to smoothly spill high winds, and making some energy at the same time is a good thing.

I'm testing another turbine on my tall tower (now 150 feet; 46 m), but I'm starting to build another tall tower, and I'm looking forward to getting my AWP back into action. Its quiet, powerful operation is a welcome addition to our off-grid system, and its simple, durable design is satisfying to live with.

Access

Reviewer: Ian Woofenden, PO Box 1001, Anacortes, WA 98221 •
ian.woofenden@homepower.com

Manufacturer: African Windpower, PO Box 4533, Harare, Zimbabwe • +263 4 771581 • Fax: +263 4 771580 •
wtldist@mweb.co.za •
www.africanwindpower.com

U.S. Importer: Abundant Renewable Energy, 22700 NE Mountain Top Rd., Newberg, OR 97132 • 503-538-8298 •
Fax: 503-538-8782 •
info@abundantre.com •
www.abundantre.com



AWP

African Wind Power



Direct Grid Connect Systems Without Batteries Now Available!

CEC Listing Pending

*Strong as
an elephant,
but not quite
as heavy.*


Distributed by:

Abundant Renewable Energy

www.AbundantRE.com
22700 NE Mountain Top Rd.
Newberg, OR 97132
(503) 538-8298
Fax (503) 538-8782

"This book is the solar thermal contractor's bible!"

SOLAR HOT WATER SYSTEMS



Lessons Learned: 1977 to Today

by Tom Lane

**Solar Hot Water & Pool Heating Design
High Performance-Low Maintenance Systems
Reality Checks Using Current Technology**

In this definitive 200-page manual, solar energy pioneer Tom Lane outlines how the latest technology and valuable lessons learned from the past can help a new generation of solar contractors expand their businesses and satisfy their customers.

DOWNLOAD NOW

Preview before you buy.
Download Table of Contents
and Chapter 2 ("Drainback Systems") at:

www.ecs-solar.com

Order online (www.ecs-solar.com) via credit card
or send check or money order to:

ENERGY CONSERVATION SERVICES

6120 SW 13th St. - Gainesville, FL 32608 - (352) 377-8866

Color edition: ___ copies @ \$50 each = \$ _____

Black & white edition: ___ copies @ \$29 each = \$ _____

Shipping & handling: \$ 4.00

TOTAL: \$ _____



SUNEARTH inc.
Quality Solar Energy Products

**INTRODUCING
COMPRAIL™
PV Mounting Systems**



www.sunearthinc.com

SunEarth, Inc.

8425 Almeria Ave. • Fontana, CA 92335 • TEL (909) 434-3100

Cut Your Own Lumber!

Model 613

LUCAS MILL
THE ULTIMATE PORTABLE SAWMILL



Call for Free Brochure and Video

Call For Prices!

U.S. Pat. No. 5,819,626/Australian Pat. No. 688020

The Ultimate Portable Saw Mill

PACKAGE DEAL INCLUDES:

- Engine & Saw Carriage
- 2 - Sets of End Frames & Braces
- 2 - Hold Down Spikes
- 2 - 17" Carbide-Tipped Saw Blades
- 12 Volt Diamond Wheel Grinder
- Swing Blade Sawing System
- 2 - 19 ft. 4 in. Tracks
- Extra Gas Filled Strut
- 2 - Year Warranty (Engine and Mill)

© 2004 Bailey's Inc.

Bailey's
Est. 1975

The World's Largest Mail Order
Woodsmen Supplies Company -
Selling at Discounted Prices.

Call today and
mention source
code: H7Q5
for your FREE
Master Catalog



TOLL FREE **1-800-322-4539** TOLL FREE

www.baileys-online.com

SUNFRAME™

PV MODULE FRAMING AND MOUNTING SYSTEM FOR PITCHED ROOFS

Add aesthetics to the benefits of PV power

Low, clean lines. Your choice of clear or dark bronze anodized finish. Like a skylight, SunFrame becomes a natural feature of any home.

To be sure, it also meets strict structural standards, including Uniform and California building codes, and delivers the installation ease you've come to expect from UniRac.



www.unirac.com

The SunFrame system is U.S. patent pending.

UniRac

THE NEW STANDARD IN PV MODULE RACKS™

UniRac, Inc.
info@unirac.com

3201 University Boulevard SE, Suite 110
Albuquerque NM 87106-5635 USA

505.242.6411
505.242.6412 Fax



SOLARTRAX™
POWER STATIONS
PROFESSIONALLY ENGINEERED

The 200 SERIES:
Mini Solar Tracking Stations
for Residential and
Remote Applications.

WWW.SOLARTRAX.COM Covina, California Phone 626 331-9570 Fax 626 331-8584

2725 E Lakin Drive
Flagstaff AZ 86004
p: 800.383.0195 / 928.526.8017
f: 928.527.0729
www.windsun.com



THE NEW VALUE FRONTIER

KYOCERA

Authorized Dealer

Serving Customers Around the World Since 1979

FEATURING: Kyocera's advanced cell-processing technology and automated production facilities have produced a highly efficient multi-crystal photovoltaic module. The conversion efficiency of the Kyocera Model KC120-1 solar cell is over 14%. These cells are encapsulated between a tempered glass cover and an EVA pottant with PVF back sheet to provide maximum protection from the severe environmental conditions. The entire laminate is installed in an anodized aluminum frame to provide structural strength and ease of installation. All Kyocera Solar panels come with a 25-year warranty.

KC167G Solar panel \$575.00*
KC80-1 Solar panel \$306.00*

KC125G Solar Panel \$450.00*
KC60 Solar Panel \$265.00

KC120-1 Solar Panel \$425.00*
KC50 Solar Panel \$210.00*

Are you planning to install a new solar system? Or perhaps you have questions about supplementing your current electrical system. Call us to help you design a system that will meet your current and future electrical needs. We have over 20 years of experience in design and installation, ranging from remote homes, RV's, utility tie, battery backup, telecommunications, and cathodic protection applications. Let us help you with your technical and design concerns.

*Quantity price breaks apply

See our online store at www.solar-electric.com and our technical info website at www.windsun.com

Double Play

An Experimental Solar Heating & Cooling System



Steve Baer

©2004 Steve Baer

Steve on the roof of the Zomeworks offices, standing behind the array of polypropylene collectors that heat and cool his office.

Solar collectors have been used extensively to heat both domestic water and buildings throughout the world. Summer cooling with the sun's energy is also a great idea. Up until now, there hasn't been an efficient way to harness solar energy for cooling. You can do the job with PV modules, but the cost of modules along with refrigerated air conditioning can be very expensive. The Double Play system doesn't really use the sun for cooling, but it uses solar heating equipment to do the job, making it much more cost effective than other schemes.

Scientific Basis

In wintertime, dark, south-facing surfaces grow warm in the sun. On summer nights, these surfaces drop below ambient temperature. Few people realize just how strong night sky radiation is. Outer space is really cold. Our atmosphere is like a blanket, thick enough that we can survive the night, but still so thin that radiation from most surfaces pours through it on clear nights, lowering surface temperatures below air temperatures. Shiny metal surfaces will remain close to air temperature because they can't radiate heat. All painted surfaces, dark or light, radiate heat very well.

A plain black surface, if insulated beneath, will rise more than 100°F (56°C) above ambient air temperature, facing clear January sun in Albuquerque, New Mexico. Dark green

gets almost as hot. At night, surfaces that are insulated below and face the sky regularly fall 10°F to 15°F (6-8°C) below air temperature. Under optimum conditions, it can be as much as 20°F (11°C).

Heat & Cool with Your Roof

Over much of the United States, roofs can be used to both heat and cool. It isn't a big step from a warm roof to a warm house; you merely add flat plate collectors to the roof (see *HP84* and *HP85*) and collect the heat for use in the house. Or make the roofing itself the collector. Most people are comfortable with an indoor temperature of about 70°F (21°C). A dark-colored, insulated roof can generate temperatures that will heat a building even at ambient temperatures near 0°F (-18°C) if it is sunny and calm.

For radiative nighttime cooling to work well, it's best if the nights are cloud free so that the ambient temperature drops accordingly. The same solar collector that does the heating can cool in the summer, and could also be a conventional roof. Maybe it's a triple play—heating, cooling, and roofing, all in a single system.

The Overall System

OK, we have flat plate collectors, or a dark-colored roof with waterways embedded to make the roof a collector—what now? The heating and cooling systems use the roof

in a different way in different seasons. The two systems are themselves quite different.

The winter heating system is a classic drainback system as described in *HP87* and *HP97*. A pump with a high enough head overcomes the elevation difference in the piping to the top of the collectors, and is turned on when energized by a differential control or PV module. The water circulates through the collectors while the sun is shining, and is stored in a tank or other suitable, cosmetically acceptable storage vessel. When the sun is no longer shining, the water drains back into the storage tank, leaving the collectors empty in the event of freezing nighttime temperatures.

Water in the system should be at a level below the ceiling in the home when the system is not running. The storage tank serves as a drainback tank, the heat storage, and a passive radiator to deliver the heat to the home.

The summer cooling system is completely passive—it requires no moving parts or additional energy from another source. Warmer water rises, cooler water falls. At night, the collectors become cooler than the water in the storage tank. The water rises to the collectors, is cooled, and falls back to the storage vessel. Overnight, the water stored becomes close to the temperature of the radiating collectors. This type of passive flow of liquids is called “thermosyphon.” For the cooling system to work, the system needs to be completely filled with water.

We have not had any problems with the water in the collectors boiling in summer. Albuquerque is more than 5,000 feet (1,525 m) in elevation and water boils here at 200°F (93°C). In summer, the collector surface is much less likely to rise 100°F (56°C) above ambient than in winter.

The system requires a little work for seasonal changeover. To change from summer to winter, we drain the water to below the roof level and connect the pump to the electricity. To change from winter to summer, we disconnect the pump and fill the system to the top of the panels. You can fill it with a garden hose if you have plumbed in a boiler drain valve. If not, you need a funnel and a fitting you can open at the top of the system to pour in the water or put it in



The author and Dave Harrison next to the storage/radiator that heats and cools their offices. The storage pipes also serve as a divider for the two offices.


with a hose. There should be a coin vent or a fitting you can crack at the top of the system to let the air out. A boiler drain valve down below makes it easy to drain a little water in the winter to switch the system back to drainback mode, with no mess.

Thermal Storage


The thermal storage of the heat and cold can be configured in many ways. It must conform to a couple of rules. The storage needs to be of sufficient size and it must be able to perform as a kind of radiator. Storage heats the building on winter days because the water is warm, and cools the building on summer nights because the water is cool.


Our two installations use PVC pipes for the storage vessel/radiator. One is a long, 260 foot (79 m) spiral of 4 inch vent pipe. The other consists of ten, 7 foot (2.1 m) long, 8 inch, thin-wall PVC irrigation pipes. The PVC pipes have worked well, but storage could be better concealed

Winter Day Heating



Summer Night Cooling





The Andy Shack, where most of the R&D data has been collected on the Double Play system.

in interior walls and still be large enough to act as a good radiator. The simple systems where the storage and radiator are the same component are ideal for off-grid homes, since no extra electricity is needed to deliver the heat to the home.

Double Play Performance

We have two operational systems at Zomeworks—Dave Harrison's and my offices, and a building we call the Andy Shack in honor of the builder. The Andy Shack is the older installation and the one on which we have the most data. We have found that the system on the Andy Shack does not need to be turned on at the first hot weather. The overhead thermal mass in the PVC pipes makes it comfortable. It is the same in the fall. For a few weeks each fall and spring, we neither heat nor cool.

The most dramatic effect of the Double Play system is cooling. People are amazed on hot afternoons when they step into the Andy Shack. Good cooling requires keeping the room close to the temperature of the water cooled at night. This requires large surface areas for heat transfer by radiation and convection (natural or fan forced). Overhead or wall pipes are excellent heat exchangers, but their unconventional appearance is not cosmetically acceptable to some people. Radiant slabs could be used for both heating and cooling, as could radiant panels on ceilings and walls. However you handle the storage and delivery of heat, the roof is the natural place to gather or dispose of it.

July of 2003 was one of the hottest months on record in Albuquerque. It didn't cool at night. It reached 86°F (30°C) one day in the Andy Shack (usually, it never goes above 80°F; 27°C). We wondered if we should install a backup cooler. During very hot weather, we can sprinkle the radiator at night. This dramatically increases cooling, and

sprinklers are cheap and easy to install. Notice that inside humidity is not increased as with evaporative coolers. Ceiling fans may be preferable to sprinkling, or can be used in conjunction with it in very hot climates. We don't know the limits of the Double Play roof. We may be able to cool in Tucson, though Phoenix is probably too hot.

System Sizing & Siting

The Andy Shack is 77 square feet (7 m²) and is our main R&D building for the Double Play system. It contains 200 gallons (760 l) of storage in the 77 lineal feet (23 m) of 8 inch PVC pipe. Three, 4 by 8 foot (1.2 x 2.4 m) collectors have a total surface area of about 90 square feet (8.4 m²). This approximate ratio of 1 square foot (0.09 m²) of collector/radiator to 2 gallons (7.6 l) of water seems to work well.

Our 400 square foot (37 m²) office has 180 gallons (680 l) of storage in 250 feet (76 m) of 4 inch PVC pipes. The plastic collector mat measures 125 square feet (12 m²) on the roof. This system would perform better with additional storage. If the ceiling height of a well insulated home is an average of 8 feet (2.4 m), the roof collection/radiation area needs to be about half of the total square footage of the home.

Integrated Collector

There is no glass over the flat plate collectors that we are using. Glass costs extra money, is delicate to store and handle, and is the weakest part of any collector or module after it is installed. Without it, collectors are lighter, cheaper, and there is little fear of boiling temperatures.

We've been playing with collector construction at Zomeworks, our 35-year-old solar manufacturing company. The installations here have plastic and copper absorbers racked above the roof. At some point, we intend to make the roof and collector one piece, also without glass. One idea is a simple roll-formed aluminum or copper panel that snaps over riser tubes ending in top and bottom headers. Steel isn't a good option; it's a poor heat conductor compared to copper and aluminum. Roofing made of 0.020 inch copper and 0.032 inch aluminum are excellent heat conductors that have long life spans. The standard copper or aluminum roof is also a near perfect medium for a radiant heat exchanger for night cooling.

The south-facing slope should be dark if you intend to gather heat in winter. It will enhance summer cooling too. The roof should be at about the same angle in degrees as your latitude if oriented to the south, or you will miss a lot of winter heat. In climates that demand a steep pitch, the collectors are not as effective for cooling, but this problem is usually forgiven by cooler summers.

Payback & Prospects

The payback in energy savings on heating and cooling is about US\$1 per square foot of collector per year, where propane or electricity are the alternatives. This is certainly enough of a bonus to make you consider buying a superior copper or aluminum roof, and incorporating piping into it so it becomes a large collector. If pipes are run every 8 inches (20 cm) through either 0.02 inch copper or a 0.032 inch aluminum, the roof can be an effective radiator or absorber.

Even very good ideas, because they lack a powerful advocate, are often slow to find their way into widespread use. The Double Play system does add to the cost of buildings, but considering the fact that a copper or aluminum roof is an excellent investment to begin with, the one time use of the resources needed to build the system is better than burning twice as much in hydrocarbons each year.

The Double Play system for heating and cooling with the sun is still in an early stage of research and development. Many ideas from numerous sources are incorporated into the system design. The beauty of this solar heating/cooling system lies in its simplicity.

Access

Steve Baer, Zomeworks Corporation, 1011A Sawmill Rd., Albuquerque, NM 87125 • 800-279-6342 or 505-242-5354 • Fax: 505-243-5187 • zomework@zomeworks.com • www.zomeworks.com



The south wall of a cool cell electronics room that Zomeworks manufactures with the Double Play cooling technology. This doesn't need much radiator surface area since it is designed to keep the room under 100°F.

The Double Play system is ideally suited for arid desert climates. It will work in other climates, but not as well. Desert climates usually have good sunshine in the winter and predominantly clear summer nights. These are the best conditions for maximum efficiency of the system. This is probably no surprise, since other solar energy systems work better in desert environments too. Each region where Double Play roofs are suitable must adapt the system to the specific climates.

Solar Parts and Systems for the Do-it-yourselfer

Serving North America for 25 years

Online Catalog
and Design Guide
www.aaasolar.com

AAA Solar Supply
(800) 245-0311
Albuquerque, NM



Tempered glass etched with the manufacturer's info.



Edges of low-iron glass (clear) and window glass (green).

Low-Iron Tempered Glass

Used In: PV modules, solar thermal (heating) collectors

AKA: LIT glass, solar glass, Solite

What It Is: High transmittance tempered glass

What It Ain't: Moody glass that needs a vitamin supplement


Tempered glass is special. Sometimes called safety glass, it breaks into hundreds of small, relatively harmless pieces instead of long, sharp shards. Tempered glass is much stronger than regular window glass, and is required in building codes for patio and shower doors. It is etched in one of the corners by the tempering plant, as shown in the photo. Tempered glass cannot be cut with any conventional glass cutter.

Taking the iron out of the glass gives it a light transmittance of about 91 percent. Regular glass has a transmittance of about 83 percent. This 8 percent difference can be very significant over the thirty to fifty year life of a solar collector or module. Solar collectors and PV modules operate at efficiencies directly proportional to the amount of light that gets through the glass—hence the widespread use of low-iron tempered (LIT) glass in the solar industry.

Chuck Marken • chuck@aaasolar.com


Solar Stream	Solar MicroPump Works with 12-24W Panel	Pulsing Solar Fountains Special Introductory Offer Fountain & 3W PV Module \$75 + \$10 S&H		Box 48, Temple NH 03084, USA www.solar-stream.com (603) 300-7081
	 For Drip Irrigation Stock Watering & Cabins			

	AFFORDABLE Solar Water Heating Evacuated tube heat pipe technology
	BTF Ltd. POB 409 Fennville MI 49408 USA Tel. 269-236-6179 info@btf solar.com www.BTFsolar.com

NO-HASSLE WATER POWER If you have a reasonably fast running stream or tide nearby and 12" of water clear, Aquair UW Submersible Generator can produce 60 to 100 Watts <i>continuously</i> , up to 2.4 KWH per day. NO TURBINES, NO DAMS, NO PIPES! Water speed 5 mph (brisk walk) = 60W. 8 mph (slow jog) = 100W. Timber, rock, or natural venturi increases output. Jack Rabbit Energy Systems 425 Fairfield Ave., Stamford, CT 06902 800-473-3981 info@jrenergy.com	 12 or 24 VDC
--	---

BATTERY BOX VENTILATOR & BACK DRAFT DAMPER	
<ul style="list-style-type: none">• Positive hydrogen venting• Stops back drafts• Minimal power consumption <p>* Available from dealers and distributors across the U.S. and Canada</p>	POWER VENT 12v & 24v – \$79 48v – \$104 + \$10 S&H (cont. U.S.)
	Zephyr Industries, Inc. POB 52, Salida, CO 81201 719.530.0718 www.zephyrvent.com

Look closely...



SolarMax 240
Residential Solar Air
Heating System
Only \$1499



**Aeromax, Bergey &
Southwest Wind Power**
Wind Turbines
Starting at \$530

You'll find low prices all the time!

Shop at:

www.AltEnergyStore.com/hp

Home Power readers!

Get a special discount by using coupon code: hp102

Or call us:

1(877)878-4060 ext. 7



Alternative Energy STORE

Making Renewable Energy Affordable™

Great Prices on 1000's of Products • Free Educational Information • Friendly Service

a joint project of GLOBAL EXCHANGE Co-op America

greenfestival™

SUSTAINABLE ECONOMY ECOLOGICAL BALANCE SOCIAL JUSTICE

**You want to be green,
but you have questions.**

Can I really run my truck on french fry grease? Are digital voting machines really secure? Is it just me, or is it getting hotter?

At Green Festival you'll find inspiring speakers, green food, shopping, entertainment and an abundance of guilt-free wattage.

Live well, do good.

september 18 & 19
washington dc

november 6 & 7
san francisco

877 727 2179

www.greenfestivals.com

after he got his first power bill, burt
wondered, is it possible to actually be
in love with . . .
solar panels?



Maximum Power Point Tracker Project

Tim Nolan

©2004 Tim Nolan



If you're interested in helping create this technomadic machine, please reply.... We still offer our 'geek's vacation' package, with free Spartan room and board to anyone who wants to move in for a while and get a lot accomplished [on the Microship project]."

*The Microship Status Reports 3/14/97 (Issue #118)
by Steven K. Roberts Nomadic Research Labs •
www.microship.com*

I was surfing the Web a few years ago, looking for links to interesting solar-electric projects when I ran across this intriguing offer from Steve Roberts on his wonderful Web site: www.microship.com. I am an electrical engineer by training, working in an unrelated field, but I have always been interested in solar electricity and renewable energy.

Microships

I read on Steve's Web site about his Microship project. He is building two small sailboats that are powered by solar electricity. Since I'm also a sailor, and I was going to be traveling in the Pacific Northwest, I decided to take Steve up on his offer to spend a week on Camano Island working on his Microship project. Steve and I worked so well together that I ended up designing the solar-electric system controls for the Microship.

The Microships are basically small, one-person trimarans. More details can be found on Steve's Web site. In addition to sail power, the Microships have a pedal/propeller drive and a solar-electric drive. The electric propulsion motor is powered by the main 12 V battery, which is charged by the PVs.

The power control system monitors the current into and out of the main battery. It also adjusts the speed of the propulsion motor to equalize the power being used and the power being generated by the PVs. This keeps the electric propulsion motor from quickly draining the main 12 V battery, and maybe encourages Steve to do a little more sailing or pedaling on cloudy days. The maximum power point tracking part of the power control system increases the efficiency of the PVs by converting the higher PV voltages (17–21 V) to the 13 to 15 V needed to charge the main battery.

MPPT

After designing the power control system for the Microship, I thought others might be interested in applying the same maximum power point tracking techniques to their own solar-electric (PV) systems. So I designed the smaller, simpler maximum power point tracker (MPPT) presented in this article.


To understand why the MPPT can increase the efficiency of your PV charging system, a closer look at the electrical characteristics of a PV module is necessary. PVs convert photons from the sun striking their surfaces into electricity of a characteristic voltage and current. The PV's electrical output can be plotted on a graph (opposite page) of voltage vs. current—it's called an IV curve.

I represents the current in amps and V represents the voltage in volts. The resulting line on the graph shows the current of the PV for each voltage at a specific light level and temperature. Current is constant until reaching the higher voltages, when it falls off rapidly. This is applicable to the electrical output of all PVs, although each specific module will have its own individual IV curve.

Graphing the output of a PV shows an interesting characteristic. For most 12 VDC nominal PVs, the maximum output (watts) is produced at a panel voltage of about 18 V. This value is called the maximum power point or MPP. Operating the PVs at roughly this voltage is optimal.

However, when a PV is used to charge a 12 V battery directly, the battery pulls the operating voltage of the PV down near to its own voltage of 12 V (nominal). As shown on the graph, the PV is producing significantly less power (watts) at 12 V than at 18 V. So you can get more charging capability out of the solar-electric panel if it continues to

PV Panel IV Curve



The Microship's power control system.

operate at 18 V while charging a 12 V battery. (Batteryless inverters have MPPT built in.)

To gain the efficiency of maximum power point tracking, the 18 V of the PV must be converted to the lower voltage of the battery. This can be accomplished by using an electronic circuit called a DC-to-DC converter. A DC-to-DC converter is a very common device found in most DC power supplies in some form. It is the basis of the MPPT.

The DC-to-DC converter changes the PV's higher voltage and lower current to the lower voltage and higher current needed to charge the battery. Because the DC-to-DC converter is a low-loss device (90%+ efficient), it outputs almost the same wattage as is input, but at a different voltage and amperage.

In a power supply, simple feedback is used to set the DC-to-DC converter to a fixed output voltage. This is done by controlling the ratio of the input voltage to the output voltage. In the PV example, the above ratio would be $18\text{ V} \div 12\text{ V}$ or 3:2.

Moving Target

However, for any PV, the maximum power point is not fixed. Consider the IV curves for any PV. These curves change with the amount of light and the temperature of the panel. They also change for each individual type and brand of PV. As the curves change, the MPP changes for the different temperatures and light levels. If the MPP changes, the conversion ratio of the input voltage to output voltage of the DC-to-DC converter must also change to keep the PV voltage at the MPP.

Climbing Hills

The maximum power point tracker described here uses an iterative approach to finding this constantly changing MPP. I call this iterative method a hill-climbing algorithm. Examining the curve on the graph of the PV wattage, it

looks like a hill with the MPP at the summit. The MPPT uses a microprocessor to measure the watts generated by the PV. It then controls the conversion ratio of the DC-to-DC converter to implement the hill-climbing algorithm. The software in the microprocessor works like this:


1. Increases the conversion ratio of the DC-to-DC converter;
2. Measures the PV watts;
3. If the PV watts are greater than the last measurement, then it is climbing the front of the hill—it loops back and does it again; or
4. If watts are less than the last time measurement, then it is on the backside of the hill—it decreases the conversion ratio and loops back to try again.

This hill-climbing algorithm occurs about once a second in my MPPT design, and it does a good job of keeping the PV operating at its maximum power point.

The basis for a maximum power point tracker is that the DC-to-DC converter changes the higher voltage/lower current PV input to the lower voltage/higher current battery charging power. The microprocessor controls the conversion ratio of the DC-to-DC converter, keeping the PV operating at its MPP. Obviously, a lot more details go into this design. For a clearer understanding of the process, look at the schematic and software listings for the MPPT on my Web site and on the *Home Power* Web site.

With an understanding of how the maximum power point tracker works, the next question is—how well does it work? The MPPT output graph on the next page illustrates data collected from the prototype MPPT connected to two, 50 watt PVs on my roof. In this example, the MPPT was charging a 12 V battery. The data from the MPPT was output by its serial port once per second, and collected, stored, and graphed on my laptop PC. (See my previous article, "Knowledge is Power," in *HP74*.)


MPPT Output for Jan. 3, 2003



Performance

On the graph, the line labeled “MPPT On” shows the watts generated by the PVs when the MPPT was running the hill-climbing algorithm. Every 10 seconds, the MPPT set the DC-to-DC converter to a 1:1 ratio, simulating a direct connection between the PV and the battery. The watts are measured and plotted on the graph as “MPPT Off,” showing the power that would be generated by the PV array if it was directly connected to the battery. The difference in watts between “MPPT On” and “MPPT Off” is the power gained by using the MPPT. In this case, the battery is being charged with about 20 percent more power when the MPPT is on.

The maximum power point tracker prototype.



Gains of more than 30 percent are attainable when using the MPPT, but this is the exception, not the rule. The MPPT works because of the difference between the PV’s MPP voltage and the battery’s charging voltage. The IV curves for an actual PV (remember that the MPP is right at the knee of the curve) show that the MPP voltage goes down as the temperature of the PV goes up. This means that the difference in voltage between the PV MPP and the battery is lower as the panel temperature rises.

With a lower voltage difference, the MPPT will show a lower power gain compared to a direct connection between the PV and the battery. The factors that decrease the difference in voltage between the PV MPP and the battery will cause the MPPT to show a lower power gain. These factors include decreasing PV MPP voltage at higher temperatures, increasing battery voltage during charging, and voltage drop over long wire runs.

On the other hand, if the temperature of the PV is low and the battery is mostly discharged, the MPPT will show higher power gains. The graph was generated when the outside temperature was around 5°F (-15°C)—winter in Wisconsin! I was using a mostly discharged 12 V battery to maximize the gain of the MPPT system.

My experience with maximum power point tracking has shown that large gains (greater than 25 percent) are possible only under ideal circumstances. If the PVs are cool, the batteries mostly discharged, and voltage drops in the system are low, then maximum MPPT gains should occur. Under other conditions, the MPPT gains will be lower, especially if the PVs are being used in hot conditions.

Applications

So who should add an MPPT to their solar-electric system? Most PV battery charging systems include a charge controller to keep the batteries from overcharging. My MPPT prototype also includes a charge controller function in the software. In most cases, using a charge controller with MPPT capability increases the cost only slightly. Generally, the power and efficiency gains will easily offset this increase.

Another application for the MPPT is solar powered water pumping. I have run experiments pumping water in varying conditions. When a PV is connected directly to an electric water pump in low light conditions, the PV does not generate enough current to run the electric motor. Linear current boosters are sometimes used to change the high voltage/low current electricity from the PV to low voltage/high current electricity for the electric water pump. Since this is exactly what the MPPT does, it works very well in this application.



The author working on the maximum power point tracker.

To test this application, I used a small water pump. With the PV connected directly to the pump, there was not enough power early in the morning to pump water. Under the same conditions, the MPPT was able to boost the current to the motor so the pump would run, albeit at a slower speed than in full sunlight. Also, because the MPPT maximizes the power output of the PV, the water pump will receive more energy throughout the day than when it is connected directly to the PV. So using the MPPT in solar water pumping applications gives a net gain of more water pumped during the day.

Experiment & Improve

Maximum power point tracking is an advantage in many solar-electric applications. Because other people may be interested in experimenting with MPPT, I decided to write this article and release my work into the public domain. By providing this information with no strings attached, I'm hoping other people will build this design, experiment with it, improve it, and share their results.

Through this process, the technology will quickly improve. I'm willing to post any improvements that people make to the MPPT technology on my Web site. I would also like to hear how you're using the maximum power point tracker, and how well it works for you. The schematics, software, parts list, PCB files, and everything else needed

to build this unit are available on my Web site and the downloads section of the *Home Power* Web site.

By developing this project, I've found that the maximum power point tracker does offer significant improvements in solar-electric systems, especially when it replaces the battery charge controller. I hope others will help me contribute to the promise of solar electricity and renewable energy in our future.

Access

Tim Nolan, 2436 Sommers Ave., Madison, WI 53704 •
608-242-7075 • timnolan@timnolan.com •
www.timnolan.com

Steve Roberts, Nomadic Research Labs, 1313 Hagen Rd.,
Camano Island, WA 98282 • 360-387-1440 •
Fax: 360 387 2429 • wordy@microship.com •
www.microship.com

Digikey Corporation, 701 Brooks Ave. S., Thief River Falls,
MN 56701 • 800-344-4539 or 218-681-6674 •
Fax: 218-681-3380 • sales@digikey.com • www.digikey.com •
Electronic parts supplier

PCBexpress, a division of ECD, Inc., 13626 S. Freeman Rd.,
Mulino, OR 97042 • 503-829-6638 • Fax: 503-829-5482 •
tracy.elbert@ecd.com • www.pcbexpress.com •
Manufacturer of prototype circuit boards

"Maximum Power Point Tracking," Bradley E. O'Mara,
HP29, page 34

The following information on DC-toDC converters is
available from Linear Technology • [www.linear.com/
pub/doc_group.html?pub_type=app](http://www.linear.com/pub/doc_group.html?pub_type=app)

"LT1070 Design Manual," #19, Jun. 1986

"Switching Regulators for Poets," #25, Sep. 1987

"Step Down Switching Regulators," #35, Aug. 1989

"Power Conversion from Milliamps to Amps at Ultra-High
Efficiency (Up to 95%)," #54, Mar. 1993




SOLAR WATER HEATER "SOLARTRAP"



Absolutely new to the American market. This "all in one-unit" heats and stores 80 gal of water.
Residential or commercial. More units can be combined together (no limit !)
Also recommended for pool heating. Can be placed anywhere, in or on a sloped or flat roof, in the
garden or yard. DIY-installation possible, no heat exchanger or separate storage tank needed!
Also available : "Solarmaxx" with a storage of 26 gal.
for more information go to: www.powerofthesun.org
or call: (941) 739-9145 or E-mail to: info@powerofthesun.org

the [new] equation:



Join us for a weekend of enlightening solutions that sustain our lifestyles while sustaining our environment.

5th Annual Rocky Mountain Sustainable Living Fair
Saturday & Sunday, September 18 & 19, 2004
The Lincoln Center, Fort Collins, Colorado

100 Vendors & Exhibitors • 25 Workshops
Keynote Speakers • Renewable Energy
Sustainable Living Practices
Environmental & Social Responsibility
Natural Health • Alternative Vehicles • Green Building
Organic Agriculture • Kidz Education Zone
Entertainment • Food & Beer Garden

For sponsor vendor and exhibitor information
visit us at: www.SustainableLivingFair.org
or call 970 224 FAIR



Rocky Mountain
Sustainable Living Fair

Powered by Nature

Sponsors:

Natural Home Magazine | Blue Sun Biodiesel
New Belgium Brewing Company
Wild Oats Natural Marketplace | One Tribe Creative

Sun Frost

Energy Efficient
Refrigerators & Freezers
Customized To Fit Your Needs



- ▶ Available in DC or AC
- ▶ Select From Over 10 Models
- ▶ Choose from 1000's of Colors, Finishes & Woods

Providing an Effective Alternative for Energy Conscious Consumers.


Now Making Stylish Home Composting Systems Too!

Please Contact Us For More Info

P.O. Box 1101, Arcata, CA 95518
tel: (707)822-9095 • fax: (707)822-6213
info@sunfrost.com • www.sunfrost.com

Three Men and a Baby!

Introducing the "Water Baby" ...
Another breakthrough in water powered generators.



- Brushless permanent magnet design
- Adjustable while running
- Operates with as little as 3 gpm
- 12, 24, 48 volts and higher available



ENERGY SYSTEMS & DESIGN, LTD.

www.microhydropower.com 506-433-3151



We are a **Xantrex Certified Dealer**. We specialize in system trouble shooting and education. We are an



Onan dealer and repair facility, servicing all types of generators—big and small. We sell Solar i.e.; **Sharp, Uni-Solar, Kyocera, BP, Shell**, Wind: **Southwest Wind, Surette Batteries, Interstate Batteries, Morningstar Controllers** and many more... Please visit our Web site or call for details.

Design, Sales, Installations
We service Ontario, Canada.

Ontario Solar and Wind Inc.
Freelton, Ontario Canada • 905-546-6224 • 888-703-8391
www.ontariosolarandwind.com

What's Your Time Worth?

Are you a Dealer or Installer?

Hutton Solar understands your time is valuable. That's why we have established a national dealer/installer referral network to connect you to those in need of your products and services. Members of this coast-to-coast referral program save time by allowing us to identify opportunities for them. Our network is growing and we want you to be a part. There's no risk, only the opportunity to expand your business potential. Call **877-648-8866** to join! At Hutton Solar, our results are electrifying!

Looking for a Dealer/Installer in your area?

One of the most frustrating and time-consuming aspects of any project can be finding the right resources. With Hutton Solar's expansive dealer/installer network, we can connect you with the qualified experts who will get the job done right, coast-to-coast. Log on to Huttonsolar.com and use the find a dealer/installer feature on the home page. Let Hutton Solar work for you.

huttonsolar.com
The true leader in solar products distribution



ELECTRO AUTOMOTIVE

Electric Car Conversions Since 1979

Books ⚡ Videos ⚡ Kits ⚡ Components

- ⚡ **Catalog** Send \$6.00 for our catalog, or visit our web site.
- ⚡ **"Convert It"** We wrote the book on electric car conversions - literally! Send \$30.00 postage paid for this hands-on how-to conversion manual, written in plain English for the home hobbyist mechanic.
- ⚡ **Conversion Kits** Complete custom bolt-in kits for the VW Rabbit and Porsche 914, or a universal kit for other small cars and light trucks.
- ⚡ **Web Site** Visit our web site for our complete catalog, price list, gallery of conversions, and extensive conversion information section.

P.O Box 1113-HP, Felton, CA 95018-1113 ⚡ 831-429-1989
WWW.ELECTROAUTO.COM ⚡ ELECTRO@CRUZIO.COM

The 2004 Toyota Prius

Allen Patterson

©2004 Allen Patterson



Inside the Prius—driver's view of the dash.


A redesigned mid-sized enviro-car is on the block—the 2004 Toyota Prius. The Prius has become very popular with people concerned with the environment. This is due in some part to the environmental impact of emissions, increasing fuel prices, potential gas shortages, and our dependence on foreign sources of fuel. The engineering crowd likes it for its design and technical excellence, and the wealthy and famous have embraced the Toyota Prius as well.

This new vehicle is the first to employ Toyota's hybrid synergy drive, a third generation, electric-gas, hybrid powertrain technology. Both the gasoline engine (76 hp) and the electric motor (67 hp) produce more power than previous versions (70 hp and 44 hp). It can accelerate from 0-60 mph (0-97 kph) in about 10 seconds compared to 12.7 seconds for the previous model (see reviews in *HP83* and *HP85*). For people worried about battery life, Toyota guarantees the batteries (201.6 VDC, 21 KWH) for eight years or 100,000 miles (160,000 km). The car has a suggested price of US\$19,995. It offers an EPA rating of 60 mpg (3.9 l/100 km) in the city and 51 mpg (4.6 l/100 km) on the highway, compared to 52 and 45 mpg (4.5 and 5.2 l/100 km) for previous versions.


Three Types of Hybrid Systems

Hybrid systems come in three major types. The versions described below are being used in the hybrid vehicles


Series Hybrid System



Parallel Hybrid System



Series/Parallel Hybrid System



currently on the market, although other configurations of these three types are possible.

Series Hybrid System

In a series hybrid system, the engine drives a generator. This generated electricity is used to charge the battery, as well as to power an electric motor to drive the wheels. Energy flows to the wheels in series—from the gas engine through the electric motor. A series hybrid system can run a small-output engine in the efficient operating range relatively steadily, generate and supply electricity to the electric motor, and efficiently charge the battery. This system is being used in the Coaster hybrid, which is marketed in Japan.



The Toyota Prius uses the series/parallel system for maximum efficiency and power.

Parallel Hybrid System

In a parallel hybrid system, both the engine and the electric system drive the wheels, and the drive power from these two sources can be used according to the operating conditions. This is called a parallel hybrid system because the energy flows to the wheels in parallel from either or both sources.

In this system, the battery is charged by switching the electric motor to act as a generator, and the electricity from the battery is used to drive the wheels. Although it has a simple structure, the parallel hybrid system cannot drive the wheels from the electric motor while simultaneously charging the battery, since the system has only one motor. This system is used in the Honda hybrids—Insight and Civic.

Series/Parallel System

A series/parallel hybrid combines the series hybrid system with the parallel hybrid system to maximize the benefits of both systems. Depending on the driving


conditions, it uses only the electric motor or the driving power from both the electric motor and the engine, to achieve the highest efficiency level. When necessary, the system drives the wheels while simultaneously generating electricity using a generator. This is the system used in the Estima hybrid, which is marketed in Japan, and in the Prius.

Engine & Motor Operation

Since a series hybrid uses its engine to generate electricity for the motor to drive the wheels, the engine and motor do about the same amount of work. A parallel hybrid uses the engine as the main energy source, with the motor used only to provide assistance during acceleration. Therefore, the engine is used more than the motor.

In a series/parallel hybrid (such as the Prius), a power splitting device divides the power from the engine, so

Relationship of Engine & Motor Operation in Hybrid Systems



the ratio of power going directly to the wheels and to the generator is continuously variable. Since the motor can be run on the electricity as it is generated, the motor is used more than in a parallel system.


Characteristics of Hybrid Systems

Hybrid systems possess the following four characteristics:

Energy-loss reduction. The system automatically stops the idling of the engine, reducing energy waste. It's like a portable computer managed by an energy conservation system that shuts down the microprocessor between keystrokes, shuts down all drives when they are not needed, and keeps the display at only the brightness needed, saving energy incrementally whenever possible.

Energy recovery and reuse. Some energy that normally would be wasted as heat during deceleration and braking is recovered as electrical energy, which is then used to power the starter and the electric motor.

Engine & Motor Cross Section



Under the Prius hood.

Motor assist. The electric motor assists the engine during acceleration.

High-efficiency operation control. The system maximizes the vehicle's overall efficiency by using the electric motor to run the vehicle under operating conditions in which the engine's efficiency is low, and by generating electricity under operating conditions in which the engine's efficiency is high.

The series/parallel hybrid system has all of these characteristics, so it provides both superior fuel efficiency and driving performance.


Objectives & System Configuration

Toyota's objectives in the development of the Prius' drive system were compatibility of environmental concerns and performance, pursuit of the highest fuel efficiency possible, and providing an innovative hybrid vehicle driving experience.

The system consists of two kinds of motive energy sources—a high-efficiency gasoline engine, as well as a permanent magnet, AC, synchronous motor with 1.5 times more output than the original Prius motor, a generator, high-performance, nickel-metal hydride (NiMH) battery pack, and a power control unit. Other key components include a power splitting device, which transmits the mechanical motive forces from the engine, the motor, and the generator by allocating and combining them.

System Operation & Control

The system control maintains the vehicle at its maximum operating efficiency by managing the energy used by the entire vehicle. This includes the energy for moving the vehicle as well as the energy used for auxiliary devices, such as the air conditioner, heaters, headlights, and navigation systems. The system monitors the requirements and operating states of hybrid system components. These include the engine, the generator, the motor, and the battery. It also receives braking information being sent via the vehicle's control network, as well as instructions from the driver, such as throttle opening and shift lever position.



The Prius energy monitor emphasizes efficiency.

The optional vehicle stability control restores traction when wheel slippage on a snowy road is detected, for example, and informs the driver of the slipping situation. The basic requirement for safe vehicle operation is firm traction between the tires and the road surface. Motor traction control helps the driver maintain this state.

Another feature is uphill assist control, a driver assist function that is unique to the Prius. It prevents the vehicle from sliding downward when the brake is released during startup on a steep slope. Because the motor has a highly sensitive revolution sensor, it senses the angle of the slope and the vehicle's descent, and ensures safety by increasing the motor's torque.

Power Supply & Control

The power control unit uses a new technology that increases the voltage of the motor and the generator from 274 VDC in the previous version to a maximum of 500 VDC. As a result, electricity can be supplied to the motor using lower current, contributing to an increase in efficiency. Doubling the voltage reduces the current by half, and reduces electrical distribution losses to one-quarter by comparison, resulting in higher efficiency.

The power control unit contains an inverter that converts the DC from the battery into AC for driving the motor, and a DC-to-DC converter for conversion to 12 V. The high voltage power circuit mentioned earlier also makes it possible to reduce the size of the inverter. Because the control circuits have been integrated, the size of the power control unit itself has remained almost the same size as in the earlier Prius.

A semiconductor switching device (based on IGBTs; insulated gate bipolar transistors) boosts the voltage from the battery and converts the boosted DC electricity into AC electricity for driving the motor. Since the current that

must be switched is large, minimizing heat generated is important. Toyota developed a unique transistor finely tuned down to the crystal level. This device is 20 percent smaller than the device used in the earlier Prius, and has achieved low heat generation and high efficiency.

Hybrid Battery & Regenerative Braking System

In the new Prius, further enhancements were made to the compact, high-performance NiMH battery. The internal resistance was reduced by improving the electrode material and by using an entirely new connection structure between cells.

The new battery's energy density (output per unit of weight) is 35 percent better than the previous world record for a battery. To maintain a constant charge, the battery is discharged or receives charging energy from the generator and the motor, so it does not require external charging, as do electric vehicles.


During engine braking and braking using the foot brake, a regenerative braking system operates the electric motor as a generator, converting the vehicle's kinetic energy into electrical energy, which is used to charge the battery. The system is particularly effective in recovering energy during city driving, where the driving patterns of repeated acceleration and deceleration are common.

When the foot brake is being used, the electronically controlled braking system (ECB) for the Toyota Hybrid System II coordinates between the hydraulic brake and the regenerative brake. It preferentially uses the regenerative brake, recovering energy even at low vehicle speeds. This increases overall efficiency and, thus, fuel economy.

Improved Regenerative Braking

Toyota Hybrid System I

Toyota Hybrid System II



Hybrid Transmission

The hybrid transmission consists of the power splitting device, the generator, the electric motor, the reduction gears, etc. The output from the engine is split into two by the power splitting device. One of the output shafts is connected to the motor and the wheels, and the other is connected to the generator. In this way, the motive power from the engine is transmitted through two routes—a mechanical route and an electrical route.

The electronically controlled, continuously variable transmission can change speed while continuously varying the rpm of the engine and the rpm of the generator and the electric motor (in relation to vehicle speed).

By reducing the friction loss in the drive system and transmission, more of the energy that used to be lost during acceleration is now sent to the wheels, significantly increasing the vehicle's overall efficiency.

A Pleasure to Drive

What's it like to own and drive? Before I bought my Prius, I drove a large, 4,000 pound (1,800 kg) car with 295 horsepower. So I had some trepidation about switching to a smaller vehicle. The adjustment was actually swift and pleasing, and I felt like I was driving a precision piece of machinery. The Prius is a pleasure to drive, and with the side curtain air bags, I feel enveloped in safety. I do have to discipline myself to not get distracted by the energy display—it's enticing to watch it, which takes my eyes off the road. The noise level is higher than a Lexus, but I have

no trouble having a conversation while driving along at 70 mph (113 kph).

I had expected to feel the switching back and forth between the engine and electric motor, but it is seamless. The only way you know it is happening is to see it displayed on the energy monitor. I understand that this is an improvement over the previous Prius models. It is especially satisfying to see the battery charge every time you release the accelerator.

The acceleration is better than I had expected, and I have plenty of steep hills to climb where I live. When you start up, you are strictly on the electric motor unless you shove the pedal to the metal, which will force both the electric motor and the engine into action. I get requests for rides all the time because the car is especially popular in the times we live in. I have also been offered more than I paid for it, but it is not for sale.

Access

Allen Patterson, KC7SYR, 4957 Lakemont Blvd. SE Suite C-4, Bellevue, WA 98006 • allenp@cryptosafe.com

Toyota Motor Sales, U.S.A., Torrance, CA • 800-468-6968 • www.toyota.com • Prius: www.toyota.com/vehicles/2004/prius/ • Environmental technology: www.toyota.co.jp/en/tech/environment/

Prius discussion list • <http://autos.groups.yahoo.com/group/toyota-prius>



Solar Village Institute Incorporated
336.376.9530
www.solarvillage.com
chris@solarvillage.com

We design, install & support our professional-quality Solar, Wind hybrid power systems. From North Carolina to Alaska.

Xantrex certified dealer.

Living off the grid in Saxapahaw, NC since 1992.

Call us

ELECTRIC GORILLA

Clean
Silent
Powerful

- Farm / Ranch / Parks
- Towing-Hauling-Work
- Stealth Security Patrols
- Getting Around **FUN**

FREE SOLAR CHARGE PORT for HOME POWER Subscribers

650 lb load, 4000 lb. tow
No exhaust or heat
Knobby or road tires
24 and 36 volt versions
13 to 20 Mph top speeds
Built-in 110-volt charger

New Colors for 2004 Proudly Made in the U.S.A.

5672 Littler Drive, Huntington Beach, CA 92649 USA
info@GorillaVehicles.com (714) 377-7776

See our website, or call for a brochure package.

www.GorillaVehicles.com

Back Issues on CD-ROM



Solar9: Issues #95-100 (June '03-May '04)

Home Power's newest CD-ROM features our milestone 100th issue! Includes spreadsheets for load analysis and wire sizing; U.S. solar and wind resource data; our new renewable energy glossary; and more.

Solar8: Issues #89-94 (June '02-May '03)

Features enhanced navigation. Includes spreadsheets for load analysis, wire sizing, and the Energy Master for system design; 30 years of solar insolation data & wind data for 900 sites in the U.S.; manuals and spec sheets of popular RE equipment; and much more.

Solar7: Issues #83-88 (June '01-May '02)

Includes spreadsheets for load analysis, wire sizing, and the Energy Master for system design; classic basic articles from the HP archives; 30 years of solar insolation data & wind data for 900 sites in the U.S.; bonus video clips in QuickTime video format; and much more.

Solar6: Issues #77-82 (June '00-May '01)

Includes spreadsheets and tools for system design; classic basics articles from our archives; solar insolation & wind data; and much more. **PLUS, a second CD** featuring the *Energy Pathways* video on the basics of renewable energy.

Solar5: Issues #71-76 (June '99-May '00)

Over 1,400 pages of *Home Power*; guerrilla solar video clip; five hours of audio lectures (MREF '99) on batteries, inverters, ram pumps, etc.; spreadsheets for load analysis, wire sizing, and system design; 30 years of solar insolation data; and much more.

Solar4: Issues #61-70 (October '97-May '99)

Over 1,200 pages of *Home Power*; three hours of audio lecture (MREF '98) on batteries, inverters, and RE system Q&A; video clips from the "RE with the Experts" series; spreadsheets for load analysis, wire sizing, and system design; and much more.

Solar3: Issues #43-60 (October '94-September '97)

Over 2,000 pages of *Home Power*; Two hours of audio lecture on batteries and inverters (MREF '97); spreadsheets for load analysis, wire sizing, and system design; an interactive tour of the original *Home Power* facilities; and much more.

Solar2: Issues #1-42 (November '87-September '94)

Contains over 3,900 pages of *Home Power*. Navigate easily among the gems of HP's roots, and reconnect with the original authors and timeless features that established the unrivaled "Hands-on Journal of Home-Made Power."

Solar1: Renewable Energy Basics

15 years of *Home Power* "Basics" articles in one CD-ROM. Organized into 15 topical categories, there's no better resource for those just starting out. See www.homepower.com for a complete table of contents.

The New Strawbale Home

By Catherine Wanek

Reviewed by Rachel Ware & Laurie Stone

©2004 Rachel Ware & Laurie Stone

A home purchase may be the largest investment you ever make, both financially and emotionally. Building, buying, remodeling, decorating, and improving houses have become the all-consuming livelihood and pastime of millions of people. Houses are also what consume 40 percent of all natural resources and produce more than 20 percent of total U.S. carbon dioxide emissions. In our quest to house our growing population, our homes have become what David Eisenberg calls “resource sinks and waste generators.”

However, there is a growing consciousness in the home building community. An attentive audience of designers, builders, and homeowners are looking to create homes that manifest dreams, beauty, and environmental awareness. People are expressing themselves not just with the objects put in, around, and on their homes, but with the actual walls themselves.

In *The New Strawbale Home*, author and photographer Catherine Wanek has skillfully captured this growing consciousness. Straw bale building began out of necessity in the treeless landscapes of Nebraska. A century later, straw bale construction is now entering the mainstream. Proponents of straw bale construction point to the low embodied energy, high R-values, and user-friendliness of the material.

Those who have been inside a straw bale building can also attest to the comfort, beauty, and calmness the walls can invoke. However, this book is not just for the converted strawbaler. It is for everyone from the skeptic to the designer, builder, or homeowner who wants to create homes that are comfortable, beautiful, and resource efficient.

It is much more than a coffee table book with pretty pictures. This book is appropriate for a broad audience. If you pick up the book with a skeptic’s eye, you’ll first be won over with the photos—“A straw bale home can look

like that?!” People will open the book to a random page, surprise themselves, and then start over from the beginning and not miss a page. For those who envision a straw bale home in their future, the photography will leave you yearning for a time when you can build a home that will exemplify the same warmth and dignity as the homes presented.

The book is also a great resource for those in the design phase. Forty homes are featured, complete with floor plans, climate considerations, and design details. All types of homes are highlighted, from a 450 square foot cottage in sunny California to a 2,000 square foot urban home in downtown Montreal, to a post-and-beam home in the rainforest of the Pacific Northwest. Any designer or owner-builder will find great practical advice from the lessons learned, inspiration, and ideas in this well-organized book.


The New Strawbale Home is also an invaluable resource for sustainable building advocates, educators, and do-it-yourselfers. That’s why you

should keep a copy on the coffee table, right next to the latest issue of *Home Power*!

Access

The New Strawbale Home, Catherine Wanek, 2003, Hardback, 188 pages, ISBN: 1-58685-203-5, Gibbs Smith, Publisher, US\$39.95 from Black Range Films & Natural Building Resources, 119 Main St., Kingston, NM 88042 • 505-895-3389 • Fax: 505-895-3326 • blackrange@zianet.com • www.strawbalecentral.com • Books & videos about natural building

Rachel Ware & Laurie Stone, Solar Energy International, PO Box 715, Carbondale, CO 81623 • 970-963-8855 • Fax: 970-963-8866 • rachel@solarenergy.org • laurie@solarenergy.org • www.solarenergy.org



Butler Sun Solutions

Since 2003

"Dedicated to conserving the earth's energy and water resources."

SOLAR ASSISTED HOT WATER

Closed Loop Antifreeze System


Single Pump

Simple Installation

40 Sq. Ft. Collector Area

Kits Including Anti-Scald

Valve & PV Pump from \$2,500



Double walled heat exchanger screws into your hot water tank & heats tank via natural convection

***Patents Pending**

858-259-8895 www.butlersunsolutions.com

Searching for a Canadian renewable energy company?

ENERGY ALTERNATIVES has provided thousands of reliable, long lasting and expandable power systems in some of the most remote areas of Canada during our **21 YEARS OF OPERATION.**



Choose from our **DIY packaged systems** or **turn-key professional installation.**

DEALERS WANTED Energy Alternatives offers a comprehensive dealer training program, fast delivery, excellent pricing and superior technical support.



BC Electrical contractor
86683

FREE Buyers Guide (for Canadian customers)



www.EnergyAlternatives.ca

TOLL FREE (800)265-8898



Saturday August 14th 2004 at the Fairplex in Pomona. The Expo starts at 9:00 AM and ends at 5:00 PM. Please call 888-647-6527 for additional information. Or visit: [Http://www.socalenergyexpo.com](http://www.socalenergyexpo.com)

Manufacturers, Dealers, Installers

The 2004 Southern California Renewable Energy Expo

The Greatest Renewable Energy Show On Earth !

is currently offering early bird registration savings !

Register now for the 2004 Expo and not only will you be able to pick from the premium booths at the Expo but you'll also receive \$100.00 off our already low registration fee. Hurry this is a limited time offer !

2002 Expo - "What a great fair this is. We we're deluged with attendees all day long, and the people in the Los Angeles area were obviously hungry for this information"

Michael Welch - Home Power Magazine

1-888-647-6527

Hosted by Solatron Technologies Inc.

PV Array Grounding

John Wiles

Sponsored by the Photovoltaic Systems Assistance Center, Sandia National Laboratories

Nearly all electrical systems in the United States are solidly grounded to limit and stabilize the voltage to ground during normal operation, and to prevent excessive voltages due to lightning, line surges, or unintentional contact with higher voltage lines. The grounding requirements in the *NEC* have been developed through the school of hard knocks. For a detailed history on the arguments for and against grounding, see the International Association of Electrical Inspectors (IAEI) *Soares Book on Grounding*.

PV systems need to be grounded just like other electrical systems. PV arrays are usually mounted away from tall objects that could shade the array. In these exposed locations, PV arrays with metal module frames, metal mounting racks, and conductors connected to grounded electrical systems (for utility-interactive systems) are subject not only to induced electrical surges, but to possible direct lightning strikes.

With the increasing numbers of utility-interactive PV installations in urban environments, PV systems are being located in close proximity to high voltage transmission lines. In the event of high winds, earthquakes, or accidents, there is a remote possibility that high voltage lines may come into contact with PV arrays. In dry climates, high winds can build up high static electric voltages on large PV arrays. Utility-interactive PV systems are subject to the same line surges that affect other line-connected devices.

Necessary But Difficult

Grounding PV modules to reduce or eliminate shock and fire hazards is necessary, but can be difficult. Systems typically use copper conductors for electrical connections, and the module frames are generally aluminum. Copper and aluminum don't mix, as was discovered in numerous fires in houses wired with aluminum wiring in the 1970s.

Most PV modules have a mill finish, some are clear coated, and some are anodized for color. Mill finish aluminum and any aluminum surface that is scratched oxidize quickly. This oxidation and any clear coat or anodizing form an insulating surface that makes it difficult to achieve long lasting, low-resistance electrical connections (such as frame grounding). The oxidation/anodizing is not enough of an insulator to prevent electrical shocks, but it is enough to make good electrical connections difficult.

Underwriters Laboratories (UL), which tests and lists all PV modules sold in the U.S., requires very strong mechanical


connections between the various pieces of the module frame to ensure that these frame pieces remain mechanically and electrically connected over the life of the module. These low-resistance connections are required because a failure of the insulating materials in the module could allow the frame to become energized at up to 600 volts (depending on the system design). The *National Electrical Code (NEC)* requires that any exposed metal surface be grounded if it could be energized.

Code Requirement

The installer of a PV system is required to ground each module frame. The *NEC* and UL Standard 1703 require that the module frame be grounded at the point where a designated grounding provision has been made. The connection must be made with the hardware provided and using the instructions supplied by the module manufacturer.

The designated point marked on the module must be used, since this is the only point tested and evaluated by UL for use as a long-term grounding point. UL has established that using other points, such as the module structural mounting holes, coupled with typical field installation techniques do not result in low-resistance, durable connections to aluminum module frames for the long term. If each and every possible combination of nut, bolt, lock washer, and star washer could be evaluated for electrical properties and installation torque requirements *and* the installers would all use these components and install them according to the torque requirements, it might be possible to use the structural mounting holes for grounding.

An Ilco GBL-4DBT lug is attached to the module frame with a 10-32, thread-forming, stainless steel screw.



Most U.S. PV module manufacturers are providing acceptable grounding hardware and instructions. Japanese module manufacturers are frequently providing less-than-adequate hardware and unclear instructions. Future revisions of UL 1703 should address these issues. BP Solar is to be congratulated for getting their module listing to include making new grounding points at other locations than the marked points.

Grounding Hardware Option

In the meantime, installers have to struggle with the existing hardware and instructions, even when they are poor. The Southwest Technology Development Institute has identified suitable grounding hardware, and provides that information when installers ask about grounding—a frequent topic. For modules that have been supplied with inadequate or unusable hardware or no hardware at all, here is a way to meet the intent of the *NEC* and UL Standard 1703.

When mechanical protection is necessary or the magnitude of the short-circuit current requires it, conductors larger than #10 (5 mm²) may be required. A 10-32, thread-forming, stainless steel screw can be used to attach an IlSCO GBL-4DBT lug to the module frame at or adjacent to the point marked for grounding. A #19 drill bit is required to make the proper size hole for the 10-32 screw. The 10-32 screw is required so that at least two threads are cut into the aluminum (a general UL requirement for connections of this kind). The thread-forming screw is required so that an airtight, oxygen-free mating is assured between the screw and the frame to prevent the aluminum from reoxidizing.

It is not acceptable to use the hex-head green grounding screws (even when they have 10-32 threads) because they are not listed for outdoor exposure and will corrode eventually. The same can be said for other screws, lugs, and terminals that have not been listed for outdoor applications. Hex-head stainless steel “tech” screws and sheet metal screws do not have sufficiently fine threads to make the necessary low-resistance, mechanically durable connection. The only thread-forming, 10-32 stainless steel screws that have been identified so far have Phillips heads.

The IlSCO GBL-4DBT is a lay-in lug (see photo at left) made of solid copper, which is then tin-plated. It has a stainless steel screw to hold the wire. The lug accepts a #14 (2 mm²) to #4 (21 mm²) copper conductor. It is listed for direct burial (DB) and outdoor use and can be attached to aluminum structures (the tin plate). The much cheaper IlSCO GBL-4 lug looks identical, but is tin-plated aluminum, has a plated screw, and is not listed for outdoor use. I have not been able to identify an alternative to the GBL-4DBT, but continue to search.

If the module grounding is to be done with a #14 through #10 conductor, the IlSCO lug is not needed. In that case, two, number 10, stainless steel, flat washers can be used on the 10-32 screw, and the copper wire can be wrapped around the screw between the two flat washers that isolate the copper conductor from the aluminum module frame.

Yes, we would all like to use the module mounting structure for grounding. The *NEC* allows metal structures

The right parts used improperly—copper wire in contact with an aluminum module frame is a recipe for corrosion.



to be used for grounding and even allows the paint or other covering to be scraped away to ensure a good electrical contact. We see numerous types of electrical equipment grounded with sheet metal screws and star washers. This works on common metals like steel, but not on aluminum, due to the oxidation.

Unfortunately, many PV systems are being grounded improperly, even when the proper hardware has been supplied. The photo above shows that even the proper hardware can be misused. Here, the stainless steel isolation washer has been installed in the wrong sequence, and the copper grounding wire is being pushed against the aluminum frame, a condition sure to cause corrosion and loss of electrical contact in the future.

Access

John C. Wiles, Southwest Technology Development Institute (SWTDI), New Mexico State University, Box 30,001/MSC 3 SOLAR, Las Cruces, NM 88003 • 505-646-6105 • Fax: 505-646-3841 • jwiles@nmsu.edu • www.nmsu.edu/~tdi

Sponsor: Sandia National Laboratories, Ward Bower, Department 6218, MS 0753, Albuquerque, NM 87185 • 505-844-5206 • Fax: 505-844-6541 • wibower@sandia.gov • www.sandia.gov/pv


IAEI *Soares Book on Grounding*, 8th Edition, paper, 384 pages, 1-890659-27-4, US\$44.25 from International Association of Electrical Inspectors, 901 Waterfall Way Suite 602, Richardson, TX 75080 • 972-235-1455 • Fax: 972-235-6858 • customerservice@iaei.org • www.iaei.org

IlSCO Corporation, 4730 Madison Rd., Cincinnati, OH 45227 • 800-776-9775 or 513-533-6200 • Fax: 513-533-6274 • sales@ilsco.com • www.ilsco.com • Grounding lugs

The 2002 *NEC* and the *NEC Handbook* are available from the National Fire Protection Association (NFPA), 11 Tracy Dr., Avon, MA 02322 • 800-344-3555 or 508-895-8300 • Fax: 800-593-6372 or 508-895-8301 • custserv@nfp.org • www.nfpa.org



**Join Home Power at the
Texas Renewable Energy Roundup
& Green Living Fair**



Sept. 24 - 26, 2004

downtown Fredericksburg, TX

**speakers, workshops,
demonstrations,
products for sale, family activities,
alternative vehicles to drive,
natural food**

toll free 877-3ROUNDUP

**for complete information
and sponsor, speaker
& exhibitor applications**

www.TheROUNDUP.org



AUTOMAGIC BATTERY WATERING



WE MAKE WATER FROM YOUR GAS

Hydrogen and oxygen battery gas catalytically recombined into pure water and returned to each battery cell. Keeps battery topped off for extended periods of time and reduces maintenance costs. Explosive hydrogen gas is virtually eliminated from the battery area. Corrosive spray and fumes are contained and washed back into each battery cell. Electrolyte kept strong longer, extending the useful power and life of the battery. HYDROCAP Vents simply replace the battery's caps. Battery maintenance is greatly reduced. Write or call for more information.



Things that Work!

Hydrocap
CATALYST BATTERY CAPS®

305-696-2504
975 NW 95 St.
Miami, FL 33150



- A diverse line of quality trackers for: Grid-Intertie, Commercial Applications, Remote Homes and Water Pumping.
- Trackers from 150 W to 15 kW.
- Complete pre-engineered TrackKits™ available.
- Patented technology.
- 15 years of solar tracking experience.

Array Technologies, Inc

505-881-7567

www.wattsun.com



Cyclone

- * durable
- * heavy
- * innovative design
- * seriously underated

Available sizes
200 watt - 10 kw

Everyone loves our curves

Visit our websites for more info on:



SUN solar panels

Sunami
water turbines

SUN comfort
solar water heaters

USA:
www.windturbine-1.com phone # 724-452-0326

Canada:
www.windturbine.ca toll free: 1-866-778-5069


"The True Sinewave Harvester is the nicest, all in one PV charging station I've had my hands on."
- Joe Schwartz, HOME POWER Magazine

THE HARVESTER™


Solar Electric Generator



MANY NEW FEATURES!



New Ground Mount PV
Up to 225 Watts
-compatible with mobile




New Harvest-Store™
Data Logging System
-current, voltage, sun, temp.



New Water Purification System
-up to 3000 Liters per day!

SolarOne™ Solutions

Check out our **New** Website!
www.solarone.net
Toll Free: 877.527.6461



You Say You Want a Revolution? We'll Show You How.

**Solar Lifestyle:
An Introduction to RE**
September 11
Janesville, WI

**TUT
Wind Installation**
September 19-25
Custer, WI

**Basic PV/PV
Site Auditor Training**
October 16-17
Custer, WI

**Wind Site
Assessor Training**
November 16-19
Custer, WI







We all want to change the world. Call or click for more information.

Midwest Renewable Energy Association 7558 Deer Road Custer, WI 54423 phone (715) 592-6595 fax (715) 592-6596 info@the-mrea.org www.the-mrea.org

The Grid of the Future

Don Loweburg

©2004 Don Loweburg

In *IPP* in *HP99*, I wrote about the connection between electricity trading and recent grid failures. Michael Golay, professor of physics at Massachusetts Institute of Technology echoes one of the column's conclusions when he states in a recent study:

We have a highly complex, poorly designed and controlled macroeconomic experiment (deregulation) being performed using an electric power system in ways for which it was not designed (electricity trading).

My column closed with a quote by David Morris from his article "Blackout: Repeating Energy History."

We need to adopt a bottom-up approach. We need to establish rules that will channel entrepreneurial energy, investment capital, and scientific genius toward building a two-way electricity system, one in which millions of households and businesses become producers as well as consumers. We need to develop the rules that will enable and encourage a distributed, decentralized, democratic electricity system.

What could the electricity system of the future look like? How could it be different from the grid we have today?

A Work in Progress

First, we should keep in mind that the grid we see today was not designed at one time, but rather, it grew ad hoc. It has always been somewhat of a patched together network of wires connecting users to centrally located, large generating facilities. The term "transmission" is applied to those wires that carry high power, high voltage electricity from those large, central generating sources to switching yards close to metropolitan areas.

The wires that carry electricity from the switching yards to the users are termed "distribution." In more recent years, lateral interconnections between utility systems, usually at the transmission level, have been built. The intended purpose of these interconnections was to increase system reliability by allowing utilities to share electricity as needed. These "bridges" worked well until recently, when electricity trading began stressing the grid. A consequence of that kind of stress was the blackout on the East Coast of the United States in August 2003.

Certainly the physical structure of the grid is important, and it will be adapted as needed in the future. But it is the behavior of users, producers, and marketers that impact the performance of the grid the most. The grid of the future will be fundamentally different than today's grid, not

just because of technical advances (there will be many), but primarily because the relationship between users and producers will change. These relationship changes will be driven by the availability of new technology, such as on-site PV and other distributed resources.

Like Other Networks

We might compare the electricity network to another pervasive network, the Internet. The grid consists of nodes, connections between nodes, and of course the rules and protocols that determine the relationship between the nodes. The traditional electricity grid is very simple. It consists, for the most part, of passive users and active producers. It's a one-way connection.

Contrast the electricity network to the information network available on any continent. A PC or local network can connect, using the Internet, to any other node in the world. The information flow is two-way and access is open. The information network is peer to peer.

The electricity network of the future will have strong peer-to-peer elements. The end user, rather than being a passive customer, will be adaptive and interactive. The end user may have any number of distributed resources available. These might include things like on-site PV generation, battery storage, flywheel storage, fuel cells, engine generators, smart house technology, and smart appliances accessible via the Internet.

Much of this is already here! Hospitals, factories, data centers, homes, and businesses use these technologies. Utility customers have chosen these options to either control energy costs or to increase reliability. These distributed resources used at the point of load require no modification of the grid. The wires of the future grid may be the same wires that we have today. The real shift from old grid to new grid will be the relationship between the users and the network provider.

RE Drives Change

The end user might be considered the last node in the distribution-transmission network. From this perspective, the existing, large, central generating plants form the foundation or base node of the distribution network. These base load plants will continue to be a fundamental element in the electricity system. But over time, we can expect the rate of growth of these base load plants to decrease, and distributed generation to increase.

Extending the distribution-transmission model to include other generation, we can identify smaller plants downstream from the base load plants. Often called merchant plants, these facilities include peaking plants, usually gas fired, and renewable generation, such as wind farms.

From a physical perspective, the grid of the future will be much like the old grid. However, superimposed on the framework of the transmission-distribution system will be elements of storage and renewable generation. The most radical changes will be at the points of use. Distributed resources applied here will have the most impact and highest value. Ultimately, it will be the availability of distributed energy technology that drives the relationship changes mentioned earlier.

The relationship between the utility and customer will shift in ways that allow the customer to be more in control. The customer will become more interactive. For example, the customer might curtail load in response to price spikes or another customer-generator may choose to sell stored electricity during these price spikes. Interactions such as these require real-time price signals from the utility (most likely delivered over the Internet) on which the customer can act. The relationship here is more like a partnership, with the utility and customer both acting in their own best interest for the common good.

Utilities can build positive customer relationships by easing interconnection restraints, supporting net metering, and dropping exit fees and departing load fees that punish on-site renewable generation. The ratepayer must be treated like a customer rather than like a captive cash cow.

The grid of the future will really be the combination of two grids. One is the electricity distribution network discussed above, and the other the Internet or another information network. With the energy network coupled to the information network, distributed energy technologies that transform ratepayers into customer-generators will change the relationships between the utilities and their customers.

Access

Don Loweberg, IPP, PO Box 231, North Fork, CA 93643 • 559-877-7080 • i2p@aol.com • www.i2p.org

Dr. Michael W. Golay, Charles River Research Corporation, 308 Commonwealth Ave., Boston, MA 02115 • 617-253-5824 • golay@mit.edu • Studies and white papers about the grid



KTA SERVICES INC.

Electric Vehicle Components & Systems Since 1984

Components, Conversion Kits, Publications, Videos, & Engineering Design Services for the EV Hobbyist & Manufacturer

We stock and sell the largest variety of the very best.

Components & Publications Catalog.....\$5.00

944 West 21st Street, Upland, CA 91784 USA

Tel: (909) 949-7914 • FAX: (909) 949-7916 • Web: www.kta-ev.com

If You're Concerned About the **Future of Our Planet...**

You Should be Reading...
E/The Environmental Magazine

Visit Us on the Web:
www.emagazine.com

Independent Energy Systems

Our 19th Year Offgrid!
We provide excellent service & technical support.
Residential Power • Water Systems • Communications
Wind • PV • Hydro • Custom Design • Installation
All Major Brands • Mail Order Catalog Available

California Rebates!

OFF LINE
Located in the central Sierra, near Yosemite

e-mail: ofln@aol.com
www.psnw.com/~ofln
P.O. Box 231, North Fork, CA 93643
(559) 877-7080
CA Lic. #661052

KYOCERA
KYOCERA SOLAR, INC.
MEMBER

U.S. PV Module Shortage

Michael Welch

©2004 Michael Welch

The latest rumor: sometime this summer, the U.S. supply of photovoltaic modules will not be able to meet demand. Is it true? If so, what is behind this situation? Is this a good thing, or is it bad?

Some major PV manufacturers have let their distributors know that PV modules may soon be hard to come by. As of mid-May, according to some renewable energy (RE) dealers, there is a two to three month wait for modules, even for long-standing dealers with preferred status.

It is true that a couple of U.S. PV manufacturing facilities have been closed in recent years. But those have been more than made up for by other manufacturers bringing new facilities on-line or increasing production at their old ones, and by new foreign facilities. That means that something else must be driving the shortage.

Demand on the Increase

Demand for PV modules and balance of system equipment has been on the increase in the U.S., so that can explain at least some of the shortage. This demand has been partly driven by a general increase in awareness by the public. We are seeing more and more articles in local papers about RE homes in our communities, and that helps a lot. So does news about steady increases in utility-scale RE projects, especially big wind.

But what has increased U.S. demand the most are the incentives that many states are putting in place to encourage homeowners to install rooftop PV and backyard wind generators. Several states offer incredible cash incentives, up to half of the total system costs. (A handful of smaller programs in the U.S. have incentives that will end up paying more than the system costs, but these programs are rare enough to not have a big influence on U.S. demand.) But are these incentives enough to cause a shortage?

There really isn't too much that the major PV manufacturers could not predict and be prepared for. Demand projections are based on closely watched trends, and trying to predict with some certainty what the various state and federal incentives will be. State incentives are the biggest factor in increased U.S. demand, though there is also the general trend of more folks being interested in having a PV system.

But incentives usually take quite a while to put into place, making them predictable, so PV manufacturers can more reliably work to increase production in advance of the demand. Further, seasonal demand switches between

the southern and northern hemispheres, which helps in allocating manufacturing resources where they are needed the most each season.

Rate-Based Incentives

So, if increases in U.S. demand should be able to be met predictably by increasing manufacturing for U.S. markets, what exactly is causing the demand to outstrip the supply?

The answer is that the German government has recently recommitted to and improved old programs that offer large rate-based incentives for installing grid-tied, rooftop, solar-electric systems (see *HP45 Power Politics* for more info and a call to action for rate-based incentives). As of this writing, they are paying 57.4 Eurocents (US\$0.70) per KWH for solar electricity! The payments are promised for 20 years and decrease at a rate of 5 percent each year.

Here is an example of how big this subsidy really is. Take a 1 KW PV system on a moderate solar site, making 1,500 KWH per year. Our German friends would be paid back more than US\$1,000 the first year, and payments over the full twenty years will total more than US\$12,800. If you add in the savings on their utility bills, it totals almost US\$15,000 into the pocket of the homeowner, for a system that costs less than US\$10,000.

That is some real money. With the German government behind these programs and guaranteeing the payments, loan companies are setting customers up with low-interest loans (under 2% APR for 10 years) for installation costs, which run about the same as in the U.S. As of 2002, KfW Bank Group, a quasi-governmental lender that works for the public good, has made more than €1 billion in loans for systems with a minimum peak size of 1 KW.

The Germans are serious about global warming and cutting dependence on fossil fuels. They also are sick and tired of nuclear energy, which has been a mainstay of their electrical system for a long time. Their Green Party is very influential, and energy and the environment are among the key platforms of the party. Despite a modest solar resource in much of Europe, the German demand for solar-electric panels is outstripping their supply, and beginning to affect supplies elsewhere, including the U.S.

Any Left for Us?

Reports are that German dealers and distributors have already gotten commitments for all the modules that they

can get from the major manufacturers, and are now making cold calls to U.S. distributors to get more—and offering premium prices, to boot. This not only adds to the U.S. scarcity, but it also could increase the price of modules in the U.S. And this may just be the beginning, as similar incentive programs and their accompanying low-interest loans get going in Italy and other European nations.

According to PV market researcher Solarbuzz.com, as of May 2004, U.S. prices have not increased yet. But some individual dealers are reporting that they have seen increases, and that some distributors are demanding payment up front from their dealers. These are both serious impediments to the U.S. solar-electric industry. After seeing prices decline for a long time, the May survey prices held steady compared to April, which may be indicative of the turn-around point in price trends that would be expected from diminished supply.

Many U.S. dealers are buying all the modules they can get their hands on. Dealers who sell systems right now may not be able to receive modules for those systems for three or more months, according to industry experts. Some manufacturers are preparing their customers for the worst, as more and more modules head to Europe. Other manufacturers are maintaining their commitment to the U.S. market, but no one is predicting that this problem will be corrected in the next few months.

In the manufacturers' viewpoint, the U.S. is small potatoes for PV installations. According to last year's statistics, Japan is the leader with 39 percent of the market, and Germany is next with 25 percent. The U.S. follows at 11 percent (other European nations total 9%, and the rest of the world totals 16%). The manufacturers need to satisfy their major markets first, and the U.S. and other countries in a similar boat won't see supplies go up until more PV manufacturing comes on line.

Good or Bad News?

So, is this shortage and its results a good thing, or is it a bad thing? From a U.S.-centric, short-term viewpoint, there is nothing good about it. Folks in the U.S. who are ready now for home-scale RE may have to wait a while, and you know how impatient we can be. Many RE dealers, except the best established and largest, will suffer cash crunches as their installation plans drag out, waiting for PV modules. Some less established dealers may have troubles surviving, or may need to take other jobs until things get better.

But taking the world perspective, even in the short term, it does not really matter where PVs get installed. In any country, grid-tied PV is going to quietly do its job of offsetting polluting, resource-intensive energy production technologies. So from that perspective, it's a wash—neither good nor bad.

From the long-term viewpoint, I see good coming from this. PV manufacturers are going to benefit financially as high demand drives the prices up. That means a higher profit margin for the solar-electric industry, which looks most excellent in the board rooms, and will result in more PV manufacturing capacity—we hope enough to satisfy

every country's demand for PV and enough to continue the decreasing price trends that we have seen for a long time.

Effective Incentives

In this increased demand, you see verification of the effectiveness of rate-based incentives, a concept introduced to *HP* readers ten years ago by Tom Jensen and Bob Johnson in *HP44*. It was pretty darn obvious to us then that the European style of PV incentives was going to be successful. Some of us tried to get these kinds of incentives implemented in California and other states that wanted to promote RE. But the utilities were fearful of competition from solar-electric systems, and the governments did not have the guts to stand up to the utilities on behalf of the rest of us.

It is hard to avoid drawing comparisons between what is happening in the smaller nations like Germany, Japan, and Italy and what is happening in the U.S. In those nations, there are strong commitments by their governments to make energy production from renewables a priority. In the U.S., we don't see this strong commitment.

The U.S. needs sound energy policy. We still have some excellent folks in Congress who are working hard to get an acceptable, if not good, energy bill. Let's keep plugging away at these things, folks. Maybe some day our little nation of 291 million of the richest, most resource-consuming people will begin to catch up with Japan (127 million) and Germany (82 million) in total number of annual installed PV systems.

Access

Michael Welch, c/o Redwood Alliance, PO Box 293, Arcata, CA 95518 • 707-822-7884 • michael.welch@homepower.com • www.redwoodalliance.org

KfW Bankengruppe, Palmengartenstrasse 5-9, 60325 Frankfurt am Main • +49-69-7431-0 • Fax: +49-69-7431-2944 • infocenter@kfw.de • www.KfW.de • German lender working in the public good

Deutsche Gesellschaft für Sonnenenergie e.V. (DGS), Augustenstr. 79, 80333 München, Germany • Fax: +49-89-5216-68 • info@dgs.de • www.dgs.de • German section of the International Solar Energy Society (ISES • www.ises.org)



sunelec.com

Liquidation Sale

**Inverters, Solar Panels, Wind Generators
305 536-9917**

Writing for *Home Power*

Home Power is an end-user's technical journal. We specialize in hands-on, practical information about small-scale renewable energy technologies, striving to present technical material in an easy-to-understand and easy-to-use format. Here are some guidelines for getting an article published in *Home Power*.

Informational Content

Write from your direct experience—*Home Power* is hands-on and how-to! Articles must be detailed enough that our readers can actually use the information. Name names, and provide us with actual numbers, product names, and sources. We like to keep the body of our system articles human-interest focused for newer, nontechnical readers. We include more technical system information in sidebars and tables.

Don't forget to tell readers "who" and "why"—the people and motivations are important parts of *HP* articles. Highlight what's different in your system from other *HP* articles, what you've learned, and how RE changed your life. Whenever possible, "show" rather than "tell." Instead of spending an extra hour (and 500 words) describing something in writing, devote that same hour to thoughtfully composing a photo, diagram, or illustration that accomplishes the same result. Visual aids like this go a long way toward making your article inviting to readers.

Have you submitted your article or a similar one for publication anywhere other than *Home Power*? If so, please let us know. *Home Power* only uses original, unpublished material. If you are writing about someone else's system or project, we require a written release from the owner before we can consider publishing the article.

Article Style & Length

Home Power articles range from 350 to 2,500 words. Length depends on what you have to say. Say it in as few words as possible. We prefer simple, short declarative sentences (fewer than twenty words). We like the generous use of subheadings to organize the information. We recommend writing from within an outline. Browse a few articles in *Home Power*. After you've studied a few, you'll get a feeling for our style.

We edit all articles for accuracy, length, content, organization, and basic grammar. You can help by keeping your sentences short, simple, and to the point. Our editing crew will make your text shine.

Art, Schematics, & Tables

System articles must contain a schematic drawing showing all wiring. Our art department can make gorgeous diagrams, charts, and schematics from your rough sketches. If you're interested in creating a computer file of a schematic or other line art, please contact us first.

For system articles, we require an electrical load table listing all loads, with wattage and run time. We also require an itemized cost table listing each system component and its cost. We prefer to have the tables and graphs come to us in Microsoft Excel format, but we can use them from any word processor or spreadsheet if they are saved as "text only," tab delimited.

Photography

Photography is one of the most important components of your submission. While our staff can be enormously helpful when it comes to editorial content, there is very little we can do about so-so photos. Thoughtful, well-composed photos will significantly improve your chances of being published, or may even win you the cover spot! If you're not particularly confident or capable with a camera, don't hesitate to invite a more experienced friend or relative to help out. Whoever winds up with camera in hand, consider these suggestions.

- Thoughtful composition is the key.
- Avoid "busy" backgrounds (audiences, traffic, etc.).
- People are nice in photos; a fuse box is only so interesting, even to solar nerds.
- Potential cover shots are vertically oriented and leave ample room for the *Home Power* masthead.

We can work from high resolution digital photos, or good photographic prints, slides, or negatives. If you are unable to submit photos at the highest resolution from a 3 megapixel camera or better, we prefer 4 by 6 inch color prints with no fingerprints or scratches. Do not write on the back of your photographs, since the ink can transfer to the front of the next photo. Provide a comprehensive caption and photo credit for each photo as part of your text file.

Digital photos should be at least 280 pixels per inch (ppi) at the final printed size. This means that a column-width photo should be 1,000 pixels wide or more. A full page-width photo should be at least 2,300 pixels wide. Basically, set your digital camera at its highest resolution, and frame thoughtfully. We prefer Photoshop files, but we can handle the following formats in descending order of preference—EPS, TIFF, and JPEG.

Computer Talk

We can take text from most word processors. Save all word processor files in "TEXT" or "ASCII TEXT" format. This means removing all word processor formatting and graphics. Use the "Save As Text" option in your word processor.

If you want to send files larger than 5 MB (such as digital photos), use removable media and send it via postal service. We prefer CD-ROMs, DVDs, or Zip100 disks. You can also FTP your large files to us at ftp.homepower.com, to the "incoming" folder. Please e-mail us after you have sent files via FTP. Please use your last name as the beginning of the file name (for example, Smithphoto1.eps).

Putting It All Together

We get many more articles submitted than we can print. The most useful, specific, organized, and complete get published. Here are the basic components of a great *Home Power* article:

- Clearly written, well organized, and complete text, with a strong introductory paragraph, subheads for each major section, and a strong closing paragraph
- Plenty of well-composed photos with comprehensive captions
- Cost table (if applicable)
- Load table (if applicable)
- Technical specifications sidebar (if applicable; see templates on the *HP* Web site, www.homepower.com)
- System schematic (if applicable)
- Other tables, charts, and diagrams as appropriate
- Complete access information for author, installers, consultants, suppliers, manufacturers, and other recommended resources.

Contact us at submissions@homepower.com if you have any questions. We hope to see your article published in *Home Power*.

Access

Home Power magazine, PO Box 520, Ashland, OR 97520 USA • Fax: 541-512-0343 • submissions@homepower.com • www.homepower.com • For FedEx, UPS or other shipping only (no postal service): 312 N. Main St., Phoenix, OR 97535



Missing Something?

Most *Home Power* back issues are still available!
 Prices vary. Complete set (66): \$150 + S&H.
 See our index of articles at www.homepower.com.



Issue 101 Jun/Jul 2004

Straw Bale Construction • Grid-Tie and Off-Grid Solar • Hybrid Vehicles • Solar Thermal Heating • Hydrogen Debate • Efficiency Ideas • And more!



Issue 100 Apr/May 2004

Wind & Solar Grid-tie • RE Myths Debunked • Solar Investment • Solar Hot Water History • Sun Science • Straw Bale Building • And more!



Issue 99 Feb/Mar 2004


Grid-tie Payback • Introduction to Green Building • Solar Hot Air 2 • Thermoelectric Power • Microhydro Expert Interview • Heating with Wood • And more!



Issue 98 Dec/Jan 2004

Pumps • Burma PV • Solar Hot Air for Livestock Watering • Battery Maintenance • DC-to-DC Electricity • Women's Workshop • And more!

SOLD OUT
 Available online in PDF



Issue 97 Oct/Nov 2003

Solar Pumping • Coal • Biodiesel Furnace • Solar Hot Water—Part 3/Drainback • PV Rack How-To • Biodiesel-Electric Hybrid Vehicle • Nicaragua Solar • And more!



Issue 96 Aug/Sep 2003

Wind and Hydro Farms • Start Small with Solar • Greenhouse • Solar Decathlon 2 • Hot Water Tank Modification • Electric Vehicle Don'ts • Solar Tractor • And more!

PDF back issues available for download at www.homepower.com.
 Also available on CD-ROM.

Order online or call 800-707-6585 or 541-512-0201

ALTERNATIVE POWER EMERGENCY KIT NEW



Freeplay Ranger
 Wind Up Radio
 AM/FM with Built-in Solar Panel



Freeplay Sherpa
 Wind Up Flashlight
 with Dual Intensity Xenon bulb

both for only
\$79⁹⁵

FREE
 Catalog #15



FREE
 US Ground Shipping
 On Orders Over \$25

800-522-8863 • ccrane.com

EV Solar Products



Solar Electric Systems
 Wind Generators
 Solar Hot Water
 Backup Power

Design • Sales • Installation

www.evsolar.com

Tel: 928-636-2201 Fax: 928-636-1664
 2655 N. Highway 89 Chino Valley, AZ 86323
 Solar Solutions Since 1991

MALLARD WIND GENERATORS

Economical, Strong, & Very Reliable

MALLARD 600E

SALE
\$369

Regular price
 \$425
 Call for volume discounts

We also have charge regulators, tower kits & plans, PMAs, blades, and lots of friendly advice & customer support.

Mike's Windmill Shop

www.mikeswindmillshop.com • 928-532-1607

Major Credit Cards Accepted

Conservation—

Saving Energy

Ian Woofenden

©2004 Ian Woofenden

Derivation: From Latin conservare, to preserve.

Last column, I talked about efficiency, the ratio of energy out to energy in. Energy efficiency makes sense no matter what you're doing, and it's easy to sell. It gives you more bang for your energy buck, and is the best first investment if you're planning to generate your own renewable electricity. Energy efficiency means doing whatever job you want to do with a minimum of energy waste.

Efficiency is one piece of a larger pie called conservation. Conservation includes not only energy efficiency, but also changing your habits, doing with less, and even doing without. In today's consumer society, this is definitely harder to sell. Too many folks want it all and want it now. Technology can be addictive, and can overpower our ethics (see *Ozonal Notes* in this issue).

Personally, I think we should all focus not just on energy efficiency, but also on conservation. But I also respect human choices, and feel that people have to come to their own conclusions in their own time. So I shy away from preaching about conservation in general, and instead emphasize how energy efficiency can save natural resources and dollars no matter what you're doing.

When it comes to transportation, conservation can include asking yourself how many vehicles you really need, and how many trips you take in them. This can get pretty personal! It's easy to criticize others, but more to the point to examine our own transportation lifestyle. Carpooling, using mass transit, bicycling, walking, and just staying at home can be conserving options.

Putting on a sweater instead of cranking up the temperature in your home can conserve a lot of energy. Your home needs a "sweater" too—making sure you have adequate insulation is a smart move. And consider the size of your home and appliances too. A key component of conservation is using less. Smaller homes, smaller appliances, and smaller vehicles tend to be more conserving to make and use.

Before finding the most efficient appliances you can buy, you can ask yourself whether you really need all of them. Choices vary, but I know people who do without a dryer, many small appliances, and even a refrigerator, preferring to use less energy intensive means to do the jobs these appliances do.

Conservation also includes thinking about when and how you use appliances. Doing full loads of dishes and

laundry can save a lot of energy and water. Even simple things like heating up a single cup of tea instead of a whole teakettle's worth can make a difference. And turning off the lights when you're not using them is an obvious move. It's more conserving to turn lights off when you leave the room and on when you enter the room than to leave them all on all the time, just in case you need them. And adjusting your energy usage to not coincide with times of utility peak demand can decrease the need for new generating plants, which conserves energy on several levels.

On a family level, I find that building conservation and efficiency into our home's infrastructure is usually easier than building it into my family's habits. After the light on our shop porch was left on several times, I installed a timer, so even I can't leave it on for more than 15 minutes. Using super-efficient lightbulbs means that when they are left on, they are using a quarter of the energy a cheap incandescent would use.

Conservation can take some unusual twists too. For years, I've heard and preached that you can't heat with

Author Ian Woofenden cooking lunch on a solar powered hot plate (made by Cadco), while wearing his favorite sweater (made by his wife).



solar electricity—no electric stoves or dryers in off-grid homes! But our PV system runs a large surplus for most of the summer, so I recently bought an electric hotplate so we can do some of our cooking with solar electricity. This saves propane, and keeps our solar electricity from being wasted.

For lots of good information on conserving energy in your life, I recommend the American Council for an Energy Efficient Economy (www.acee.org), and the Rocky Mountain Institute (www.rmi.com)—especially their book *Homemade Money: How to Save Energy and Dollars in Your Home*.

Every situation is different, but all of us have many opportunities to conserve energy. Even solar energy is not without its impact, and it just makes common sense to lighten up our load on the planet and on our own personal energy and financial reserves.

Access

Ian Woofenden, PO Box 1001, Anacortes, WA 98221 • ian.woofenden@homepower.com



BZ Products Model MPPT500

**Voltage Converting 500 watt 38 amp
MPPT Charge Controller**

- Boost charge current up to 30%
15% boost typical.
- Up to 38 amps output current
- 95 % efficiency
- 500 watt PV input
- Universal PV input 12 to 48 volts
- Selectable 12, 24 or 48 volt output
- Digital metering
- PWM float control
- Battery temperature sensor standard
- Optional remote metering
- Five year warranty
- Available world wide
- Patent pending



BZ Products, Inc.

314-644-2490 • bzp@brick.net
7614 Marion Ct., St. Louis, MO 63143, USA



HYDROSCREEN CO. LLC

- **Self Cleaning**
- **Easy Installation**
- **High Capacity**
- **No moving parts**
- **Pipe, ramp and box mountings**

**Precision Wedge Wire
Coanda Screens**
for Hydro, Agricultural, and
Domestic Diversions from
10 gpm to 500 cfs

- We specialize in creatively engineering solutions for your unique hydro diversion screening needs.
- Our solutions are cost effective with numerous screen mounting options; we also have durable 304 SS mounting boxes.



Visit us at www.hydroscreen.com or
call (303) 333-6071
e-mail: RKWEIR@AOL.COM
Mention this ad for special savings!

**Shell Solar
Distributor**



**SAME LOCATION
FOR 20 YEARS
DEALER INQUIRES
WELCOME**



HITNEY SOLAR PRODUCTS, INC.
Harmony with Nature

**SAME DAY SHIPPING FRIENDLY SERVICE
LARGE INVENTORY IN STOCK
PHONE: 928-636-1001 FAX 928-636-1664
EMAIL: SUNPOWER@ANGELFIREAZ.NET**

**Harris
Hydroelectric**

Hydro-Power for Home Use

**Introducing a new adjustable
Permanent Magnetic Brushless Alternator**

- 25 - 30% more efficient than Hi Output Alternator
- Marine Grade Construction throughout
- Re-connectable Stator
- Retrofittable on existing turbine



632 Swanton Road
Davenport, CA 95017
831-425-7652



www.harrishydro.com

Different Sameness

Kathleen Jarschke-Schultze

©2004 Kathleen Jarschke-Schultze

Several people who have visited our off-the-pavement, renewable energy powered home have made the comment, "If you hadn't told me, I wouldn't know this was an off-grid home." You would think that our lifestyle is unique enough that someone would notice right away. I pondered this. What do we do that is actually different from a utility-dependent home?

First Impressions

When you first walk into our house, there are no immediately obvious clues that we are using renewable electricity. Computers, desks, printer, and fax machine wrap two walls of the office/dining room. (Our friend Ernie says it looks like a NASA control room, with our office chairs lined up at the computer monitors.) So, we have a typical home office.

The half wall between the dining room and kitchen displays three digital meters. That might be the first clue that this is not an ordinary house. We have an Outback Mate, a TriMetric 2020, and a Xantrex Link 10. If possible, we like to incorporate the products that we sell into our own renewable energy (RE) system. This allows us to see how they perform in daily use. By glancing at the meters, I can tell the battery bank state of charge. If the batteries are at 100 percent, I do laundry or run the dishwasher—my biggest energy loads. To a degree, weather determines my housework schedule.

The fridge might be your next clue that our house is off-grid. If you look to the third wall of the room, you will see my 14-year-old, hedgerow green, Sun Frost RF-16 refrigerator/freezer. When I bought my fridge, I found out that you could choose from about a hundred different colors besides white for no extra charge. That's pretty unique, and so is the color of my Sun Frost. It is in the dining room because the only space for it in the kitchen was right next to the stove. Hot box next to cold box—not a good idea.

The Sun Frost is 34.5 inches wide, 62.5 inches tall and 28 inches deep (88 x 159 x 71 cm). It is so tall because it sits on a matching 13 inch (33 cm) base cabinet. It has an imposing presence. It is a 12 volt model because our RE system used to be 12 volt. When we acquired a wind turbine and a Trace SW4024 inverter (serial #37), Bob-O changed the system voltage to 24 volt (see *HP41*). Our system changes often as Bob-O tests new equipment, but the availability and quality of our electricity has always been good and keeps getting better.

A big difference from other refrigerators is the uncluttered outer appearance of the Sun Frost. Since it is covered in Formica, it will not hold refrigerator magnets. I really wanted some poetry magnets when they came out. But, alas, it was not to be.

Down in the basement, where it is perpetually cool, I have a white Sun Frost F-10 freezer. A 24 V model, it has 10 cubic feet (0.28 m³) of space. Bob-O built a base for it. Since the motor and compressor are on top, the F-10 is very low to the floor without a stand of some kind.

La Cucina

In the kitchen, everything looks like a regular home. Scatterings of fridge magnets are displayed on the front of my black Asko automatic dishwasher. The dishwasher is Swedish. It is very efficient, with low electricity and water consumption.

It contains its own heating elements for the water, as do most European appliances. It has manual switches for using the water temperature boost and heated fan drying options. I mostly leave both of those switches off. This dishwasher could easily be in a utility-dependent home. It is not a specialty item for the RE market. Its uniqueness is in its efficiency, not its appearance.

We have a mid-sized microwave oven. Again, it is an off-the-shelf model. I believe we found it on sale. Nothing noteworthy there. My black enamel range is a propane Peerless Premier. It looks and is quite normal. There are four burners with a griddle in the middle. A really nice feature is that by taking out the griddle and its cover, I can replace it with a fifth burner setup. That comes in handy during canning season or when I'm using the big wok.

Again, the special attributes of my stove are not immediately apparent. It is one of the few brands of ranges that do not have a glow bar to light the oven. (A glow bar is an electric element for preheating a thermocouple. The thermocouple regulates the flow of gas—off or on. Once the thermocouple is warmed by the glow bar and the gas is on, it is lit by electronic ignition.) Unlike most stoves today, the oven can be lit with a match. I do not use matches. I use the electronic ignition. It is a gas range, but the clock, timer, and ignition are electric. The range electrical consumption totals about 2 watts while on.

I only turn on the stove when I cook. Between the microwave and the range is a wall-mounted plug strip.

Plugged into this are the range, the microwave, and a fluorescent light strip. When I am cooking, I turn on the plug strip. The light comes on automatically and all the features of the range and microwave are available to me.

Curse of the Phantom

This brings us to the subject of phantom loads. Anything in our home with a clock or “instant-on” feature is on a plug strip. That means the two TVs, DVD player and VCR, stereo system, the microwave and range, the three computers, printer, and satellite connections.

Our two wall clocks and my bedside radio are battery powered. Any appliance that has a rechargeable battery is unplugged after it is charged. We use them until the battery has completely discharged, and then plug them in again for full recharge. These include an electric toothbrush, the camera and drill battery rechargers, and a small electric broom. Many of these appliances have nickel cadmium (NiCd) batteries in them with a charge memory. If you recharge them before the battery is fully discharged, they may charge only to the level of the previous charge.

Water Course

Some special instructions come with using water in our house. We use a Myson, on-demand, tankless water heater. It uses propane and has a pilot light. Our large water heater tank also uses any extra electricity to heat water when our batteries are full. When water flows from the tank through the demand heater, it is checked for temperature. If the water is above a certain temperature, the demand heater does not turn on. The flow rate must also be above a certain rate for the burners to light.

What this means is that during some periods of the year (times with lots of sun and wind), the water can be very hot coming from the faucet. At other times of the year (when sun, wind, and water in the creek are not so available), the demand heater kicks in every time.

The upshot of this is that when you want hot water, you turn the hot water tap (in the shower, or any of the sinks) all the way on and use the cold water tap to regulate the heat.

Guests need a few more instructions before using our bathroom. We use a Sealand one-pint flush toilet. It is a ceramic toilet with a trap door. It is a type used most often in RVs. After you flush, the trap door closes and a pint of water is released into the bowl. A foot pedal on the side of the toilet opens the trap door. By raising the foot pedal, you can fill the bowl with water to the desired amount.

Sometimes a pint works; sometimes you need more. I have a framed set of instructions above the toilet. When you are standing, looking at the toilet, they are at eye level.

Wash Day

I have had a Staber washing machine for ten years or so. It was the first top-loading, horizontal-axis washing machine available. It is very efficient on electricity and, just as important for us, on water. It uses very little soap and does a really swell job. It is rather loud, but it is in the basement, so I don't care.



Kathleen with her trusty, 14-year-old Sun Frost fridge.

My clothes dryer is a Frigidaire Gallery. It is gas (propane) powered. It needs electricity for the timer, tumbler motor, and inside light. It has a glow bar to ignite the gas, but it only comes on long enough to heat the thermocouple that starts the gas flow and lights it. In the summer months, I use my solar clothes dryer (clothesline).

Light Lite

Of course, all of our lighting is compact fluorescent bulbs. We have been using CFs since they were big bulky things that wouldn't fit in a regular lamp. Now we see them everywhere. Stores, motel rooms, and many people's homes sport these efficient lights. We've found that a selection of compact fluorescent lights is a perfect housewarming gift for on or off-grid friends.

So What's Different?

After all this pondering, I have come to the conclusion that it is not obvious that we are off the utility teat. Everything we do can be done in a utility-dependent home. No magic here—we are just efficient with our energy use.

I'm sure some people are thinking right now that we have a lot of appliances and electronic gear. Couldn't I really

just wash the dishes in the sink like I did every other day in my childhood? (My sister Mary washed them the other days.) Sure I could. And if we are low on energy, I do. But if we produce electricity and I don't use it, the fact is, I am wasting it. I don't like wasting energy.

Off & On

Energy efficiency is an integral part of an RE system. If you are on-grid and wanting RE, train yourself to be as efficient as possible. It's good practice, and the money you save is like not paying interest on your credit card.

Turning out the lights or TV when you leave a room is a simple habit to acquire. Turning on a plug strip before you turn on the appliance becomes second nature. Gazing out the window at the weather before deciding a course of action is a good thing. Energy conservation is the key to a successful renewable energy system. Go with the flow—of electrons, that is.

Access

Kathleen Jarschke-Schultze is harvesting her garden and keeping cool at her home in Northernmost California. c/o *Home Power* magazine, PO Box 520, Ashland, OR 97520 • kathleen.jarschke-schultze@homepower.com



User Friendly Hydro Power



Now Featuring Permanent Magnet Alternators

Alternative Power & Machine

4040 Highland Ave. Unit #H • Grants Pass, OR 97526 • 541-476-8916
altpower@grantspass.com

www.apmhydro.com



Matrix Solar Technologies

FREE solar energy for the next 10 billion years...

Don't let this deal pass you by.

540-A Silver Creek Rd. NW Albuquerque, NM 87121
Phone: (505) 833-0100 Fax: (505) 833-0400
www.matrixsolar.com

©Matrix Solar Technologies is a subsidiary of ATS Automation Tooling Systems

Intentional Communities



Dedicated to communicating the experience and wisdom of intentional community.

We've been at it for 30 years, and nobody covers the world of community like *Communities* magazine.


1 year subscription \$20 (\$24 Canada)
Sample issue \$6 (\$8)

800-462-8240 fic.ic.org/cmaga

General Specialties PV Racks

At General Specialties we design our systems to the upper end of the strength curve—and we never skimp on materials. We subscribe to the QUALITY FIRST rule. In 10 years, we have never had to replace defective parts!

- Nine pole mount models
- Universal roof mounts
- Stationary roof & wall mounts
- Custom mount design & manufacturing




General Specialties • 208.265.5244
206 N. 4th Ave. #200, Sandpoint, ID 83864

Daystar's Solar Meter



The easiest way to obtain accurate irradiance readings

- Pocket-sized
- Rugged
- Dependable
- Consistent



\$134.50+
S&H

3240 Majestic Ridge
Las Cruces, New Mexico 88011
505-522-4943
pvvern@zianet.com
www.raydec.com/daystar

Do You Need Batteries?...

RAE Storage Battery Company

Since 1943... Quality & Service

Surrette Solar 1, 400 Series, Type CH 375 - L16

Engineered under careful guidelines by Dave Surrette - Family owned business Est. 1935

Gambissara Solar for export

212-206-6344 • 115 West 27th ST, Room 1002, New York, NY 10001

Newly established factory warehouse. U.S. Battery Co. Corona, CA



860-828-6007
Fax 860-828-4540
51 Deming Rd., POB 8005,
Berlin, CT 06037

Solar Panels • Wind Turbines • DC Lighting



ABS Alaskan, Inc.


Alternative Energy & Remote Power

2130 Van Horn, Fairbanks, AK 99701
toll free: 800-235-0689 fax: 907-451-1949

visit us online: www.absAK.com

Alaska Battery Anchorage, AK ph: 907-562-4949 fax: 907-563-4900
Distribution Center Renton, WA ph: 425-251-5745 fax: 425-251-5748

Micro Hydro • Complete Systems • & More



The Book on Solar Cookers

Back by Popular Demand

A second edition, fully updated and revised.

Includes:

- A history as well as a who's who in the solar-cooking movement
- Guidelines for designing your own cooker
- Plans for building the **SunStar** cooker with salvaged and inexpensive materials
- Tips and tricks for cooking with the sun

With 200 Photographs & Diagrams

\$15

Call Home Power Publishing
800-707-6585

S&H: \$5, Canada: \$6
International: \$10

Outside USA 541-512-0201

Visa, MasterCard, Discover, & American Express

ADVANCED COMMUNICATION SOLUTIONS INC.

"Keeping you connected to your world"



Satellite Phones / Radio-telephones / Home Cellular
Cellular Amplifiers & In-Building Repeater Systems
Antennas / Long-range Cordless Phones / RF Cables



Prescott Valley, Arizona • (928) 772-7515
www.advanced-comm-solutions.com

Moving On

Eric Grisen, one of *Home Power's* graphic designers and our article submissions coordinator, is leaving the computer and headed to the field. Eric is pursuing a career as an RE system designer/installer in Southern Oregon's Applegate area. He's been with *Home Power* for four years plus, and his enthusiasm for RE, and life in general will be missed. Best of luck with the new gig, E!



— Joe Schwartz for the *Home Power* crew

Use of Service Entrance Raceways

I want to call attention to a potentially serious error in *HP100*, in Bernd Geisler's "Simple Wind Grid-Tie" article on page 24, second column. It is a violation of the *National Electrical Code* 230.7 to use service entrance conduit for any other than service entrance conductors. The only permitted exceptions are grounding and bonding conductors and load management conductors having overcurrent protection. No electrical inspector I know of would have approved this installation.

This is with good reason. Service entrance conductors normally have no overcurrent protection other than the downstream main circuit breaker or fuses. The utility transformer typically has overcurrent protection only on the high voltage primary side. Thus, in the event of a fault, current is limited only by the transformer's and service drop/lateral conductors' impedance. Even a modestly sized transformer can supply ten or more times the current rating of the conductors of a typical home service until the primary fuse opens.

When an initiating event, such as a lightning strike, causes an arcing fault, I have seen conductors, KWH meters, sockets, and disconnects incinerated by this high current. This could likely cause severe damage or even fires if inverters or photovoltaics are involved. Speaking of photovoltaics, *NEC* 690.4(B) requires that photovoltaic source circuits and output circuits not be placed in the same raceway, fitting, etc., with feeders or branch circuits of other systems. I know boring concrete may not be simple, or elegant, but it would be vastly preferable to the consequences. Sincerely, Jeff Miller, Rapid City, South Dakota • jjmiller@actcom.net

Breaking into the RE Industry

Dear *Home Power*, As an avid reader of the magazine, and a true believer in green power, I need some professional advice. How does someone, like me, recently laid off from the electronics industry after 20+ years, go about getting an entry level job working in the RE field?

I have taken both Internet-based and formal courses for PV installation and design, and have been certified by

New Jersey's clean energy program as a trained installer. I have also designed and installed a small PV grid connected system, with battery backup for my own home, generating about 3 KWH per day. The problem is, I don't have enough experience and confidence under my belt to work as an independent PV installer. I need to get into a position where I can learn the various aspects of actually working in the business from the ground up. Maybe a few good-sized installs will get me on my way.

It's one thing to be designing an RE system for my own personal use, but when it comes down to all of the potential liabilities of providing these services as a consultant, it's another matter. I have been looking for potential employers, but haven't been able to establish any real contacts other than those individuals also seeking to get experience. Do you have any advice? Organizations to contact? Groups to become affiliated with? Special training that's desirable? Volunteer organizations?

I am willing to do whatever is necessary, including relocating, volunteer work, or perhaps a partnership involving investing my own funds. But somehow, I need that first important position as an entry level wrench. I have much respect for the professional installer and feel up to the challenge. And thanks to the *HP* crew—you guys are doing great! Regards, John Anderson • john.k.anderson@comcast.net

Hi John. Thanks for your compliments, and I think it is great that you want a career as an installer. You should read Richard's article in HP89 that we published for folks in your situation, though it sounds like you have taken the first steps.

One other thing I can recommend is that you take advantage of the RE Directory on our Web site to search out and contact folks that might be able to give you a job or an apprenticeship. Check out www.homepower.com/community/directory/.

Also, if you can't immediately find a position in an RE company, you might consider getting an apprenticeship with an electrician, even if it means not working directly with RE for a while. It would be great experience to help you find a job in the RE industry, and who knows, you might even get your boss interested in RE installation. Michael Welch • michael.welch@homepower.com

Independence Day: Richmond, Virginia

The desire to financially justify a home power system is only one reason for investing the time and money needed to install one. Let me give you another reason, one that is far beyond the calculations of financial payback. And for those of you who are having difficulty persuading your spouse that you really do need a home power system, this letter is for you.

Solar electricity has always appealed to my independent nature. I am, however, limited to solar electricity in the suburbs. Sure, I dream of the backwoods—total independence, passive solar home, panels on the roof, amateur radio to reach the outside world, and a bold stream coming down from the mountain with 300 feet of fall for serious hydro power generation, or a tall wind

generator turning out nature's watt-hours. But living sometimes gets in the way of our dreams, and we settle for the next best thing.

Solar energy has been a hobby for many years. I own and have read every *HP* magazine ever printed. Over the years, I've collected six, 120 watt panels, a C60 controller, an old Ananda Power Center, a 3,600 watt Vanner inverter, 40 amp StatPower charger, 100 amp transfer switch in the power shed for the 3,500 watt Honda backup generator, 2,800 pounds of Liberty 2000 batteries, and a 200 amp transfer switch in the house. Finally, two years ago, with e-mail and telephone advice from the good folks at Backwoods Solar Electric Systems, Northwest Power Company, and Earth Solar, the system was installed.

But, in September 2003, independence was no longer a hobby. Hurricane Isabel raged in from the south and struck Richmond. It had been one of the wettest summers on record. The ground was soft from the excess rain, and the high winds blew down scores of trees in every block. Power lines were a tangled mess. The telephone lines were down in many areas. Streets were absolutely impassable. There was no cable for the TV and the computer. It was a war zone. The apocalypse had arrived in Richmond, Virginia.

People who had depended on the local utility were in trouble. No one had electricity—even many hospitals, all schools, and most stores were closed. Anyone who waited until after the storm to obtain a generator was in deep trouble. The roads and highways were impassable. Even if the person was somehow able to reach a store, it was either closed or, if open, sold out of anything remotely resembling a generator.

At my home, my hobby had suddenly become priceless. That night, as the winds moaned and trees crashed around me, the lights went out. They stayed out. I took my flashlight, walked downstairs to the big 200 amp transfer switch, smacked that lever down, and there was light. I could hear the TV as it came back on, and the announcer giving emergency instructions. I went to the front porch, turned on the floodlights just in time to see a giant oak tree fall.

Early the next morning, the storm had passed. It was still dark when I went outside. It was eerie to be surrounded by homes, and see nothing but blackness. Without city lights, the stars above in the clearing sky were bright. Far in the distance, there was the sound of a generator running. There were oak trees on my lot that had been there for a hundred years. The one I saw fall now lay across my driveway. Another lay across my neighbor's car and home. I looked at that storm-tossed mess in the morning light, got out my chain saw, and joined my neighbors in the exhausting job of cutting our way out.

For six days, my home was an oasis of light and sound in a world of darkness. For three days, I ran the home on batteries. Then, when they were about 50 percent exhausted, I ran the generator during the day to charge the batteries and power the home. Family and friends moved their frozen foods to my home. Friends moved in for the duration. In the midst of the devastation, neighbor helped neighbor. When my saw became jammed in the tree across

my driveway, my neighbor came to help. Later, when the roads were somewhat passable, he brought his construction crew to my place and hauled away the debris from the storm—at no charge.

I must confess that I felt pleasure in being able to cope, to have my hobby justified, and to be needed by others. While running on the silent batteries, it felt good to be able to turn the front porch light on (fluorescent, of course), when that was the only light to be seen for blocks. For me, it was a light of independence that represented the possibility of a better future for this great country. Dick Leatherman, N4SRC, Richmond, Virginia • RWLCEO@aol.com

Single-Wall Heat Exchangers

Hello, I have a technical question regarding heat exchangers because I plan to use a single-wall heat exchanger in a water-only drainback system. In your article, "Heat Exchangers for Solar Water Heating" in *HP92*, you say that a single-wall heat exchanger is not suited for heating potable water because of a risk of mixing. So my question is: The drainback system is an unpressurized system and the water supplied by the municipality is pressurized at something like 70 psi, so how can it be possible for the unpressurized water of the drainback circuit to enter the pressurized potable water circuit?

If a leak happened on the drainback circuit inside the heat exchanger itself, I think it's the potable water from the municipal supply system that will enter the drainback system circuit, so there is no risk, even if nontoxic propylene glycol is used. Am I right or have I missed something in the concept? I know that safety comes first, but especially with a water-only system, double-wall is maybe overkill. Thanks for your attention. Robert Lefebvre, Montreal, Canada • lefebvrerobert@yahoo.com

Hello Robert, It is OK to use a single-wall exchanger in a drainback system with water as the collector loop fluid (pages 69 and 75 of the article in HP92). This is the only exception in the Uniform Solar Energy Code that allows single-wall exchangers when used with potable water. I personally agree with you about the safety requirement of double-wall exchangers when using nontoxic propylene glycol as the collector loop fluid.

These health and safety codes are published by the International Association of Plumbing and Mechanical Officials (IAPMO). I wonder if this group has paranoia as the number one qualification for membership. As you state, even if a wall is breached in a single-wall exchanger, the most likely possibility is the potable water (higher pressure) leaking into the collector loop fluid (lower pressure). Even in the unlikely event that the collector loop was at a higher pressure than the potable water and someone had mistakenly added ethylene glycol (toxic) to the system and the exchanger then developed a leak—who drinks hot water anyway? And, wouldn't a more reasonable requirement be a big red sign reading something like "Caution! Use only nontoxic propylene glycol in this system!"

This is my opinion only and perhaps I am not paranoid enough to fully understand IAPMO rules, but I don't think you're missing anything, and I think it's overkill too. Cheers, Chuck Marken • chuck.marken@homepower.com

Things that Work!

Please bring back “Things that Work!” For instance, I was glad to read the article where someone used a turbine from African Windpower. If this owner spent two years collecting data on it, he could write a “Things that Work!” Mallory Hinkly, Allegan, Michigan

Hi Mallory, Coincidentally, your comment came in just in time for this issue, in which we are publishing my review of the AWP 3.6 wind turbine. We have retired the “Things that Work!” format in favor of our new “REview” format. Our goal with this format is to review products in specific applications and conditions, and avoid blanket endorsements. We know that our readers want more information on RE gear, and we have some other new plans on that front—stay tuned for more in future issues of HP. Ian Woofenden • ian.woofenden@homepower.com

Switched Outlets, Etc.

After my article in HP97, in which I described converting my on-grid home office to off-grid, I received the most responses and inquiries about those “single-plug switched outlets” I used to disable all my phantom loads. Most of you received a response from me something like this, “Look for a package labeled ‘attachment plugs with switch.’ They are sold under the GE brand. The stamped part number is ‘GE5365,’ rated 15 amps 120 VAC, UL-listed. The only other info stamped on the subswitch is ‘not for use with motor loads.’ I bought them at a local construction supply store.”

My switches are not three-wire grounded outlets, as many have asked. But while shopping yesterday, I found a new part, GE5368-71D, which is a 3-wire outlet with a switch, in the same size and format as the nongrounded models shown in my article. I bought three on the spot, for US\$3.44 each before tax. I’d recently bought another notebook computer and a couple other devices, which, unlike my older notebooks, had standard 3-wire plugs. Since I’d given up hope of finding 3-wire individual switches, I’d either isolated them on their own switched multi-outlets or simply unplugged them when not in use (the majority of the time). Now everything’s plugged in on my desktop switched multi-outlets, with all phantoms on their own mini-switches—no more plugs sitting loose on the tables! These are expensive little switches, but a nice and neat outcome, and I think worth the high price. When people visit my office, I want them to see stuff that looks under control, not messy or too manual.

By the way, this week I finished my 29th consecutive month running my office on 100 percent PVs and batteries, with no backup or failures to report as of yet. Impressive!

A couple of follow-up points: Replacing equipment in an intentionally fixed energy-availability situation always presents difficulties in today’s upwardly-mobile energy market. For instance, my newest notebook, a 750 MHz PIII Dell with a 14 inch screen, uses about double the average energy (34–35 W) that my old 166 MHz PI Dell with 12 inch screen does (15–17 W). I bought the more powerful notebook to handle weightier picture files and computerized slide presentations, but the older models still do fine for most

routine office applications like CAD, e-mail, and calcs of all sorts, including hour-by-hour simulations.

I’ve balanced the newest notebook’s increased energy demands by using it sparingly for those applications needing more power and screen, while down-watting some of my primary lighting. For instance, I found that I can often get equivalent light from one of those mini-book lights, usually 2 or 3 watts, instead of the 15 watt under-counter lamps about 30 inches above the table top. Makes sense, since light diminishes by the square of the changed distance from source to use.

I was shocked last summer when Energy Secretary Abrahams reported that U.S. grid-electricity demand went up 35 percent from 1992 to 2002. I was shocked because of all the efficiency and renewables that became available and more affordable during this same timeline. However, with so many appliances and devices offering more energy-consuming features, and more people buying more than one of everything, this has apparently more than offset many of our efficiency gains. So I believe our bigger tasks as energy experts and RE advocates is talk about restricting growth in our energy demand, not simply implementing new supplies whether conventional or renewable. This is part of my stump speech this year during Earth Day celebrations. And it sure is convenient to use my own office experiences to show how this can be accomplished. Most people I meet believe growth in energy supplies is essential to our future, like Abrahams and Greenspan, so I hope my contrary message with offered proof gets at least some people thinking. If only we could get this kind of discussion into this year’s electoral politics... John F. Robbins • jrobbins@queency.com

Doubt Factor

Dear *Home Power*, As one of the largest PV energy producers in my tiny city, I feel that a major hindrance to the adoption of renewable energy is the “doubt factor.” The doubt factor is, will I be able to find a truly competent and honest installer who will give me an optimally performing system and will not con me out of my hard-earned dollars? The knowledgeable consumer is always wary, and even more so with new, somewhat complex technologies. There are a hundred ways things can go wrong. Though some fiascoes might be anticipated, like the job taking four times longer than what was originally promised, other debacles are beyond what even the most cautious homeowner could imagine. Will the state run out of rebate money after I sign a contract for the job? Will the company’s chief installer fall off a roof, leaving me with the dregs of the contractor’s crew (yes, a rough approximation of this particular scenario actually happened to me!). Will I find out after the concrete has been poured and the system installed that my 10 KW ground-based system is shaded two hours earlier than the company’s solar engineer predicted? Will I find out four years later that the financial predictions of a five-year payback turn out to be fudged, with 15 years being closer to the truth? Will a miraculous new improvement in efficiency make my \$100,000 (before rebates) initial investment become a huge investment folly?

For the consumer, there is a huge leap of faith involved in installing renewable energy now. This doubt factor mostly revolves around what I feel is a shortage of honest, competent, well-capitalized installers. J. Block • blytheblock@hotmail.com

Hello J, It's disappointing to hear about your botched PV system design and installation. I've been working in the construction trades off and on since I spent high school summers apprenticing with a master carpenter in Massachusetts. I've seen my share of shoddy workmanship as a result. PV and other renewable energy systems are significant investments, and home and business owners need to proceed with the same caution they would when undertaking any significant home improvement project, or substantial purchase. Obtain more than one bid for the job, have the contractors provide you with customer references, and make sure the contractor is licensed and insured.

The RE installer base in the U.S. has grown rapidly in recent years, and many areas now have more than one RE installer to choose from. This is obviously good for the customer, since competition raises the bar in terms of the quality of workmanship. I'm in regular contact with RE installing dealers across the country. While there are a handful of incompetent installers out there, people should rest assured that there is a very high quality network of RE contractors across the country that's growing every day. Best, Joe Schwartz • joe.schwartz@homepower.com

Straw Bale

Happy Birthday, HP! Congratulations and salutations on hitting triple digits. We are all the better off for it; and for the thousands of lives you've improved, trouble you've helped shoot, electrons you've helped flow, people you've empowered, connections you've helped make, tons of CO₂ you've helped save, and on and on. I thank you for providing your service.

I have a couple of comments to make on Laura Struempfer's recent article on straw bale construction. I greatly appreciate your inclusion of green building technologies in your magazine; it is related directly to RE promotion in the shared goals and visions of the two fields. There were a couple of inaccuracies I noted in the article, however.

One, the author presents only load-bearing bale walls or post-and-beam frames as structural options for the support of the roof. While these are certainly very popular systems, they are not the only systems. Straw bale buildings are straw bale only by their inclusion of straw in the wall system, not inherently by their structural design. Bale houses can be held up by bales, post and beam frames, traditional stud wall frames, steel frames, and hybridized with numerous wall systems including earthbag, rammed earth, straw-clay, and other natural building systems. The room for creativity is great, and it should be noted that stud wall frames (balloon or platform), if detailed correctly, can be integrated nicely into a bale home, either as new construction or as a retrofit.

Two, the author includes a photo of a "nicely detailed stucco stop" on a building seemingly completely covered in metal lath. While this is appropriate for a building to be

finished in a cement stucco, it would be an inappropriate approach for a building to be finished with an earth or lime-based plaster, which all straw bale buildings should receive. The lath, while critical for stucco, would be an interference for natural plasters, and would weaken the plaster-wall bond. Cement stucco should not be used on straw bale walls, for its lack of vapor permeability, its low hydroscopic properties, its high embodied energy, and the need to buy, use, and install all of that lath. Thanks for a great publication. Warmly, Jacob Racusin, Montgomery, Vermont • smallfrog@peoplepc.com

Dear Jacob, Thanks for your comments on my article, "Meeting Design Goals with Straw Bales" in HP100. I appreciate the chance to discuss both points. Even though this was an introductory article, a comment on the creative structural options and hybrid opportunities is clearly something that would have been useful to include.

Also, your assessment of the "stucco stop" is good. Had the ACES duplex been plastered with an earthen or lime finish, there would have been no need for metal lath. (The building, by the way, was covered in lath only where absolutely required by our code official or common sense.) Earthen and lime finishes still benefit by having a stucco stop or capillary break in almost all climates and sites.

The prevailing wisdom among straw bale folks and building scientists alike is that natural plasters are far better for covering natural walls for vapor permeability as well as embodied energy. However, cement was used quite often during the earlier years of the straw bale renaissance for its durability and familiarity. Cement is still favored in rare cases such as in high seismic areas for its shear strength. For the latest test results regarding straw bale construction, see The Straw Bale Test Program at www.ecobuildnetwork.org. You will find helpful and detailed structural, moisture and fire test results. Thanks again, Laura Struempfer • struempfer@sopris.net

WindShrub

Hi Folks, Thank you so much for the excellent articles. We will soon be installing solar-electric panels and a well pump rather far from the grid for our new home. We enjoy staying informed about off-grid living. We have used solar electricity for four years on our cabin, and it has worked very well.

We are interested in a wind generator for the cloudy winter times. We've heard of a model that is barrel shaped and spins on a vertical axis, like a coffee can with air scoops. The promoters, EcoQwest, say that it is being tested in Europe now, and claim that it generates a lot of energy at low wind speeds. Any future information on this type of wind generator will be appreciated. The low wind speed needed would eliminate the need to put it very high to get any energy, thus making servicing it a lot easier. It's supposed to be quiet too. Sincerely, Carol Fugitt, Holland, Michigan

Hi Carol, I'm glad to hear that your cabin PV system has been working well, and that you are going for more. Unfortunately, I don't have any cheerful words on the EcoQwest wind generator (WindTree is the brand name). I'm not even convinced that it

actually exists. It has been at least two years that these promoters have been saying that this machine "will be out in a few months," and we still don't see a product.

The promotion for this machine is full of hype and misinformation as well. The fact is, there just is not very much energy available in low wind speeds. And all wind generators should be on tall towers to get above ground friction and turbulence, just as PV modules should be sited in full sun. The claims for this machine exceed the physical possibility. See Hugh Piggott's article in this issue for a rough guide to calculating output from a wind generator.

I urge you to be very cautious about outlandish claims, especially with wind generators. The major manufacturers are building good quality machines that are representative of what is really possible. If the claims from folks with a new idea sound too good to be true, they probably are. Don't plunk your money down until you've seen one, heard one, and watched the kilowatt-hour meter... Best, Ian Woofenden • ian.woofenden@homepower.com

Question Authority

Dear Editor, Twelve years ago Larry Elliot, a writer to *Home Power*, said he liked the bumper sticker, "Question Authority." His letter was about overkill *National Electric Code (NEC)* regulations.

Twelve years later, things have gone from bad to worse. Simply follow the money. The excessive regulations benefit regulators, equipment manufacturers, electricians, testing laboratories, and government inspectors. All consumers are hurt by unnecessary and redundant regulations.

Government employees and most of their contractors create no new wealth for the nation. They simply stifle productivity. Nor does the country need real working people in the manufacturing sector turning out unnecessary widgets.

To be blunt, the safety excuse for regulations is a crock. Until regulators address other safety issues for themselves and their family, I feel they are hypocrites. Examples include home sprinkler systems or driving around in a safe one-ton pickup with aftermarket side impact airbags installed. Remember the sniper in Ohio. If one uses the extreme safety logic of the *NEC* regulations, then everyone should be driving armored cars.

Unless you have children playing cowboy and Indian and throwing real tomahawks in your power room, you don't need all the wire in conduit. Nor do you need a disconnect switch for your inverter on a low voltage system—simply pull a fuse if you want to isolate and service the inverter.

I am for safe alternative energy systems but strongly against the overkill regulations and an intrusive government babysitting our every move. Twelve years ago, Larry Elliot had it right, *Question Authority*. Steve Hicks, Mountain Pass Wind Co., White Sulphur Springs, Montana




Renewable Energy

On Video

Renewable Energy with the Experts

An Instructional Video (VHS) Series on the Basics of Residential Renewable Energy

- **Residential Solar Electricity** with Johnny Weiss, 48 min.
- **Residential Wind Power** with Mick Sagrillo, 63 min.
- **Residential Microhydro Power** with Don Harris, 44 min.
- **Batteries** with Richard Perez, 57 min.
- **Solar Water Pumping** with Windy Dankoff, 59 min.



Shipping \$5 USA, \$6 Canada, \$10 International

Home Power • Box 520, Ashland OR 97520
800-707-6585 • 541-512-0201
www.homepower.com

\$ 39.95 each
(plus shipping)



Pretty Cool Shirts

16 Bucks

Two sided, Blue or White, Sizes: S to XXL • Shipping: \$5 US, \$8 CAN, \$10 INT
Order online at www.homepower.com or call 800-707-6585 or 541-512-0201

100% ORGANIC COTTON



**SOLAR
ELECTRIC
INC.**

Solar Electric Inc.

5555 Santa Fe St. #D,
San Diego, CA 92109-1602 USA
1-800-842-5678 Toll Free
1-877-842-5678 Toll Free Fax
858-581-0051 • 858-581-6440 fax
solar@cts.com
www.solarelectricinc.com

EcoInnovation

Renewable Energy Systems



Hydro



Wind



Solar



DIY Kits

1 kW hydro from \$899.00

ecoinn.co.nz

EARN A DEGREE IN RENEWABLE ENERGY

with a concentration in Photovoltaic Design and Installation



SAN JUAN COLLEGE, FARMINGTON, NM

- ♦ Two-year AAS degree or one-year certificate. Both emphasize full NEC compliance.
- ♦ Combine science with hands-on learning.
- ♦ Tuition \$420/semester out-of-state and \$300 in-state.

Carl Bickford, (505) 566-3503 or (800) 241-6327
bickfordc@sanjuancollege.edu

www.sanjuancollege.edu/academics/technology/RENG/index.htm





Solar Hot Water

Residential & Commercial Hot Water
Space Heating

EVACUATED TUBE TECHNOLOGY:

- ! Outperforms flat plate collectors
- ! Rapid solar thermal transfer
- ! Easy installation with "plug-in" tubes
- ! Comprehensive guarantee
- ! SRCC and SPF certified



(207) 741-2805 / (207) 650-7778
sunwise@maine.rr.com
www.sunwisesolarus.com

Never Pay High Heating Bills Again!



CLASSIC Outdoor Wood Furnace

100% Wood Heat for Your Home, Water, Shop and More.

"Buying a Classic Central Boiler is one of the best decisions I have made...my heat and hot water cost me zero. Since installing the boiler I saved between \$300 and \$400 per month..."

- Don P., CT



Dual Fuel Option Available.

©2003 Central Boiler ad 3156

800-248-4681 • centralboiler.com

LIQUID SUN HYDRO

Know Your Head!

- Introducing our HM series head and run measurement tool.
- Easy accurate site assessment with one simple instrument
- More info on this and other products at: www.liquidsunhydro.com

Innovative Hydropower Solutions
360-853-7435 • info@liquidsunhydro.com
PO Box 85, Rockport, WA 98283
Inquire about dealer pricing.



The HM-70 reading 24 feet of head

adopt a library!



When Karen and I were living with kerosene lamps, we went to our local public library looking for a better way to light up our nights. We found nothing about small-scale renewable energy. As a result, one of the first things we did when we started publishing *Home Power* sixteen years ago was to give a subscription to our local public library.

If you'd like to do the same for your public library, we'll split the cost of the subscription with you. Inside the U.S., you pay \$11.25 and we'll pay the rest. Outside the U.S., the same offer stands, so call us for rates.



— Richard Perez, Publisher

Check with your local library before signing them up. Eligible libraries must be open to the general public.
PO Box 520, Ashland OR 97520 • 800-707-6585 • 541-512-0201 subscription@homepower.com • www.homepower.com

INTERNATIONAL

Solar On-Line (SóL) Internet courses on PV, green building, & international development. SóL, PO Box 217, Carbondale, CO 81623 • 720-489-3798 • info@solenergy.org • www.solenergy.org

Solar Energy International online courses: PV Design, & Solar Home Design. Info: see SEI in Colorado listings.

BELIZE

Dec. 6–10, '04; Basic PV; Toledo District. Hands-on workshop with lectures, labs, & installs. Info: hareef99@yahoo.com • www.thefarm.org/etc

CANADA

Alberta Sustainable Home/Office, Calgary. Open last Sat. every month 1–4 PM, private tours available. Cold-climate, conservation, RE, efficiency, etc. 9211 Scurfield Dr. NW, Calgary, AB T3L 1V9 • 403-239-1882 • jdo@ecobuildings.net • www.ecobuildings.net

COSTA RICA

Feb. 21–27, '05; Homebuilt Wind Generators workshop, Fundacion Durika, Costa Rica. Build wind generators from scratch with Hugh Piggott. Info: see SEI in COLORADO listings. Coordinator: Ian Woofenden • 360-293-7448 • ian.woofenden@homepower.com

Mar. 7–13, '05; RE for the Developing World-Hands On, Rancho Mastatal, Costa Rica. Solar electricity, hot water, & cooking; & other RE technologies. Info: see SEI in COLORADO listings. Coordinator: Ian Woofenden • 360-293-7448 • ian.woofenden@homepower.com

CHINA

Oct. 31–Nov. 4, '04; Wind Energy Conf. & RE Exhibition; Beijing. Info: World Wind Energy Assoc., Charles-de-Gaulle-Str. 5, 53113 Bonn, Germany • +49-228-369 40-80 • secretariat@wwindea.org • www.wwindea.org

GERMANY

Oct. 21–24, '04; RENEXPO 2004; Augsburg. Hydro power, decentralization, biofuels, solar, biogas, energy-efficient construction. Info: Erneuerbare Energien Kommunikations und Information Service GmbH, Unter den Linden 15 • 72762 Reutlingen, Germany • +49 (0)71 21-30 16-0 • Fax: +49 (0)71 21 - 30 16 -100 • redaktion@energie-server.de • www.energie-server.com

Jan. 26–27, '05; Clean Energy Power 2005; Berlin. Consumer & trade fair for RE, alternative mobility and energy efficiency. Info: www.energiemessen.de

Feb. 25–27, '05; Erneuerbare Energien 2005; Böblingen. Consumer & trade fair for RE & energy efficient building & reconstruction. Info: www.erneuerbareenergien.com

Mar. 21–23, '05; ENEX - New Energy 2005; Polen. RE trade & consumer fair. Info: www.enex-expo.com

HUNGARY

Sep. 27–29, '04; RE & Energy Efficiency Finance Forum / Green Power Central & Eastern Europe; Budapest. Finance forum followed by 2-day green power expo for business. Info: www.greenpowerconferences.com

ITALY

Sep. 30–Oct. 2, '04; Eolica Expo Mediterranean; Rome. Expo & conference on utility-scale wind power. Info: Solar Energy Group, Via Antonio Gramsci 63, 20032 Cormano (MI), Italy • +39 0266301754 • info@eolicaexpo.com • www.eolicaexpo.com

KENYA

Sep. 18, '04 in Mombasa & Dec. 18, '04, place TBA. Regional energy fairs. Info: Solarnet, PO Box 76406-00508, Nairobi, Kenya • 254-20-572656, 565027 • david@solarnet-ea.org • www.solarnet-ea.org

UNITED KINGDOM

Sep. 20–21, '04; RE Finance Forum; Kensington, London. Info: Tanya Mayrhofer, • 020 7779 8103 • Fax: 020 7779 8946 • tmayrhofer@euromoneyplc.com • www.coaltrans.com

Apr. 18–21, '05; Int. Power Sources Symposium & Exhibit-STORE 2005; Brighton Corn Exchange. Storage of RE. Info: Int. Power Sources Symposium • www.ipss.org.uk

U.S.A.

American Wind Energy Assoc. Info about U.S. wind industry, membership, small turbine use, & more. www.awea.org

Info on state & federal incentives for RE. North Carolina Solar Center, Box 7401 NCSU, Raleigh, NC 27695 • 919-515-3480 • www.dsireusa.org

Ask an Energy Expert: online or phone questions to specialists. Energy Efficiency & RE Network (EREN) • 800-363-3732 • www.eere.energy.gov

Stand-Alone PV Systems Web site: design practices, PV safety, technical briefs, battery & inverter testing. Sandia Labs • www.sandia.gov/pv

ARIZONA

Scottsdale, AZ. Living with the Sun; free energy lectures, 3rd Thurs. each month, 7 PM, City of Scottsdale Urban Design Studio. Dan Aiello • 602-952-8192; or AZ Solar Center • www.azsolarcenter.org

CALIFORNIA

Aug. 5–8, '04; Eco Wave 2004; Oakland. Green architecture conf. Info: San Francisco Institute of Architecture, Box 2590, Alameda, CA 94501 • 510-523-5174 • SFIA@aol.com

Aug. 14, '04; Southern California RE Expo; Pomona, CA. RE booths, workshops, & demonstrations. Info: Solatron Technologies, Inc. • 888-647-6527 • www.socalenergyexpo.com

Aug. 23–24, '04; Solfest RE & Sustainability Fair; Hopland, CA; Exhibits, workshops, music, speakers. Info: 707-744-2017 • www.solfest.org

Oct. 2–15, '04; Green Building For A Sustainable Future; Garberville, CA. Workshop covers ecological design, green building, RE, grey water, sustainable forestry, & indoor air quality. Info: Heartwood Institute, 877-936-9663 • hello@heartwoodinstitute.com • www.heartwoodinstitute.com

Oct. 18–21, '04; Solar Power 2004; San Francisco. Conf. & expo for all forms of residential and commercial solar applications. Info: SEIA, 202-628-7745 • ebrown@seia.org • www.solarpower2004.com

Arcata, CA. Campus Center for Appropriate Technology, Humboldt State Univ. Workshops & presentations on renewable & sustainable living. CCAT, HSU, Arcata, CA 95521 • 707-826-3551 • ccat@axe.humboldt.edu • www.humboldt.edu/~ccat

Hopland, CA. Ongoing workshops, including beginning to advanced PV, wind, hydro, alternative fuels, green building techniques, & more. Real Goods SLI, 13771 S. Highway 101, Hopland, CA 95449 • 707-744-2017 • sli@solarliving.org • www.solarliving.org

COLORADO

Aug. 29–Sept. 3, '04; World RE Congress; Boulder. Forum for energy suppliers, consumers, governments, industry, academia & financial institutions on RE. Info: Nancy Jo Wiggin • 203-925-2102 • nwiggin@infinityexpo.com • www.energytechexpo.com

Sep. 27–Oct. 5, '04; Sustainable Resources 2004: Solutions to World Poverty; Boulder. Grassroots conf. on sustainable development, technology, & use of resources. Info: Sustainable Resources Conference, 717 Poplar Ave., Boulder, CO 80304 • 888-317-1600 or 303-998-1323 • info@sustainableresources.org • www.sustainableresources.org

Camp-Us; RE camp for teens. Jul. & Aug. sessions. Lectures, labs, hiking, & more. Apprenticeships available, campers & volunteers wanted. Info: Ed Eaton, Our Sun Solar, PO Box 1876, Paonia, CO 81428 • 970-948-5304 • hareef99@yahoo.com • www.youthcamp-us.org

Carbondale, CO. SEI hands-on workshops & online distance courses on PV, solar pumping, wind power, micro-hydro, solar H2O, alternative fuels, green building, women's courses, & online distance courses. Solar Energy International, PO Box 715, Carbondale, CO 81623 • 970-963-8855 • sei@solarenergy.org • www.solarenergy.org

ILLINOIS

Aug. 7–8, '04; 3d Annual IL RE Fair; Ogle County Fairgrounds; Oregon, IL. Exhibits, workshops, & booths. Info: IL RE Assoc. • 815-732-7332 • www.illinoisrenew.org

IOWA

Jul. 31–Aug. 1, '04; Solar Domestic Hot Water Workshop; Garrison, IA. See below for IRENEW access.

Sep. 11–12, '04; 13th Iowa Energy Expo, Prairiewoods Franciscan Center, Hiawatha, IA. Workshops, exhibits, Electrathon, alternative vehicles, straw bale building, passive & active solar, biomass, & solar-powered music. See below for IRENEW access.

Prairiewoods & Cedar Rapids, IA. Iowa RE Assoc. meets 2nd Sat. every month at 9 AM. Call for changes. IRENEW, PO Box 3405, Iowa City, IA 52244 • 563-432-6551 • irenew@irenew.org • www.irenew.org

KENTUCKY

Mt. Vernon, KY. Appalachia: Science in the Public Interest. Projects & demos in solar electricity, solar hot water, gardening, sustainable forestry, more. ASPI, 50 Lair St., Mt. Vernon, KY 40456 • 606-256-0077 • solar@a-spi.org • www.a-spi.org

MICHIGAN

Urban Enviro Discussion, Ferndale, MI. 2nd Wed. each month, 7 PM. Sustainability, energy efficiency & conservation, RE, & green building. Potluck. The GreenHouse, 22757 Woodward #210, Ferndale, MI 48220 • 313-218-1628 • www.hometown.aol.com/ecadvocate

Intro to Solar, Wind, & Hydro. West Branch, MI. 1st Fri. each month. System design & layout for homes or cabins. Info: 989-685-3527 • gotter@m33access.com

NEW MEXICO

Sep. 25–26, '04; Solar Fiesta; Albuquerque. RE fair, incl. solar, wind, passive solar and green building, solar cooking, water harvesting, & recycling. Also, kids' area & solar entertainment. Info: NM Solar Energy Assoc., 505-246-0400 • info@nmsea.org • www.nmsea.org

NEW YORK

Aug. 8–11, '04; Energy 2004: Energy Efficiency Workshop & Expo; Rochester, NY. EE for all professionals. Info: 410-997-0763 • energy@eponline.com • www.energy2004.ee.doe.gov

NORTH CAROLINA

Aug. 27–29, '04; Southern Energy & Environment Expo; Etowah, NC. RE, green building, & sustainable living exhibits, workshops, & talks. Info: S.E.E. Expo, PO Box 1562, Etowah, NC 28729 • 828-696-3877 • info@seeexpo.com • www.seeexpo.com

Saxapahaw, NC. How to Get Your Solar-Powered Home. Call for dates. Solar Village Institute • PO Box 14, Saxapahaw, NC 27340 • 336-376-9530 • info@solarvillage.com • www.solarvillage.com

OHIO

Oct. 2, '04; Green Energy Ohio Solar Tour. Sustainable, energy efficient, & RE technologies at homes, businesses, & public places. Guidebook. Info: See GEO below.

Oct. 9–10, '04; Athens Area Sustainability Festival; Athens, OH. Recycling, solar, wind, watershed restoration, organic farming, alternative transportation, local arts, music, theatre, jugglers, food, education, etc. Info: AASF, PO Box 58, Amesville, OH 45711 • 740-448-2696 • media@susfest.org • www.susfest.org

Nov. 9–10, '04; Ohio Wind Power Conference; Cleveland. Educational seminar on wind development for Ohio & Lake Erie. Info: Green Energy Ohio, 866-GREEN-OH • geo@greenenergyohio.org • www.GreenEnergyOhio.org

OREGON

Sep. 18, '04; Solar Cookery Equinox Extravaganza & Potluck; Morning Hill Forest Farm, Seneca, OR. Info: EORenew, PO Box 485, Canyon

City, OR 97820 • 541-575-3633 • info@solwest.org • www.solwest.org

Cottage Grove, OR. Adv. Studies in Appropriate Tech., 10 weeks, 14 interns per quarter. Aprovecho Research Center, 80574 Haxelton Rd., Cottage Grove, OR 97424 • 541-942-0302 • apro@efn.org • www.efn.org/~apro

PENNSYLVANIA

Penn. Solar Energy Assoc. meeting info: PO Box 42400, Philadelphia, PA 19101 • 610-667-0412 • rose-bryant@erols.com

TEXAS

Sep. 24–26, '04; Texas RE Roundup & Green Living Fair; Fredericksburg, TX. Speakers, workshops, demos, family activities, alternative vehicles, & natural food. Info: 877-3ROUNDUP • www.theroundup.org

El Paso Solar Energy Assoc. meets 1st Thurs. each month. EPSEA, PO Box 26384, El Paso, TX 79926 • 915-772-7657 • epsea@txses.org • www.epsea.org

Houston RE Group: e-mail for meeting times: HREG • hreg@txses.org • www.txses.org/hreg

WASHINGTON STATE

Oct. 16, '04; Intro to RE; Guemes Island, WA. Solar, wind, & microhydro for homeowners. Info: see SEI in COLORADO listings. Local coordinator: Ian Woofenden • 360-293-7448 • ian.woofenden@homepower.com

Oct. 18–23, '04; Wind Power Workshop with Mick Sagrillo, Guemes Island, WA. Design, system sizing, site analysis, safety issues, hardware specs, & a hands-on installation. Info: see SEI in COLORADO listings. Local coordinator: Ian Woofenden • 360-293-7448 • ian.woofenden@homepower.com

Oct. 25–30, '04; PV Design & Install Workshop, Guemes Island, WA. System design, components, site analysis, system sizing, & a hands-on installation. Info: see SEI in COLORADO listings. Local coordinator: Ian Woofenden • 360-293-7448 • ian.woofenden@homepower.com

WISCONSIN

MREA workshops: Aug. 25–26, Gurnee, IL, Basic PV; Aug. 27–28; Gurnee, IL, Int. PV; Jul. 30–Aug. 1, St. Cloud, MN, Straw Bale Constr; Sep. 19–25, Custer, Tilt-Up Tower Wind Install. Also, Alternative Construction, Solar Domestic Hot Water, Solar Space Heating, & more. Info: MREA, 7558 Deer Rd., Custer, WI 54423 • 715-592-6595 • mreainfo@wi-net.com • www.the-mrea.org



Send your renewable energy event info to happs@homepower.com

**ZAPSUCKER
.COM**



SoL is "Solar-on-Line"

Internet-based Distance Courses
with practical skills workshops



Internet-based distance courses year-round
Practical skills workshops offered in the US and Mexico
Visit the Solar-On-Line website for schedule and details

For current schedule
of On-line Courses & Workshops
Click on SoL www.solar-on-line.org

E-mail: SoL@SoLEnergy.org • Phone/Fax: 720-489-3798

See Happenings in this issue for the 2004 schedule of courses.

Back Home

MAGAZINE

Your Guide to Self-Reliant Living

Take control of your own life. Thousands of people have gone BACKHOME to enjoy less complicated, more rewarding lives . . . and you can join them. In each bimonthly issue, find articles on topics such as: Alternative Home-Building Techniques, Organic Gardening, Selecting a Home Business, Living Mortgage Free, and much, much more!



Subscribe to BACKHOME
for just \$21.97 per year.
Call us at 800-992-2546,
write to us at P.O. Box 70HP,
Hendersonville, NC 28793
or visit our Web site

www.BackHomeMagazine.com

Think your home is well insulated?
Think again!



Safe non-toxic radiant reflecting coatings and paint additive proven to increase the effective "R" value in walls and roofs by as much as 50%. www.insuladd.com
Toll Free 888 748 5233

PC Software for Sine Inverters



www.RightHandEng.com (425) 844-1291



Solar Wind Works

CA Contractor's License: #796322

USA Distributor for
Proven Wind Turbines

Renewable Energy Power Systems

- Sales—PV, Wind, & Microhydro
- Design—Off-Grid or On-Grid
- Installation & Service

Chris Worcester

Toll Free! 1-877-682-4503

530-582-4503 • fax: 530-582-4603

PO Box 2511, Truckee, CA 96160

www.solarwindworks.com

off the grid since 1977!



Proven Energy Solutions for Self-Reliance or Utility Buy-Back

IOWA ENERGY EXPO 2004

WORKSHOPS MIDWEST VENDORS
HIKING AND CAMPING NATIVE PRAIRIE TRAILS
FOOD AND ENTERTAINMENT

SATURDAY AND SUNDAY SEPTEMBER 11 AND 12
PRAIRIEWOODS FRANCISCAN SPIRITUALITY CENTER

120 E. BOYSON ROAD
HIAWATHA, IOWA 52233

FOR DETAILS VISIT WWW.IRENEW.ORG
OR CALL (563) 432-6551



PO Box 3405
IOWA CITY, IA, 52244-3405

Technology & Change

Richard Perez

©2004 Richard Perez

Technology is now a major force driving change in human society. Technology is so powerful that it now modifies our natural environment in addition to our human society.

I beg your indulgence for this short history and analysis of social change. I don't have the space to develop and document the ideas I'm going to present. This is a seat-of-the-pants historical reflection. This is one person's impressions, gathered in a half century's intense interest in social change.

We humans have always been a busy lot. We're never satisfied with the status quo. We always seek to make change and to improve our conditions. For millennia past, religion provided the ideology that structured change in human society.

Within the last few centuries, newer rules and nonsecular ideals were developed by what we call "politics." Politics is an ideology, a structure, for governing and ordering human society. Change in human society was always directed by religious or political ideas. All this has changed. We now have a new factor structuring human society—technology.

As I look back on the last century, I find that neither religion nor politics were the major forces that drove social change. Religious states became rare. Major political revolutions took place and failed—witness the communist revolutions in the Soviet Union and China. Democracies became mechanical in their support of the status quo—the business of government became business. Religion became a private affair. Politics stagnated.

During the last century, people discovered and began to popularize technology. Machines amplified our labors. Technology allowed us to do things that a century before would have been considered magical marvels. Almost without realizing it, we allowed technology and engineering to become the factors that shaped our lives.

Instrument of Social Change

I realize that many of you may scoff. Technology is just gadgets and machines, you may say. We humans still order our societies by our politics and religions, you may claim. I offer three very distinct examples of my claim that technology now primarily directs our societies—transportation, especially the automobile; telecommunications, especially the Internet; and electricity. These are all technological mass developments within the last century.

Transportation. At the turn of the last century, the automobile was considered a curiosity. This play toy for the rich would never replace our traditional beast of burden, the horse, as our mode of moving ourselves and our necessary supplies. As the century wore on, the automobile gained acceptance and became more common—we made millions of them.

Soon we were building roads and highways especially for automobiles and definitely not useful for horses. We mined minerals to make these steel transportation machines. We pumped the eons-old richness of the Earth's oil to fuel these mechanical vehicles. No longer were we limited to what we could walk or ride a horse to in a day or two. We could span vast distances, and we could haul goods over hundreds, even thousands of miles. We changed. Our culture changed.

Let's shift gears from the macro to the micro for a moment. Karen and I lived for six years on our homestead on Agate Flat, Oregon, without a motor vehicle. Everything we needed from the "outside world" had to be either backpacked or horse-packed six miles from the nearest automobile accessible road—this was 19th century living.

We could, and did, employ ourselves at home, but any outside labor for money meant a journey by either foot or horse of many hours before we could reach the site of our employment. A journey to town for supplies took several days, even with the charity of our automobile-owning neighbor who ferried us to town and back. For us, a journey to town was an experience in culture shock. We were living in a previous century and visiting a new world that we neither were part of, nor could afford. I experienced, first hand, the change that the automobile had made to our culture.

The automobile, and its larger cousin the truck, shaped 20th century life. These mechanical conveyances gave us the ability to work many, many miles from where we live. It gave us the ability to centralize food production and manufacturing, and to ship these goods thousands of miles to where they were eventually consumed and used. It changed us in more practical ways than religion or politics ever did.

Communications. A century ago, most human communication was carried out by talking face to face. Letters were a rarity, and telegraphic communication

just beginning. Technology limited communications to neighborhoods. News traveled slowly.

During the 20th century, radio communications became common. Everyone in an entire nation could listen to the same information at the same time. Telephones put us in communication with each other, regardless of distance. Televisions added moving pictures to the audio offered by radios. And recently, the Internet began spreading information, communications, and ideas worldwide.

What were local communications became national; national ideas became international. We entered the information age. Access to international and instantaneous communication changed every society it touched. Ideas and opinions became more homogenized.

The high degree of modern, interconnected, information interchange brought the peoples of the world closer together. We became more informed, and therefore more concerned about events outside of our neighborhood. We became more tolerant of different elements within our own society and those of different, international societies.

Once again, a personal digression from the macro to the micro. Karen and I lived for many years without a telephone. The nearest mailbox was a day's journey from our home. We didn't have a television or even a radio. We lived in a 19th century communications universe. We got the neighborhood news by visiting and talking with our neighbors, and by reading newspapers and magazines that were weeks and sometimes months out of date.

When we finally got modern communication devices at our home, we experienced a cultural shock. The world was ahead of us by decades, and we caught up in a matter of weeks. Even television commercials were an interesting window on a world that had passed us by.

Electricity. Perhaps no technology has more revolutionized human society than electricity. Technologies tend to spawn other, newer technologies. Without the technology of electricity, neither modern transportation nor communications would be possible. In modern America, electricity is considered a necessity—you simply cannot live without it.

For almost a decade, Karen and I lived without electricity. We lived in a 19th century combustion world. We used kerosene lamps and candles for light. We cooked our food and heated our home with a woodstove. We hauled our drinking water by hand. To say that we welcomed electricity into our home would be a huge understatement. It revolutionized our lives.

Not only has electricity made our homes more comfortable, it has also made modern mass production and manufacturing possible. Electricity spawned entire new industries that provide work for millions of people.

And now electricity itself is undergoing a revolution. The 20th century notion of making electricity in centralized power plants and shipping it vast distances on wires is changing. Once again, technology is making societies change.

Renewable energy, electricity made from solar, wind, and microhydro sources, is challenging the concept of

centralized power plants. Electricity can now be made virtually anywhere. These natural sources offer freedom from monthly energy bills, freedom from the pollution caused by centralized electricity production, freedom to live in remote areas, and I hope eventually, freedom from energy-induced wars.

Two-Edged Sword

Technology is a two-edged sword—it can be used for good or for ill. The same transportation technology that makes air travel possible can also be used to drop bombs. The same communications technology that can be used to bring information to us all can be used for misinformation and propaganda. The same electric power technology that lights our homes and pumps our water can also be used to power an electric chair.

Technology is essentially mindless and without ethics or ideals. Social change comes from how we use technology and which technologies we use. When we adopt a new technology into our homes and lives, we are in essence voting for that technology and the changes it makes. With technology, we vote with our dollars, while in politics, we vote with a ballot.

When we choose to adopt RE technologies, we also choose the social changes that RE technology fosters. If we want a better and cleaner world, the place to start is at home. Each home that uses RE is a home that participates in the democratization of energy. Each home that uses RE is a home that helps to clean up our environment. Each home that uses RE is a home that fosters world peace. We vote with our bucks—the choice is up to us.

Access

Richard Perez, *Home Power*, PO Box 520, Ashland, OR 97520 • 541-941-9716 • richard.perez@homepower.com • www.homepower.com



SOLAR COOLING

WITH

SOLAR CHILL

ULTRA LOW ENERGY
25 TO 130 WATTS!

The most efficient coolers
on the planet.

12 & 24 Volt DC Evaporative Coolers
KAR KOOL FOR YOUR VEHICLE



Call SOUTHWEST SOLAR
(520) 885-7925 Tucson, Arizona, USA
southwest-solar.com

questions & answers

Starting Surge

Hi HP, I have a question about power surge. In your Energy Master spreadsheet, you use starting power of about 2x for the refrigerator example. I tested the surge on my 14.5 cubic foot Whirlpool with a Watts Up? meter, and it registered starting power that is 17 times the normal power of about 100 watts. That must be instantaneous, since the Watts Up? graphed the surge at about 2x, which I believe is averaging the power over time. I have tested other appliances including pump motors with similar results. Is this high instantaneous surge not relevant to sizing the inverter surge requirements? In this case, what should I use for a starting power estimate? Thanks, Randy Sadewic • rsadewic@earthlink.net

Hi Randy, Starting surges can be measured over a variety of time periods—1 millisecond (ms), 10 ms, 100 ms, and one second. It is the 1 second surge we are interested in when sizing inverters. I suspect that you were measuring a 1 ms or 10 ms surge. This very high, but very short duration surge can be neglected when sizing an inverter. Richard Perez • richard.perez@homepower.com

Irrigation Pump

I picked up your magazine for the first time this past weekend and enjoyed reading the entire issue. I am planting blueberry bushes in a field that does not have water or electricity and want to install a drip irrigation system. I was thinking of placing a tank with water and a small pump to pressurize the system. Have you encountered a similar application? Would a solar-electric panel be able to power the pump? Any direction would be appreciated. Thanks, Rick Scherr • rscherr@catrock.net

Hi Rick, Yes, this sort of thing is commonly done, assuming you have a source of water nearby. You could run an array-direct solar pumping system that would pump when the sun shines. Or you could use a pressure pump run by a solar-electric module and battery to provide water all the time (within the limits of the system and source). Any dealer of RE equipment should be willing to help you design a system that will fit your needs. Michael Welch • michael.welch@homepower.com

GSHP vs. SHW

HP, I don't see ground source heat pump articles much in *Home Power*, but I thought I'd ask this question: Theoretically, what is the more cost and environmentally effective choice—a ground source heat pump (GSHP) or a solar hot water (SHW) system for heating a home in a cold climate?

You would have to hold some things constant (size of home, kind of backup heat, location, etc.) in the comparison, but I would guess a GSHP would use more electricity than a SHW system (increasing pollution in my coal heavy state) A GSHP may cost more, but it will also be more effective in winter when you need it. Any back-of-the-envelope calculations you can offer? Mike • mptaylor@hotmail.com

Hi Mike, Good question. There seems to be more than a little confusion about the different technologies. Ground (water) source

heat pump performance is measured by coefficient of performance (COP), the ratio of energy out to energy in. The higher the COP, the higher efficiency and the more money saved and emissions avoided. Grid-connected electrical water heaters (and furnaces) have a COP of 1, the baseline. Ground source heat pumps have COPs of 3 to 4 in home heating applications. Because domestic hot water requires a higher temperature than needed for home heating, the COP of heat pump water heaters is closer to 2. A COP of 2 means the heat pump water heater uses half the electricity needed to heat the same amount of water using an electrical resistance water heater.

Passive solar water heaters and active water heaters powered by PV have an infinite COP—they do the same job with zero grid electrical usage and cost, and zero emissions. Active solar water heaters using a grid powered pump and control have COPs of about 8 to 20, depending on system type and the location of the installation.

A quick and rough calculation for a single pump active solar water heater using a Taco 006 pump and Goldline GL-30 control: The pump draws 60 watts and the control 3 watts when the system is on, an average of 6 hours, so about 380 watt-hours per day. In addition, the control uses about 1 watt on standby for an additional 18 watt-hours, so we can round up to 400 watt-hours a day. This system is located in a sunny climate and is capable of producing 40 gallons of hot water per day (60°F temperature rise). It takes about 20,000 BTUs to heat 40 gallons of water 60°F. A KWH of electricity will produce about 3,400 BTUs, so it takes 5.6 KWH to heat the 40 gallons per day. The COP of this solar water heating system would be about 14 ($5.6 \div 0.4 = 14$).

The initial cost of the system, the total life cycle cost, and the amount of the total energy load displaced are also important factors that you may wish to consider to decide what will be best for you. Cheers, Chuck Marken • chuck.marken@homepower.com

Initial Charge

I just ordered your CD-ROM special and hope to find answers there, but I have an immediate need that you may be able to help me with. I am installing my first RE system using Photowatt solar-electric panels, eight Trojan T-105 batteries and a Xantrex C40 charge controller wired in a 48 V configuration. My question is: How do I need to do my initial charge of the batteries?

Each battery has the same date code stamped on the terminals, so they should be from the same manufacturing lot. Should I charge each 6 V battery separately and then install them in my system, or should I just install them and let the controller perform an equalization charge after it initially charges them? It seems to me that I need to charge each one individually to ensure that they are close to the same charge level, but I have not been able to find any information to support this. Thank you for your time, Bill Settle • williamsettle@yahoo.com

Hello Bill, Just go ahead and install the entire system and let the PVs charge the batteries. It will take six to eight cycles before the batteries come up to full capacity. There is no need to charge each battery before installation. If the batteries are going to sit

around for more than a few weeks before installation, be sure to stick a trickle charger on them. A cheap-o car battery charger with the batteries wired in series-parallel for 12 V will do the trick. I hope you are including an amp-hour meter in this system so you can accurately monitor the batteries' state of charge. Richard Perez • richard.perez@homepower.com

Array Placement

Hi Home Power, The roof of my house has all sorts of odd angles and tree shading at various times of the year. I had one PV provider suggest that I place half of a 2.5 KW system on an east-facing roof section and the other half on the west-facing roof section. Another guy (from the same company) said that such a configuration would cause trouble for the Sunny Boy 2500U grid-tied inverter. Does this make any sense to you? The second guy is suggesting that I split the system up on various south and west-facing sections, which he claims is nicer to the inverter. I'm thinking of ignoring both of these guys and installing a smaller 1.1 KW system on a single south-facing section that is shade-free for most of the day from April through September. This is when my utility has the greatest payback (\$0.30 per KWH vs. \$0.10 per KWH the rest of the year). With it on one section, I expect the installation to be simpler, too. I've downsized the system, since it looks like I really will have to return my electric car this summer. With this limited information, do you see any obvious flaws in my reasoning? Many thanks, Casey Hartman, Redwood City, California • robinandcasey@comcast.net

Hi Casey, I see no flaws in your reasoning, but I would not yet dismiss the idea of a larger array, even if it means splitting it up. It is weird that you are getting conflicting info from the same company. That would certainly make me think twice about things. This is from the Sunny Boy FAQ at www.sma-america.com:

Q: What is the best panel configuration to use with my Sunny Boy inverter?

A: Ideally, every PV panel connected to one Sunny Boy inverter should be installed in the same plane-of-array orientation (facing the exact same direction). You should not place PV panels in different orientations. Every module should also be installed in a location to avoid shading, no matter how small. If the orientation is mixed or partially shaded, the weakest panel(s) in the system will limit the output of the entire PV array. Other orientation considerations should be made to optimize time-of-day and/or time-of-year performance.

So, for multiple planes and/or shading situations, it would appear that multiple inverters are called for. If I were in your shoes, I would call up the folks at SMA-America and explain the situation to them. The more info you have about how much time each of the roof faces are in the sun, the better they will be able to advise you. Their reputation for helping customers is among the best in the industry. Michael Welch • michael.welch@homepower.com



*Send your questions to
Home Power magazine at
letters@homepower.com or
PO Box 520, Ashland, OR 97520*

Wind Turbines -		We sell PMA's	
Starting at only \$499.95		Bio-Diesel Supplies -	
<small>Come see our web site!</small>		Make fuel for 10 cents per gallon.	
<small>Wind turbine parts</small>	Up to 1200 Watts	*12 volt hot water elements only \$39.95	
		*Diverson load and charge controllers \$69.95	
\$499.95	<small>Buy factory direct - Best pricing on all sorts of alternative energy items</small>		
www.hydrogenappliances.com			

sunelec.com

Liquidation Sale

Inverters, Solar Panels, Wind Generators

305 536-9917

	Make every day special
	<small>The natural ingredients of our products get their energy from the sun</small>
	
<small>Off the grid since 1980</small>	simmonsnaturals.com
<small>42295 Hwy. 36, Bridgeville, Ca 95526</small>	

PV Module Clearance

Kyocera 158 watt modules

Great price—Only a few dozen remaining

Free system design—10 years of experience

Call Next Energy, LLC (866) 594-0580

HYDROELECTRIC SYSTEMS: Pelton and Crossflow designs, either complete turbines or complete systems. Assistance in site evaluation and equipment selection. AC Systems for standalone or grid interconnect operation. Manufacturing home and commercial size turbines since 1976. Send for a free brochure. Canyon Industries Inc., P.O. Box 36 HP, Deming, WA 98244, 360-592-5552. e-mail: citurbine@aol.com web page: canyonhydro.com • HP10202

EARTH SHELTERED HOMES This definitive manual by noted authority Loren Impson features detailed building instructions for amazingly affordable and practical Ferro Cement Domes. Only \$15 from Loren, 71 Holistic, Mt. Ida AR 71957 www.2BbyD.com • HP10203

COSOLAR.COM discount prices from Colorado Solar Electric. New Shell SQ80 in stock \$328. OutBack Inverters in stock 1-800-766-7644 • HP10204

SINGLE AND DUAL AXIS SOLAR TRACKER CONTROLS up to 48V and 5A output. www.theanalogguy.com • HP10205

WIND TURBINES! Best prices nationwide. Bergey & AWP. www.pineridgeproducts.com 406-738-4284 • HP10206

SURPLUS INDUSTRIAL BATTERIES: Save up to 70% on unused military and industrial batteries. Many types and sizes, super H.D. Factory crated. Also chargers, wind and solar equipment, new and used. D.P.S.D. Inc. 3807 W. Sierra Hwy. #6, Acton CA 93510. 661-269-5410. Fax 661-269-1303. • HP10207

ALMOST FREE SOLAR POWER! Cheap (under \$500) DIY systems for home, cabin, rv. PowerFromSun.com • HP10208

RADIO/TELEPHONES Voice-Fax-Web 1-8 lines 20mi. CELLULAR Antenna pkg improves access 208-263-9755 PDT • HP10209

POWERPULSE(r) SULFATION BUSTERS endorsed by R. Perez! 12V \$69.95 free UPS. 800-222-7242 for other models/wholesale prices. email: abrahamsolar@hotmail.com Siemens 40 watt: \$170! Ask about other surplus modules or any energy gear. Veteran Colorado equipment broker; happy clients since 1984. • HP10210

VIDEOS AVAILABLE: NEW-"GUERRILLA SOLAR INSTALL", "Introduction to Solar Electricity", "Introduction to Solar Pool Pumps", "How To Solar Installation Video" VHS and DVD www.igotsolar.com • HP10211

ECOMALL: The largest environmental portal of earth-friendly companies and resources. Renewable energy companies, news and information. www.ecomall.com. To advertise, call 845-679-2490. • HP10212

LARGE GAS REFRIGERATORS 12, 15 & 18 cubic foot propane refrigerators. 15 cubic foot freezers 800-898-0552 Ervin's Cabinet Shop, 220 N County Rd. 425E., Arcola, IL 61910 • HP10213

XXXXXXXXXX UNI-SOLAR XXXXXXXXXXXX XXXXXXXXX 64 Watts \$319 XXXXXXXXXXXX New 105AH AGM 12V batteries-Reg \$185, Sale \$75. TraceX SW5548 (GTI unit) \$1995. Ex 2KW inverter SB \$850. Buy, sell New/Used 760-949-0505 • HP10214

HONDA GENERATORS - 1000 to 10,500 watts. Fast shipping and great prices! www.hayesequipment.com 1-800-375-7767 • HP10215

DC SUBMERSIBLE WELL PUMPS. Complete, ready to install. \$187 includes IMMEDIATE FREE SHIPPING. Visit www.nemosolar.com or call 1-877-684-7979 • HP10216

I AM A SOLAR WHOLESALER looking for retailers to carry my solar electronic and hobby goods. Phone # (916) 486-4373. Please leave message. • HP10217

TELLURIDE COLORADO: Off the Grid Properties! Hot Springs, Riverside, solar powered homes, large and small ranches. Find your own place in the sun with the only solar powered real estate office in Colorado. T.R.I. (970) 728-3205 1-800-571-6518 www.solarrealty.net • HP10218

EDTA RESTORES SULFATED BATTERIES. EDTA tetra sodium salt, \$12/lb. plus \$5 S&H for 1st lb. plus \$1 S&H for each additional lb. Trailhead Supply, 325 E. 1165 N., Orem, UT 84057, (801) 225 3931, email: trailheadsupply@webtv.net, info. at: www.webspawner.com/users/edta. • HP10219

SOLAR ELECTRIC INC. Lowest prices under the sun! 5555 Santa Fe St #D, San Diego, CA 92109; 800-842-5678, www.solarelectricinc.com • HP10220

www.LOWESTCOSTSOLAR.com Do it Yourself! PV Panels, Wind Turbines, Charge Controllers, Kits BEST PRICES, ONLINE SUPPORT • HP10221

SOLAR HEATERS FOR SALE! Get free heat from the sun for your home, office, garage, etc. Visit us today at www.hotboxsolar.com or by phone at 1-607-481-0992. HotBox Solar. 263 Glenwood Ave. Elmira Heights, NY. 14903 • HP10222

VARI-CYCLONE: DC powered ceiling fan, 40% more airflow with no increase in power consumption. For more info contact RCH Fanworks, the #1 manufacturer of DC powered ceiling fans, 2173 Rocky Crk. Rd. Colville, WA 99114 PH: 509-685-0535, email: info@fanworks.com, Web: www.fanworks.com, Dealer inquiries welcome. • HP10223

SURVIVAL UNLIMITED.COM - Emergency Preparedness & Survival Supplies. Wind Power from 439.00+. Many great products & prices! 1-800-455-2201 www.survivalunlimited.com • HP10224

PHOTOWATT DROPSHIPED FROM FACTORY DIRECT TO YOU, \$3.30 PER WATT, 25 yr warranty. Minimum order 10 modules. Contact Sun @ 305-381-6166 • HP10225

DANBY PROPANE 8 cu. ft. refriger. freezer \$800 shipped direct from factory. Call Sun 305-381-6166 • HP10225

KUBOTA DIESEL GENERATOR Low Boy 6.5 KW, super quiet, only 64 DCB. Only \$3,550. Call Sun 305-381-6166 • HP10225

AIR LAND 403 \$349 305-539-0403 • HP10225

REMANUFACTURED INVERTERS, LARGE INVENTORY, UP TO 55% OF LIST, with factory warranties, all brands, all sizes. Call Sun at 305-536-9917 Can be drop shipped from factory. • HP10225

CONVERT WOOD TO ELECTRICITY: Steam engine powered generator sets http://www.geocities.com/steamgen/ 918-520-7711 or wjjcg7@cox.net 2827 N. Kingston Ct. Tulsa OK 74115 • HP10226

VERMONT PV / HYDRO OFF GRID HOME. System was cover story of HP 17. MOVE TO BEAUTIFUL, SCENIC N. IDAHO! We have many alternative energy homes to choose from. www.maidenrock.com Maiden Rock Real Estate Sandpoint, ID 1-877-428-7370 • HP10227

PUMP WATER FOR FREE; How to Build your own Hydraulic Ram Pump, Detailed easy to follow instructions from local plumbing parts. www.nwipr.com or call 877-212-3371 • HP10228

WWW.EARTHTOYS.COM - Online library and emagazine all about alternative energy systems and equipment • 10029

FREE SOLR EDU KIT or VHS:Trth Lies 911 \$25mbrshp 845-246-0600 WoodstockMuseum.org • HP10230

CIRCLEDANCE YURTS Affordable high-quality yurts & canvas shelters. Unique designs. All natural to high-tech. (707)825-8528. service@circledance.com • HP10231

SURPLUS AGM BATTERIES, fully reconditioned and load tested. Huge \$'s savings on several in stock models. Visit www.hyperpowerusa.com or call Tim Ivie 661.609.1069 • HP10232

WIND FARM DEVELOPMENT for Farmers and Landowners. 1 or more turbines www.techlinepower.com 414-374-0021 • HP10233

15 MTN FORESTED ACRES, USFS surrounds. 3 older dwellings powered by 12 KW hydroelectric off-grid. 300# pressure at generator, 800' head. Zoned R3. 3 mi to Salmon/Klamath Rivers in Calif. Shops, garden & RV hookup areas. Great 4 multi families or retreat. \$500K. 530-475-0916 Sun-Thurs anapearl@finestplanet.com • HP10234

\$1200 REMOTE HOME SITES (total), in New Mexico. Great: Water, Soil, Access, View, potential. deming-land.com (928) 580 7808 • HP10235

YURTS! Our beautiful yurts are being used as homes, cabin rentals, and studios. Finest craftsmanship and lowest prices at www.spiritmountainyurts.com 1-888-686-4198 • HP10236

EXELTECH 600W SW inv new. Reg \$799 now \$489. hydeoutmountain@eohio.net, 740-946-6611 • HP10237

ECO-OPPORTUNITY Century Farmhouse (ca 3000 sq ft, 6br, 3ba, ofc, enclosed wraparound porch, new eat-in kitchen, dinrm, livrm, famrm, bsment). 79 ac pasture/fields/woods w1-ac fishing pond; good hunting. Powered by grid or by prof designed alt energy (1800W PV array, batt bank, Trace inverter, etc). B/up gen. Wood or propane heat. Lg barn, storage bldg, new powerhse(46x24), hot tub, 2-car gar+workshop. DSL connected. Peaceful NW PA, close to interstates & Pittsburgh, Cleveland. 724/253-4768 • HP10238

3 ITEMS FOR SALE: 1 Xantrex-Statpower 1800W AC out 24VDC in 806-1852 Prosigne Inverter brand new \$1000 OBO 2 IOTA DLS 2725 battery charger brand new \$200 OBO 3 Trace U2624 inverter 10 years old \$250 OBO Chris Marnay tel 1.510.486.7028 or C_Marnay@lbl.gov • HP10239

BERGEY XL.1 WIND GENERATOR, new \$1800. Exeltech XP600, 24V, sine-wave inverter, new \$600. 903-327-4262 • www.texregen.com • HP10240

WANTED: A complete Whisper 3000 or 4500 in any state of mechanical disrepair. 519-524-8024 • HP10241

INVERTER, TRACE SW4024 w/battery temp sensor & cables. Used ~50hrs. \$1650. 503-244-8709 or kraigbr@msn.com • HP10242

20 NEW ENERSYS 3CA-7 6V 150 AMP LEAD ANTIMONY STANDBY BATTERIES. 20-yr service life \$175 ea 816-421-8118 • HP10243

RE-DEALERS WANTED: For BATTERY EQUILISER a battery maintenance and restoration fluid. For more info see positiveresources.net or call 505-430-7705 • HP10244

WHOLESALE TO PUBLIC; Dealers wanted! Minimum order 4 items: Solar PV, Wind, & related hardware--Huge Variety! \$30,000 Freeway Speed PURE ELECTRIC CARS coming to market! E-mail solar@xprt.net or call 503-641-3732 Now! • HP10245

CONVERT WIND PRESSURE ENERGY into turbineless electric power AND reduce energy cost of operating piston well pump. Plans: \$10 + \$2.50 ea to Edwin Newman, 11038 Camarillo St Unit 3, Toluca Lake, CA 91602. 818-760-9266 • HP10246

REBUILT 140 VOLT JACOBS WITH TOWER, \$4000. Used 900 watt Whisper, \$850. 406 547 2266 • HP10247

WORLD'S FIRST DC SOLAR FOG for cooling and humidification. Up to 1500 PSI for flash evaporation. Email: jimandmaryellen@verizon.net • HP10248

WHISPER 3000 HV \$2995; Air 403 \$425, Air 502 \$650, Air 503 \$550, Volts Rabbit EV \$2495. Many gauges, shunts, breakers, fuses, switches, rectifiers, cables, diodes, batteries, inverters, UPS. Peewee Power Co 360-568-3685 • HP10249

WE MFG 12-VOLT FANS 12" 16" & 20" FOR CABINS, AUCTIONEER TRUCKS, CAMPERs, SOLAR HOMES, ETC. Color brochures avail. Whls & retail. Tools Plus, RR1 Box 122C, Arthur, IL 61911. 217 543 3294 or 217 543 2404 • HP10250



Readers' Marketplace Rates

Rates: 25¢ per CHARACTER, include spaces & punctuation. \$20.00 minimum per insertion. All Readers' Marketplace ads are published in both the print and web versions. Please send a check or Visa, Mastercard, American Express, or Discover card data with ad. Please, no money orders. We do not bill Readers' Marketplace ads, they must be paid for in advance of publication. Your cancelled check or credit card bill is your receipt.

Help us prevent fraud! Home Power Readers' Marketplace ads from individuals must supply serial number(s) for equipment being sold. Businesses must supply published phone number(s) and physical address. While Home Power is doing everything we can to prevent fraud, we can assume no responsibility for items being sold.

installers directory

Do you want a renewable energy system, but don't want to install it yourself? You deserve a system that meets your expectations and budget! A renewable energy professional will design and install a safe, code-compliant system, and offer you service and support after the sale. Check out the state-by-state installer listings below.

Home Power does not guarantee the quality provided by the businesses listed below— please shop carefully, request references and certifications, and compare.

Canada



Energy Alternatives has been serving Canadians for over 20 years. A licensed electrical contractor (BC Lics # 86683) with professional installers throughout Canada. Expert consultation & design services, turn-key installed systems or DIY packaged system kits. Extensive inventory for fast delivery. Visit www.EnergyAlternatives.ca. Call 1-800-265-8898. Canadian dealer inquiries welcome.

Alaska



Remote Power Inc., Greg Egan, President. Licensed electrician since 1982. Outback certified field service technician. MREA trained wind system installer. Design, installation, sales & service of wind, pv, & hydro systems. We have affiliated installers statewide. Bush jobs no problem. We stock inverters, PV panels, efficient appliances, etc. at our shop near Fairbanks. Call 1-888-257-3639 or 1-907-457-4299

California



Akeena Solar is the nation's largest residential solar electric installer with two NABCEP-Certified PV Installers on staff. Our design/build services coupled with our complete financial analyses, based on actual site conditions, support our growing list of satisfied customers in making the switch to clean reliable energy. Serving CA, NJ, MA, RI, CT, & NY. Visit www.akeena.net or call 888-akeena-8



Cobalt Power Systems Inc. is a full-service, licensed installer of PV systems in the SF Bay Area. We offer free consultations with clients, professional system design by an electrical engineer, expert installations, and competitive pricing. We handle all the paperwork for the client, and we oversee all inspections. Please contact us at 650-948-9574 or www.cobaltpower.com.



Electron Connection Licensed in CA and Oregon. NABCEP Certified installer. Serving northernmost California and southern Oregon. PV, wind, microhydro installs. (800) 945-7587 email: bob-o@electronconnection.com, www.electronconnection.com



Empower Energy, Southern CA. We design, sell, install, & service high quality residential & commercial solar, wind, & hydro systems. Specializing in grid-tied & remote stand alone systems in any part of CA. Make renewable energy a part of your home, ranch, or business. Lic. in CA since 1995, (#711993). Cert. SMA & Sharp installer. 818 222-8700, toll free 800 494-2366, EmpowerEnergy.net, Info@EmpowerEnergy.net.



Feather River Solar Electric Bill Battagin of Taylorsville has been designing, installing and servicing renewable energy systems since 1982. PV, micro-hydro, hybrids; grid intertie or stand alone systems. CA Elect.l Lic. # 681552, Outback Cert. Tech. We live and work with RE. Serving Plumas, Lassen, Sierra, Butte Cos. 530.284.7849 frenergy@psln.com, www.frenergy.net



Horizon Industries, San Diego Calif solar showroom, retail installation: Horizon Industries has been servicing, designing and installing solar hot water, solar pool heating, and solar electric on and off grid systems in San Diego county since 1984. Our showroom is at 120 N. Pacific #G7, San Marcos, (760) 744-1001.

California, cont.



Offline Independent Energy Systems, Since 1983. An electrical contracting co., we specialize in utility intertie (with state rebate & net metering) & off grid systems. Owned & operated by Don & Cynthia Lowebug in Central CA East of Fresno. We run our home & business with solar electricity. POB 231, North Fork, CA. 93643, (CA lic# 661052) ph 559 877 7080, fx 559 877 2980, ofln@aol.com www.psnw.com/~ofln



Sky Power Systems, provides affordable solar electric solutions, residential & commercial. NABCEP certified. Quality, 100% turnkey, affordable installations. Special pricing & design/installation advice for DIY. CEC rebates; long-term, 100% financing available. Free \$\$ analysis & site evaluations, toll free (CA only) 888-41SOLAR (888-417-6527), www.skypowersystems.com, Lic. # 800947, Bonded & Insured.

Colorado



Burnham-Beck & Sun, Solar & Wind Energy Systems. Located in Fort Collins, Colorado, we make site evaluations, system designs, and installations in Northern Colorado, Southern Wyoming. We drop-ship equipment anywhere in the US. Retail products include PV modules, wind turbines, inverters, batteries, efficient appliances. 970-482-6924. <mailto:BurnhamBeckSun@aol.com>. www.burnhambeck.com



Solar Solutions Ltd. provides photovoltaic, wind & hybrid power systems & components for stand alone systems, grid tied, RV's & remote water pumping. Committed to providing the highest quality service & customer satisfaction. A proud member of Colorado SEIA and a lifetime member of the Colorado RE Society and ASES. Xantrex Certified Dealer. 888 44solar or 888 447-6527 www.solarsolutions.com

Florida



ECS Solar Energy Systems (tel) 352-377-8866 www.ECS-solar.com / tom@ECS-solar.com We service FL, the Caribbean and the Southeastern U.S. FL's first solar contractor since 1977. Solar pool heating, hot water, and electric systems—commercial & residential. Solar lic. # CVC056643 Florida state certified for "grid-connected" systems. Contact us now to receive a free solar informational booklet.

Maine



Independent Power Off-grid installations anywhere in Maine. Solar, Wind, Generators. Reliable independent power systems installed by an expert. Full service and support. 207-946-4444 www.independentpowermaine.com.

Mexico



SC Solar designs/installs PV systems—residential, US military, solar lighting, water pumping, traffic management power systems. Solar thermal & micro hydro. Custom UPS systems for off grid. Installation area: NC, SC, VA, GA, TN, & Mexico. For more info & credentials: 803-802-5522 www.scsolar.com CCR# & Cage Code #1SLJ5.

Michigan



Backwards to the Future Ltd. installing, designing and supplying solar equipment since 1986. OEM supplier of evacuated tube heat pipe technology for DHW & hydronic heating. Systems building integration by joint venture with registered architect. State licensed residential builder & solar mechanical contractor. POB 409 Fennville MI 49408 tel: 269 2366179 email: info@BTFsolar.com www.BTFsolar.com

Michigan, cont.



S.U.R. Energy Systems, LC is South East Michigan's premier provider of wind, solar electric, and solar thermal systems. Any combination of design, sales, and installation. "Do it yourself" assistance to custom turnkey systems. We do power point seminars. Willing to travel. VISA, MC www.sur.biz sales@sur.biz 734.913.9944

Montana



Oasis Montana Inc. designs, sells & installs renewable energy power systems in western Montana and also offers efficient and gas appliances. Our technician Dan Healy is NABCEP certified for PV installations. Toll-free 877-OASISMT or 877-OASISPV web sites: www.oasismontana.com www.grid-tie.com www.PVsolarpumps.com E-Mail: info@oasismontana.com



Planetary Systems, Inc. In business 10+ years. Sales/design/installation of complete RE electrical, water & hydronic heating systems. Our patented RE "Power Package" simplifies installation & reduces costs. Can be shipped nationwide & installed locally. CAD schematic system drawings/technical support provided. Xantrex Certified Dealer. Phone (406) 682-5646, www.planetarysystems.com

Nevada



Alternative Energy Solutions, Reno, Nevada. We design, sell, install and service PV, wind, off grid and grid tie RE systems, Nevada State Licensed and Bonded Contractor, NABCEP PV Certified Installer. Xantrex / Trace Authorized Service Center, Xantrex Certified Dealer, Outback Factory trained field service technicians and Certified Uni-Solar field laminate installer. 775-857-1157 toll free 1-866-491-SOLR

New Hampshire



Sunweaver Incorporating innovative technologies for power, water and heat. Encouraging knowledge and direction towards resource responsible solar living. Installing in New England and the Caribbean since 1985. www.sunweaver.org. mailto: info@sunweaver.org 603-942-5863 Showroom hours: Monday-Saturday 11am-6pm

New Jersey



Akeena Solar is the nation's largest residential solar electric installer with two NABCEP-Certified PV Installers on staff. Our design/build services coupled with our complete financial analyses, based on actual site conditions, support our growing list of satisfied customers in making the switch to clean reliable energy. Serving CA, NJ, MA, RI, CT, & NY. Visit www.akeena.net or call 888-akeena-8

New Mexico



Positive Energy Inc. High quality renewable power systems. Licensed, bonded, and insured electrical contractor serving Santa Fe and northern NM. Owner Allan Sindelar is NABCEP certified and is a certified dealer/installer for Xantrex, Outback, and Sunnyboy. 505 424-1112. E-mail: info@positiveenergysolar.com. Website: www.positiveenergysolar.com

New York



Daystar Energy Systems We're making it easy to choose renewable energy. Unparalleled pricing guarantee, exceptional installation service, and backed up with a comprehensive warranty. Not your average installer, ask about our Sweat Equity and Referral Incentive Programs. Putting customers first in NY and NJ. Call Desi 585-224-9105 www.daystarenergysystems.com



Solar & Wind FX Inc. NY's only Off-grid Design & Training Center, where a client can see the latest RE & Green building technologies. A family owned, full service company focusing on Western NY that provides site evaluation, design, installation & the all important, service after the sale. Member of NESEA & NYSEIA, SEI alumni & a NYSERDA installer. 585-229-2083, solarandwindfx.com



Suntric Renewable Electric Systems, Experienced, qualified installers of photovoltaic, wind, and micro-hydro stand alone systems. Located on the western end of the Adirondack Park in northern New York State. Site evaluations, design consultations, sales and service. Off grid since 1976. Edwin & Pamela Falk, 6920 Abbey Road, Lyons Falls, New York 13368 • 315-348-6893

Oregon



Electron Connection Licensed in CA and Oregon. NABCEP Certified installer. Serving northernmost California and southern Oregon. PV, wind, microhydro installs. (800) 945-7587 email: bob-o@electronconnection.com, www.electronconnection.com



Solar/wind Power of Portland, and our partner, Inland Electric, installers of solar electric & hot water systems, wind power, & solar shades, serving the Portland/Vancouver Metro area. Oregon Energy Trust ID #10012. Free information packet, or visit our showroom: 10006 SW Canyon Rd., Portland, OR 97225. Phones: 503/297-5781, or 800/550-2950. WEB: www.solarwindpdx.com, solarwind@ecosky.com.

Ohio



Third Sun Solar & Wind Power, Ltd. is Ohio's leading renewable energy contractor. Complete design and installation of off-grid, utility tied, PV and wind systems in OH, KY, IN, IL, MI, PA, WV. Owner Geoff Greenfield is NABCEP Certified Solar PV Installer. We are committed to excellent customer service & the highest quality systems. www.third-sun.com. (740) 597-3111.

Pennsylvania



Appalachian Wind Systems, LLC has been serving PA, WV & MD for 6 years. Distributor for Cyclone wind turbines, Synergy wind turbines, Sun solar panels, LED lighting, stand alone & grid tie inverters and other products. Site evaluations and financial analyses. We also sell, service & install 10-60 meter NRG meteorological towers & first stage wind analysis. For more information, call 724-452-0326

South Carolina



SC Solar designs/install PV systems—residential, US military, solar lighting, water pumping, traffic management power systems. Solar thermal & micro hydro. Custom UPS systems for off grid. Installation area: NC, SC, VA, GA, TN, & Mexico. For more info & credentials: 803-802-5522 www.scsolar.com CCR# & Cage Code #1SLJ5.

Texas



Meridian Energy Systems specializes in the design and installation of high quality solar and wind energy systems throughout the State of Texas...and beyond. Factory trained technicians and NABCEP Inaugural Certificated on staff. Visit our website www.meridiansolar.com or call toll-free: 888-477-3050



North Texas Renewable Energy Inc. North Texas' premier solar and small wind energy service. Complete system design and installation. Available service contract Independence-Reliability-Conservation. Jim Duncan answers@NTREI.com 817.917.0527

Vermont



Independent Power & Light serving Northern Vermont since 1988. David Palumbo designs, sells, and installs solar electric systems. NABCEP Certified installer, Outback Power Certified Field Service Tech. Specializing in efficient off grid homes. Phone: 802-888-7194, e-mail: IP&L@sover.net, www.independent-power.com



Vermont Solar Engineering has provided the finest in renewable energy throughout New York and New England, since 1991. We design, install, and support solar electric, wind electric, and solar hot water systems. K. Herander, NABCEP™ certified installer. Xantrex Certified Dealer. NYSERDA eligible installer. Vermont Solar and Wind Partner. www.vermontsolar.com 1-800-286-1252

Washington



Power Trip Energy Corp. "Craft Your Personal Energy Policy" Electrical contractors specializing in renewable energy & a holistic approach to your power needs incorporating complete wiring packages & efficiency analysis. We serve all of Washington, grid-tied & off-grid, residential & commercial. www.powertripenergy.com, (360) 643-3080. hp@powertripenergy.com, WA Cont # POWERTE964JN.

Washington, cont.



Puget Sound Solar. We design, sell, install & service solar electric & solar hot water systems in the Puget Sound region. Licensed contractor for 30+ years. Solar site assessments, pinpoint heat loss calculations & whole house energy design. WA cont. lic# PUGETSS973KR. See our website www.pugetsoundsolar.com. (206) 706-1931 jeremy@pugetsoundsolar.com



SolarWind Energy Systems, LLC P.O. Box 1234, Okanogan, WA 98840 (509) 422-5309 www.solar-wind.us WA Cont. # SOLARES983RQ. Serving Eastern WA & Northern ID grid-tied & off-grid RE systems. Solar PV, wind, solar hot water, remote stock watering. Design, installation, service, maint. Solar Energy International (SEI) trained. Lic. & bonded. bclark@solar-wind.us or jmartin@solar-wind.us



Sound Power Design • Site Surveys • Installation • Service. Contractor Reg. # SOUNDPI983NW www.soundpower.us phone 425-844-8748 fax 425-844-8928 Licensed, bonded, insured electrical contractor. Renewable energy specialist. We will travel anywhere in Washington to install PV, wind, and microhydro systems.

Wisconsin



Great Northern Solar. In business since 1988. "Waking the Northland to renewable energy & sustainable living!" We install PV, wind and microhydro systems. Large focus on education—workshops on residential and commercial installations available. Instructor at MREA. Contact Chris LaForge at 715 774-3374, email: gosolar@cheqnet.net 77480 Evergreen Rd Ste #1 Port Wing, 54865

Wyoming



Creative Energies Wyoming's premiere full-service RE company. Solar & wind power for remote cabins, homes & ranches, utility grid-tied solar & wind power, solar hot water & heating, solar water pumping & passive solar home design. We custom design a system that fits your needs & budget. Trace certified dealer. Phone/fax: 307-332-3410 toll free 866-332-3410 info@creativeenergies.biz www.creativeenergies.biz

RE Installer? Get Listed.

Our readers continue to look to *Home Power* for referrals to RE installation professionals in their area.

For more information or to get your business listed in *HP's* installers directory, e-mail advertising@homepower.com or call 541.512.0201.

Advertise in

home power

The Hands-On Journal of Home-Made Power

Since 1987, *Home Power* has been connecting manufacturers, resellers, and installers to end users of clean energy technologies.

Today, more than 80 percent of our readers live on-grid and over 70 percent of them will be installing both solar-electric and solar hot water systems. And that's just the beginning...

Home Power readers are also purchasing wind and microhydro power systems, energy efficient appliances, green building products, and low or no emissions vehicles.

Give the people what they want. Advertise in *Home Power*!

For all the details, contact Connie Said at advertising@homepower.com • phone: 541.512.0201

real power real people real future real party!

SUN WIND WATER
SOLAR • WIND • HYDRO • GREEN BUILDING • BIO-DIESEL • HYDROGEN • FOOD & FARMING • THE NATURAL HOME

August 21 & 22

Hopland, CA

90 miles north of San Francisco

60 Workshops

Green Marketplace

Live Music

Organic Food

BRUCE COCKBURN

SINGER/SONGWRITER

AMY GOODMAN

HOST, DEMOCRACY NOW!

CHARLIE HUNTER TRIO

VISIONARY JAZZ GUITAR

VANDANA SHIVA

ECOLOGIST/ACTIVIST/AUTHOR

MICHAEL TOMS

NEW DIMENSIONS RADIO

DARYL HANNAH

ACTOR/ENVIRONMENTALIST

THOM HARTMANN

HOST, THE THOM HARTMANN SHOW



sol fest™
THE 9TH ANNUAL

exhibit and sponsorship info:

www.solfest.org 707.744.2017

A benefit for the nonprofit Solar Living Institute

REAL GOODS



NATURAL HOME Mother Jones



MOTHER EARTH NEWS
THE ORIGINAL GUIDE TO LIVING WISELY

alternative MEDICINE MAGAZINE
THE ART & SCIENCE OF HEALTHY LIVING



THE ENVIRONMENTAL MAGAZINE



REDJELLYFISH.COM / TS DESIGNS
FREY VINEYARDS / YOKAYO BIOFUELS
SIERRA CLUB MUTUAL FUNDS

- AAA Solar Supply 91
- ABS Alaskan 123
- Abundant Renewable Energy 85
- Adopt a Library 129
- Advanced Communication Solutions 123
- Advertising in Home Power 142
- AEE Renewable Energy Supersource 11
- All Battery Sales & Service 68
- Alternative Energy Store 93
- Alternative Power & Machine 122
- B.Z. Products 119
- BackHome 133
- Backwoods Solar Electric Systems 75
- Bailey's Inc 86
- Beacon Power Corp 12
- Belize Workshops 67
- Blue Sky Energy Inc 61
- Bogart Engineering 52
- BP Solar 2
- Brand Electronics 74
- BTF Ltd 92
- Butler Sun Solutions 107
- C. Crane Company 117
- Camp-Us 60
- Central Boiler 129
- CheapestSolar.com (ZAP) 132
- Communities magazine 122
- Cyclone Wind Turbines 111
- Dankoff Solar Products 57
- Daystar Inc. 123
- Direct Power & Water Corp 69
- E/The Environmental Magazine 113
- Earth Solar 33
- EcolInnovation 129
- Electro Automotive 99
- Electron Connection 39
- Energy Alternatives 107
- Energy Conservation Services 86
- Energy Outfitters 7
- Energy Systems & Design 98
- EV Solar Products 117
- Evergreen Solar 13
- Forcefield 44
- Fronius International 24
- General Specialties 122
- Gorilla Vehicles 104
- Green Festival 93
- Harris Hydroelectric 119
- Heaven's Flame 123
- Hitney Solar Products 119
- Home Power Back Issues 117
- Home Power CD-ROMs 105
- Home Power Solar1 CD-ROM 81
- Home Power Solar9 CD-ROM 81
- Home Power Sub Form 81
- Home Power T-shirts 128
- Homepower.com 80
- Hutton Communications 99
- Hydrocap 110
- Hydroscreen Co LLC 119
- Inverterdoctor.com 60
- IRENEW Energy Expo 133
- Isofotón 6
- Jack Rabbit Energy Systems 92
- KTA Services Inc 113
- Kyocera Solar Inc OBC
- Liquid Sun Hydro 129
- Matrix Solar Technologies 122
- Mike's Windmill Shop 117
- MK Battery/East Penn Mfg 61
- Morningstar 31
- MREA Workshops 111
- National Solar Supply 45
- Next Energy LLC 137
- North American Board of Certified Energy Practioners 79
- Northern Arizona Wind & Sun 87
- Northwest Energy Storage 75
- Offline 113
- Ontario Solar & Wind Inc 99
- Outback Power Systems 23
- Planetary Systems Inc 53
- Power of the Sun 97
- Quick Start Specials 80
- Rae Storage Battery Company 123
- Renewable Energy Videos 128
- RightHand Engineering 133
- Rocky Mountain Sustainable Living Fair 98
- Rolls Battery Engineering 53
- RWE SCHOTT Solar IBC
- San Juan College 129
- Simmons 137
- SMA America Inc 4
- Solar Converters 45
- Solar Depot IFC
- Solar Electric Inc 129
- Solar Energy International 32, 78
- Solar Living Institute 68
- Solar Pathfinder 22
- Solar Stream 92
- Solar Village Institute 104
- Solar Wind Works 133
- SolarOne Solutions 111
- Solartrax Power Stations 87
- SolFest 143
- SOL-Solar-On-Line 133
- Southern California RE Expo 107
- Southwest Solar 135
- Southwest Sustainability Expo 79
- Southwest Windpower 41
- Sun Electronics 74, 115, 137
- Sun Frost 98
- Sun Pumps Inc 52
- SunDanzer 68
- SunEarth Inc 86
- Sunwise Solar 129
- SunWize 25, 57
- Surette Battery 69
- Tech Traders Inc 133
- Texas Renewable Energy Roundup 110
- The New Strawbale Home Book 38
- Thermodyne 137
- Trojan Battery 67
- U.S. Battery 5
- UniRac 87
- United Solar Ovonic (Uni-Solar) 40
- Upland Technologies 31
- Wattsun (Array Tech Inc) 110
- Windstream Power Systems 56
- Xantrex 1
- Zephyr Industries Inc 92
- Zomeworks 78

Coming Next Issue:

Folk music hero Pete Seeger chooses solar.

Intro to adobe building techniques.

Energy Star washing machine face-off.

Pete Seeger has a long history of environmental activism—his solar powered home makes good, old-fashioned sense.





RWE SCHOTT Solar.

Count On Us...

1 *To manufacture the most powerful PV modules available*

When you specify RWE SCHOTT Solar photovoltaic modules, such as our flagship ASE 300, you're offering customers the top of the line power output, longevity and life-cycle cost. Highest quality equates to best value.

2 *To provide complete photovoltaic system solutions*

RWE SCHOTT Solar systems are easy to install and easy to maintain, with innovative designs and unique features not available from the competition. Our technical superiority results in lower installation costs and reduced maintenance expenses -- producing higher value for you and your customers.

3 *For comprehensive technical and sales support*

Whatever assistance you need to support your business -- sales, engineering, installation, testing, commissioning, documentation -- we can provide. You can concentrate on your core competencies while providing your customers total service solutions.

Check out the RWE SCHOTT Solar partner programs at www.rweschottsolar.us/partner.

We'll make your choice as easy as 1-2-3.

RWE SCHOTT Solar. German engineered. American made.


**RWE
SCHOTT Solar**
Powered By The Sun

Power with Style

Kyocera introduces a new look in solar energy systems.

This aesthetically integrated photovoltaic system sets a new standard in ease of installation, roof space utilization and beauty. It uses two different size modules and a unique custom racking system to get the most power out of your available roof space while blending into your home's architecture better than traditional solar modules.

Now you can reduce your electric bills without sacrificing your home's elegance.

The modules are installed using three types of standard length rails. This eliminates the traditional waiting period while custom mounting racks are made to order. Your installer can have your system installed before most module mounting systems can even be manufactured.

KYOCERA Solar, Inc. Headquarters
7812 East Acoma Drive
Scottsdale, AZ 85260
tel: 480.948.8003 / 800.544.6466
fax: 480.483.6431 / 800.523.2329
info@kyocerasolar.com
www.kyocerasolar.com

Power with Style **SAMURAI**



THE NEW VALUE FRONTIER



KYOCERA Solar, Inc.

SUBSCRIBE!

to **HOME POWER** magazine **FAST & EASY** at **www.homepower.com**
or call 800-707-6585, international 541-512-0201, or fax 541-512-0343

Or, complete and mail this form. Enclose payment as a check, money order, or credit card information.
Tape the form closed carefully or use an envelope so your check won't fall out. Allow up to three weeks for your first issue to arrive.

Shipping Information

Name:

Address:

City:

State:

Zip:

Country:

Phone:

E-mail:

(Never sold or shared.)

(No spam, guaranteed.)

New Subscription

Renewal Subscription

Gift Subscription

Change of Address

Old Zip Code

	USA	Canada*	International*
1 Year: 6 issues Save \$19.20 off the newsstand price!	<input type="checkbox"/> \$22.50 Standard	<input type="checkbox"/> \$30.00 Standard	<input type="checkbox"/> \$30.00 Ground
	<input type="checkbox"/> \$43.00 1st class	<input type="checkbox"/> \$43.00 1st class	<input type="checkbox"/> Call for price Air
2 Years: 12 issues Save 10% more!	<input type="checkbox"/> \$40.50 Standard	<input type="checkbox"/> \$55.50 Standard	<input type="checkbox"/> \$55.50 Ground
	<input type="checkbox"/> \$81.50 1st class	<input type="checkbox"/> \$81.50 1st class	<input type="checkbox"/> Call for price Air
3 Years: 18 issues Save 15% more!	<input type="checkbox"/> \$57.50 Standard	<input type="checkbox"/> \$80.00 Standard	<input type="checkbox"/> \$80.00 Ground
	<input type="checkbox"/> \$119.00 1st class	<input type="checkbox"/> \$119.00 1st class	<input type="checkbox"/> Call for price Air

HP 102

* Canadian and international orders must be in U.S. funds drawn on a U.S. bank.

\$ Subtotal:

Specials add price to subscription above

Quick Start With your subscription above, get our six most recent back issues sent to you right away.

Quick Start + 1 Quick Start above, **PLUS** our Solar1—Renewable Energy Basics on CD-ROM sent right away.

First Year + CD First-time subscribers only: Subscription, **PLUS** any selection from our CD-ROM library.

Enter number of the Solar CD-ROM to add to special. 1 through 9 currently available.

	USA	Canada*	International*
<input type="checkbox"/> Add \$27.50 to your subtotal above	<input type="checkbox"/> Add \$35.00 to your subtotal above	<input type="checkbox"/> Add \$37.00 to your subtotal above	
<input type="checkbox"/> Add \$46.50 to your subtotal above	<input type="checkbox"/> Add \$54.00 to your subtotal above	<input type="checkbox"/> Add \$56.00 to your subtotal above	
<input type="checkbox"/> Add \$21.00 to your subtotal above	<input type="checkbox"/> Add \$22.00 to your subtotal above	<input type="checkbox"/> Add \$23.00 to your subtotal above	

\$ Additional:

Subscription cost plus cost of special

\$ Total:

Billing Information if different from above

Name:

Address:

City:

State:

Zip:

Country:

Phone:

E-mail:

(Never sold or shared.)

(No spam, guaranteed.)

Payment Information

Check Enclosed*

Visa

MasterCard

American Express

Discover

Card Number:

Expiration Date:

Signature:

CSC Number:**

\$ Total:

* Make checks or money orders payable to *Home Power* magazine.

**The last 3 or 4 digit number on the signature strip on the back of your card. (On the front of American Express cards.)

Energy Survey

The following optional questions about your renewable energy use help us tailor the magazine to meet your needs. All information is kept confidential. We appreciate your input.

I use, or plan to use, renewable energy for:

- | Now | Future | |
|--------------------------|--------------------------|--|
| <input type="checkbox"/> | <input type="checkbox"/> | All electricity |
| <input type="checkbox"/> | <input type="checkbox"/> | Most electricity |
| <input type="checkbox"/> | <input type="checkbox"/> | Some electricity |
| <input type="checkbox"/> | <input type="checkbox"/> | Backup electricity |
| <input type="checkbox"/> | <input type="checkbox"/> | Recreational electricity (RVs, boats, camping) |
| <input type="checkbox"/> | <input type="checkbox"/> | Vacation or second home electricity |
| <input type="checkbox"/> | <input type="checkbox"/> | Business electricity |
| <input type="checkbox"/> | <input type="checkbox"/> | Transportation |
| <input type="checkbox"/> | <input type="checkbox"/> | Water heating |
| <input type="checkbox"/> | <input type="checkbox"/> | Space heating |

My site(s) have the following renewable energy resources:

- Solar power
- Wind power
- Hydro power
- Biomass
- Geothermal power
- Tidal power
- Other (explain)

Electric utility grid use:

- I have the utility grid at my location.
I pay _____¢ for grid electricity (cents per kilowatt-hour).
_____ % of my total electricity is purchased from the grid.
- I sell my excess electricity to the grid.
The grid pays me _____¢ for electricity (cents per kilowatt-hour).

I use, or plan to use, the following renewable energy products (check all that apply):

- | Now | Future | |
|--------------------------|--------------------------|--------------------------------|
| <input type="checkbox"/> | <input type="checkbox"/> | Photovoltaic modules |
| <input type="checkbox"/> | <input type="checkbox"/> | Wind generator |
| <input type="checkbox"/> | <input type="checkbox"/> | Hydroelectric generator |
| <input type="checkbox"/> | <input type="checkbox"/> | Battery charger |
| <input type="checkbox"/> | <input type="checkbox"/> | Instrumentation |
| <input type="checkbox"/> | <input type="checkbox"/> | Batteries |
| <input type="checkbox"/> | <input type="checkbox"/> | Inverter |
| <input type="checkbox"/> | <input type="checkbox"/> | Controls |
| <input type="checkbox"/> | <input type="checkbox"/> | PV tracker |
| <input type="checkbox"/> | <input type="checkbox"/> | Engine/generator |
| <input type="checkbox"/> | <input type="checkbox"/> | Methane digester |
| <input type="checkbox"/> | <input type="checkbox"/> | Thermoelectric generator |
| <input type="checkbox"/> | <input type="checkbox"/> | Solar oven or cooker |
| <input type="checkbox"/> | <input type="checkbox"/> | Solar water heater |
| <input type="checkbox"/> | <input type="checkbox"/> | Wood-fired water heater |
| <input type="checkbox"/> | <input type="checkbox"/> | Solar space heating system |
| <input type="checkbox"/> | <input type="checkbox"/> | Hydrogen cells (electrolyzers) |
| <input type="checkbox"/> | <input type="checkbox"/> | Fuel cells |
| <input type="checkbox"/> | <input type="checkbox"/> | RE-powered water pump |
| <input type="checkbox"/> | <input type="checkbox"/> | Electric vehicle |

Feedback

Please write to us here. Tell us what you like and don't like about *Home Power*. What would you like to read about in future issues? Thanks for your attention and support.

It's okay to print my comments as a letter to *Home Power*.

Fold Here

Return Address:



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES



BUSINESS REPLY MAIL
FIRST-CLASS MAIL PERMIT NO. 49 ASHLAND OR
POSTAGE WILL BE PAID BY ADDRESSEE



HOME POWER
PO BOX 520
ASHLAND OR 97520-9903

