

PHONECIR.TXT

*****-----*****

! An AoA Production... !
! ^ !
! !
! " Handy Telephone Circuits " !
! By: Eye-No Phonez !
! !
! With Excerpts from: !
! " Phone Color Boxes " !

/ Try These Psychadelic Boards : \

! !

! StoneHenge BBS
516-543-7995!

! Skull Island 300B 201-379-1459!

! Crooked Cops 515-225-8795!

! The Logic Center 515-223-4919!

_____/

Circuit #1:

Black Box with PushButton and
MouthPeice Amp...

PHONECIR.TXT

Neg. RED _____

Pos. GREEN

This diagram can be interpreted as:

P.B = Pushbutton

The 6 volt battery can be replaced with either a 9 or 12 volt battery, if you do so, you must also change the resistor value to the following

PHONECIR.TXT

| Batt | Res. | Value |
|------|------|-------|
|------|------|-------|

| | | |
|-----|--|--|
| 6v | | |
| 240 | | |

| | | |
|----|--|-----|
| 9v | | 360 |
|----|--|-----|


| | | |
|-----|--|-----|
| 12v | | 480 |
|-----|--|-----|

Make sure you don't use this on operator originated calls. Otherwise this particular box plan is VERY VERY safe. When using it, after you answer the party will never know you are there, so you can screen calls that way .. work out a code with your friends who you'll allow to be Black Boxed, make it so they whistle while it is ringing or something so you know it's safe when you pick up to hit the pushbutton to kill the ringing. This is very important, if you DON'T hear the signal, DON'T black box that call! You can be nabbed if you mess up.

PHONECIR.TXT

Circuit #2:

Put-Person-On-Hold




PHONECIR.TXT

|_____|

To activate Hold, switch DPDT.

LED will be on when Hold is on, and
off when it is off.

Here is a variation of the above
schematic, this facilitates the use
of music to the person on hold:



PHONECIR.TXT


```
|   |   |   |
 /   -----
 \   | DPDT SWITCH  |
 /   -----
 100 ohm  |   |   |   PHONE
 1 Watt   |   |   |
 |   |   o   -----> GREEN
 / \   |
 \ /   | PhoneLine
 LED #48 |   GREEN
 or #49 |
 |   |
 |_____|
```

Circuit #3:

Snoop Lite (Tap/Bug Detector)

RED
GREEN
o_____o

PHONECIR.TXT



A - LED #48, OR #49

B - 500 MFD/15 VOLTS

C - 10 VOLT ZENER DIODE,1 WATT

LED will shine brightly when Tap or

Bug or Extension is lifted.

***** Look for more in '87 ****

PHONECIR.TXT

Disclaimer:

This file is produced for informational purposes only. It is not condoned, or practiced by the author. In no way should this be practiced. It is illegal.

This File is in accordance with The First Amendment of the Constitution of the United States Of America.

Downloaded From P-80 International Information Systems 304-744-2253